

Equip 119274

Gamintojas: **EQUIP** · Modelis: **119274** · EAN: **4015867243190** · Prekės kodas: **749868**



23,90 €

Kaina su PVM

Be PVM: **19,75 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Connector: DisplayPort Male to DisplayPort Male
- ✓ Standard: DisplayPort 2.1
- ✓ Max resolution: Up to 16K/60Hz (with DSC)
- ✓ Data rate: Up to 40Gbps
- ✓ UHBR: UHBR10 (10 Gbps / lane)
- ✓ HDR: HDR10 and HDR10+
- ✓ HDCP: HDCP 1.4 / 2.2 / 2.3
- ✓ Features: DSC, MST
- ✓ Backward compatibility: DisplayPort 1.4 / 1.3 / 1.2 / 1.1
- ✓ Build: Gold-plated connectors, PVC jacket



Aprašymas

The 119274 DisplayPort 2.1 Cable is built for high-bandwidth video and audio transmission, enabling modern gaming, professional graphics, and multi-display workstation setups over a 5.0m run.

With DisplayPort 2.1 support and up to 40Gbps bandwidth, it delivers up to 16K at 60Hz (with DSC on supported devices) and stays backward compatible with DisplayPort 1.4/1.3/1.2/1.1 for easy upgrades across existing GPUs and monitors. It supports HDR10/HDR10+ for improved contrast and color on compatible content, MST for multi-stream transport (daisy-chain / multi-monitor output where supported), and HDCP 1.4/2.2/2.3 for protected content playback.

For stable performance over longer distance, the cable is designed to reduce signal loss and interference, while gold-plated connectors help maintain reliable contact. A PVC jacket improves flexibility for routing and installation in office, studio, and home entertainment environments.

Techninė specifikacija

Specifications	
Sandėlio grupė	> Kabel und Adapter > Displayport Kabel und Adapter [+1987][-131]
Features	
Cable length	5 m
Connector 1	DisplayPort
Connector 2	DisplayPort
Connector 1 gender	Male
Connector 2 gender	Male
Maximum resolution	15360 x 8640 pixels
Product colour	Black
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Connector contacts plating	Gold
DisplayPort version	2.1
Supported graphics resolutions	15360 x 8640, 10240 x 4320, 7680 x 4320, 5120 x 2880, 3840 x 2160, 2560 x 1440, 1920 x 1200 (WUXGA)
Maximum refresh rate	240 Hz
HDCP	Yes
HDCP version	1.4/2.3
Display Stream Compression (DSC)	Yes
Jacket material	Polyvinyl chloride (PVC)
High Dynamic Range (HDR) supported	Yes
Data transfer rate	40 Gbit/s
Multi-Stream Transport (MST)	Yes
Cable type	Round cable
Certificates	
Compliance certificates	RoHS, REACH
Weight & dimensions	
Weight	229 g
Packaging data	
Package width	200 mm
Package depth	300 mm
Package height	40 mm

Package weight	238 g
----------------	-------

Package type	Polybag
--------------	---------

Logistics data

Customs product code (TARIC)	8544421000
------------------------------	------------

Country of origin	China
-------------------	-------

Master (outer) case width	400 mm
---------------------------	--------

Master (outer) case length	300 mm
----------------------------	--------

Master (outer) case height	300 mm
----------------------------	--------

Master (outer) case gross weight	10.3 kg
----------------------------------	---------

Products per master (outer) case	40 pc(s)
----------------------------------	----------

Matmenys ir svoris

Svoris	0,33kg
--------	--------