

Ernitec 0070-08300 security camera Covert IP security camera Indoor & outdoor 4000 x 3000 pixels

Gamintojas: **ERNITEC** · Modelis: **0070-08300** · EAN: **5715063288658** · Prekės kodas: **750099**



986,90 €

Kaina su PVM

Be PVM: **815,62 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 1/1.7" progressive scan CMOS
- ✓ 4000×3000 @ 25fps (12MP)
- ✓ 1.8 mm Fixed Iris Focal Length. Angle of View 180° × 180°
- ✓ Smart IR distance up to 15 m
- ✓ Multi dewarping modes and front end image correction
- ✓ Support human and vehicle detection, DWDR, 3D DNR, ROI, Defog, HLC
- ✓ 1/1 audio in/out, 1/1 alarm in/out. Built-in microphone
- ✓ Power Supply DC12V / POE (IEEE 802.3af)
- ✓ IK10, IP66
- ✓ 5 Year Warranty



Aprašymas

Saturn-PX-5112IR

Techninė specifikacija

Specifications

Sandėlio grupė

> Netzwerk > Netzwerkkamera und Zubehör [+1996][[-361]

Performance

Type	IP security camera
Placement supported	Indoor & outdoor
Connectivity technology	Wired
Wide Dynamic Range (WDR)	Yes
Day/night mode	Yes
Infrared (IR) cut-off filter	Yes

Design

Product colour	White
Form factor	Covert
Protection features	Vandal proof
International Protection (IP) code	IP66
IK code	IK10
Weatherproof	Yes

Camera

Camera pan control	No
Minimum illumination	0.01 lx
Field of view (FOV) angle	360°
Camera shutter type	Electronic
Camera shutter speed	1/5 to 1/20,000s

Image sensor

Sensor type	CMOS
Optical sensor size	25.4 / 1.7 mm (1 / 1.7")
Progressive scan	Yes

Lens system

Fixed focal length	1.8 mm
--------------------	--------

Night vision

Night vision	Yes
Night vision distance	15 m
LED type	IR
Infra-red wavelength	850 nm

Video

Maximum resolution	4000 x 3000 pixels
Total megapixels	12 MP

Megapixels per lens	12 MP
Video compression formats	H.264
Frame rate	25 fps
Video streaming	Yes
Noise reduction	Yes
Noise reduction technology	3D noise reduction
3D NR (Noise Reduction)	Yes
Full HD	Yes
Image quality adjustment	Brightness
Privacy masking	Yes
Smart IR	Yes
Audio	
Built-in speaker(s)	Yes
Built-in microphone	Yes
Network	
Ethernet LAN	Yes
Wi-Fi	No
Bluetooth	No
Ethernet interface type	Gigabit Ethernet
Cabling technology	10/100/1000Base-T(X)
Quality of Service (QoS) support	Yes
Works with Apple HomeKit	No
Works with the Google Assistant	No
Storage	
Built-in HDD	No
Built-in SSD	No
Ports & interfaces	
Ethernet LAN (RJ-45) ports	1
Microphone in	Yes
Security	
Password protection	Yes
Password protection type	User
Video motion detection	Yes
Active tampering alarm	Yes

Privacy protection	Yes
Heartbeat	Yes
Management features	
Web-based management	Yes
Reset button	Yes
Power	
Power source type	PoE
Power consumption (max)	9 W
Power consumption (Power over Ethernet (PoE))	9 W
Operational conditions	
Operating temperature (T-T)	-30 - 60 °C
Operating relative humidity (H-H)	10 - 90%
Weight & dimensions	
Width	200 mm
Depth	200 mm
Height	90 mm
Weight	500 g
Packaging data	
Package width	200 mm
Package depth	200 mm
Package height	90 mm
Package weight	1 kg
Packaging content	
Number of cameras	1
Quick installation guide	Yes
Matmenys ir svoris	
Svoris	0,50kg