PREKĖS KORTELĖ

MB Kompiuterių guru · Sugeneruota 2026-10-17 13:31

CLUB3D USB 3.2 Gen2 Type C to C Active Bi-directional Cable 8K60Hz M/M 5m/16.4ft

Gamintojas: **CLUB 3D** · Modelis: **CAC-1535** · EAN: **8719214471699** · Prekės kodas: **751011**

68,90 €

Kaina su PVM

Be PVM: **56,94 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 5 m
- ✓ USB C Straight Male
- ✓ USB C Straight Male
- ✓ USB 3.2 Gen 2 (3.1 Gen 2) 10000 Mbit/s USB Power Delivery (USB PD) 60 W
- ✓ Black
- ✓ 1 pc(s)

Aprašymas

The Club 3D CAC-1535 is an USB Type C to USB Type C Bi-directional Active Cable with a Re-timer chipset for enhancing Video, Data and Power that reaches up to 5 meters / 16.40ft . For video its compatible with DP1.4 standards with a theoretical resolution of up to 8K@60Hz. For data it is compatible with USB3.2 Gen 2 with a maximum of 10Gbps of data transmission and for power it is capable of delivering a max of 60W (20V/3A) PD Charging.

This cable combines video,data and power functions for connecting USB Type C PC or mobile device to a USB Type C display/VR/HardDrive/ Dock/PD charger. In addition this cable is bidirectional which makes it
simple to use. Please make sure that the devices connected support DisplayPort™ Alt Mode Functions.

Note: It works with devices that support DisplayPort Alt mode 1.4, its downwards compatible, specification is limited to devices capability.

Techninė specifikacija

Specifications	
Sandėlio grupė	USB [+3386][-35]
Features	
USB version	USB 3.2 Gen 2 (3.1 Gen 2)
Connector 1	USB C
Connector 2	USB C
Connector 1 gender	Male
Connector 2 gender	Male
Product colour	Black
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Maximum data transfer rate	10000 Mbit/s
Maximum data transfer rate	10 Gbit/s
Plug and Play	Yes
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	60 W
Power	
Output voltage	20 V
Output current (max)	3 A
Weight & dimensions	
Cable length	5 m
Weight	282 g
Connector 1 dimensions (WxDxH)	12.5 x 28 x 8 mm
Connector 2 dimensions (WxDxH)	12.5 x 28 x 8 mm
Packaging data	
Package type	Box
Package width	210 mm
Package depth	35 mm
Package height	210 mm
Package weight	362 g
Packaging content	
Quantity per pack	1 pc(s)

Certificates

Certification	ROHS, FCC, CE EMI

Packaging composition

Plastic packaging weight	9 g
Paper/cardboard packaging weight	70 g
Total plastic packaging weight	0.45 g
Total paper/cardboard packaging weight	3.5 g

Logistics data

Harmonized System (HS) code	85444290

Matmenys ir svoris

Matmenys (I × P × A)	21,00cm × 21,00cm × 4,00cm
Svoris	0,40kg