

TP-Link TL-SF1008LP network switch Unmanaged Fast Ethernet (10/100) Power over Ethernet (PoE) Black

Gamintojas: **TP-LINK** · Modelis: **SF1008LP** · EAN: **6935364052768** · Prekės kodas: **751292**



51,90 €

Kaina su PVM

Be PVM: **42,89 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Unmanaged
- ✓ Basic switching RJ-45 Ethernet ports quantity: 8
- ✓ 10GBASE-T, 100BASE-TX
- ✓ MAC address table: 2000 entries Switching capacity: 1.6 Gbit/s
- ✓ DC/PoE Power over Ethernet (PoE)



Aprašymas

Professional Fast Ethernet Switch with 4 PoE Ports

Plug and Play, with PoE Transmission for Surveillance up to 250 m

Dedicated 4-Port PoE Switch (41 W Budget) for Numerous Applications

Compliance with the 802.3af PoE standard supports up to 15.4 W on each PoE port. The total 41 W PoE power budget* for the 4x PoE ports opens up a wide range of applications, such as surveillance for offices, dormitories, and small businesses. It is fully compatible with IP cameras, access points, IP phones, computers, printers, and more.

Priority Video

Quality Guaranteed

Quality of sensitive applications like video monitoring in critical business areas is guaranteed by offering higher priority options for ports 1-2 when

one-touch Priority Mode is on.

Intelligent Power Management

When total power consumption exceeds 41 W, the intelligent power management will cut the lower priority port power. This ensures the high priority port's power supply and protects the device from power overload. It also automatically detects and provides the required power for your PoE devices while protecting your PoE and non-PoE equipment from being damaged.

Durable Metal Casing

The interior components of TL-SF1008LP are protected by high-quality metal casing to ensure a long product life. Having passed an array of stringent reliability tests, TL-SF1008LP delivers switching performance you can depend on.

Techninė specifikacija

Specifications	
Sandėlio grupė	> Netzwerk > Switches [+1607][-273]
Management features	
Switch type	Unmanaged
Ports & interfaces	
Basic switching RJ-45 Ethernet ports quantity	8
Basic switching RJ-45 Ethernet ports type	Fast Ethernet (10/100)
Fast Ethernet (copper) ports quantity	8
Power connector	DC-in jack
Network	
Networking standards	IEEE 802.3af, IEEE 802.3x
10G support	No
Copper ethernet cabling technology	10GBASE-T, 100BASE-TX
Full duplex	Yes
Half duplex	Yes
Flow control support	Yes
Auto MDI/MDI-X	Yes
Auto-negotiation	Yes
MAC address auto-learning supported	Yes
MAC address auto-aging supported	Yes
Data transmission	
MAC address table	2000 entries
Switching capacity	1.6 Gbit/s
Forwarding rate	1.1904 Mpps
Store-and-forward	Yes

Jumbo frames support	Yes
Jumbo frames	2000
Security	
DHCP features	DHCPv6 relay
Protocols	
Routing protocols	OSPF
IPv4 & IPv6 features	IPv6 portal
Design	
Rack mounting	No
Stackable	No
Product colour	Black
Housing material	Metal
LED indicators	Yes
Wall mountable	Yes
Number of fans	0 fan(s)
Performance	
Fanless	Yes
Power	
Power source	DC/PoE
Power supply included	No
AC input voltage	220 V
AC input frequency	50 Hz
DC input voltage	53.5 V
Input current	0.81 A
Power consumption (max)	47.1 W
Power over Ethernet (PoE)	
Power over Ethernet (PoE)	Yes
Power over Ethernet (PoE) ports quantity	4
Total Power over Ethernet (PoE) budget	41 W
Other features	
Bandwidth	1.6 Gbit/s
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-40 - 70 °C

Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 90%
Heat dissipation	160.61 BTU/h
Weight & dimensions	
Width	171 mm
Depth	98 mm
Height	27 mm
Packaging content	
Cables included	AC
User guide	Yes
Packaging data	
AC adapter included	Yes
Package width	223 mm
Package depth	280 mm
Package height	68 mm
Package weight	750 g
Certificates	
Compliance certificates	CE, Federal Communications Commission (FCC), RoHS
Logistics data	
Harmonized System (HS) code	85176990
Sustainability	
Sustainability compliance	Yes
Matmenys ir svoris	
Matmenys (I × P × A)	28,00cm × 7,00cm × 22,00cm
Svoris	0,91kg