

TP-Link Omada AC1350 Gigabit VPN router ER605W

 Gamintojas: **TP-LINK** · Modelis: **ER605W** · EAN: **4895252504750** · Prekės kodas: **751917**


131,90 €

Kaina su PVM

 Be PVM: **109,01 €**

Sandėlyje


Prekė internetu

 Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ AC1350 Dual-Band WiFi: Supports 867 Mbps on 5 GHz and 450 Mbps on 2.4 GHz
- ✓ 5 Gigabit Ethernet Ports: Provide high-speed wired connectivity
- ✓ Centralized Management: Cloud access and Omada app for ultra convenience and easy management
- ✓ High-Security VPN: Supports multiple VPN protocols including IPSec / OpenVPN / PPTP / L2TP VPN, helping users to establish remote connections more flexibly
- ✓ Boosted Coverage: Four external antennas extend and concentrate the Wi-Fi signals
- ✓ Abundant Security Features: Advanced functions such as DoS defense, IP/MAC/URL filtering, and more protect your network and data



Aprašymas

Always-On Coverage, Always-On Networking

Omada AC1350 Gigabit VPN Router

Smooth Networking Starts with AC1350 Dual Band WiFi

ER605W is a high-performance dual band gigabit VPN router, designed specifically for retail, small shops, small chain stores, branch offices, and more. It creates a reliable network powered by 802.11ac WiFi technology. The 2.4 GHz band provides rates of up to 450 Mbps, ideal for daily tasks

like emailing and web browsing, while the 5 GHz band delivers speeds of up to 867 Mbps, perfect for HD video streaming and lag-free online conferencing. ER605W provides your store with a simple, clean wireless network.

Up to Five Gigabit Ports for Gigabit Connectivity

ER605W boasts 1 WAN, 2 WAN/LAN, and 2 LAN ports, meeting diverse internet needs. Attach your wired devices like desktops or 4K HDTVs to ER605W for a seamless experience.

Robust Wireless Coverage Means No Dead Ends

Four external antennas send WiFi signals to every corner of your store. Stay connected and enjoy fast WiFi whether you're working the shelves or register.

High-Security VPN

ER605W provides comprehensive VPN connection types including IPsec VPN, OpenVPN, PPTP VPN, and L2TP VPN. IPsec VPN is engineered for high-efficiency VPN tunnels, facilitating network management and deployment while also securing and encrypting private site-to-site data communications traveling over the internet. All offer users secured remote connections.

Abundant Security Features

Powerful Firewall

Advanced firewall policies protect your network and data.

IP/MAC/URL Filtering

Forcefully prevent viruses and attacks from intruders.

Convenient VLAN Support

Create virtual network segments for enhanced security and simplified network management.

IP-MAC Binding

Reserves static IP assignment for clients to defend against ARP attacks and spoofing.

DoS Defense

Automatically detects and blocks Denial of Service (DoS) attacks such as TCP/UDP/ICMP Flooding, Ping of Death, and other related threats.

One-Click ALG Activation

One-Click ALG Activation for applications such as FTP, H323, SIP, IPsec, and PPTP.

Omada SDN—The Smarter Cloud Solution for Business Networking

The path to the future of wireless begins with the Omada Software Defined Networking (SDN) solution. As the router that seamlessly integrates into the Omada SDN platform, ER605W allows for remote and centralized management, anywhere, anytime.

Easy Management with the Omada App

Users can configure ER605W in both the standalone and controller modes via the Omada app. Standalone management ensures max convenience. No need to set up additional controllers.

Follow the configuration instructions on the app to get set up in minutes. Multi-function configuration is ready to go, including network status monitoring and client management, all from the comfort of a smartphone or tablet.

Techninė specifikacija

Specifications

Sandėlio grupė

Server, Storage & Network > Access Points/Routers [+1554][-541]

WAN connection

Ethernet WAN	Yes
DSL WAN	No
SIM card slot	No
3G/4G USB modem compatibility	No
WAN connection type	RJ-45

Wireless LAN features

Wi-Fi band	Dual-band (2.4 GHz / 5 GHz)
Top Wi-Fi standard	Wi-Fi 5 (802.11ac)
WLAN data transfer rate (max)	1350 Mbit/s
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
WLAN data transfer rate (first band)	450 Mbit/s
WLAN data transfer rate (second band)	867 Mbit/s

Network

Ethernet LAN	Yes
Ethernet LAN interface type	Ethernet
Ethernet LAN data rates	10,100,1000 Mbit/s
Cabling technology	10/100/1000Base-T(X)
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
SSID-based VLAN assignment	Yes
Number of guest networks (2.4 GHz)	1
Number of guest networks (5 GHz)	1

Ports & interfaces

Ethernet LAN (RJ-45) ports	5
USB port	No
DC-in jack	Yes

Management features

Web-based management	Yes
Reset button	Yes

Security

DMZ support	Yes
Network address translation (NAT)	Yes

Protocols

DHCP client	Yes
DHCP server	Yes
Universal Plug and Play (UPnP)	Yes
Design	
Product type	Tabletop router
Product colour	Black
Wall mountable	Yes
LED indicators	Power, WLAN
Certificates	
Certification	CE, FCC, RoHS
Packaging content	
AC adapter included	Yes
Antenna	
Antenna design	External
Antennas quantity	4
Detachable antenna(s)	No
Features	
Internal memory	128 MB
Internal memory type	DDR2
Flash memory	16 MB
Power	
Power source type	DC
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 90%
Weight & dimensions	
Width	215 mm
Depth	117 mm
Height	32 mm
Packaging data	
Number of products included	1 pc(s)