

TP-Link AX3000 + G1500 Whole Home Powerline Mesh Wi-Fi 6 System

Gamintojas: **TP-LINK** · Modelis: **DECO PX50(3-PACK)** · EAN: **4897098687901** · Prekės kodas: **755844**



487,90 €

Kaina su PVM

Be PVM: **403,22 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ AX3000 Dual Band WiFi – 2402 Mbps (5 GHz) + 574 Mbps (2.4 GHz)
- ✓ Reliably Crosses Electrical Phases – G.hn Powerline Network speeds up to 1500 Mbps
- ✓ Network Passes Through Walls and Floors – Reduce the impact of walls and other obstacles on signal
- ✓ AI-Driven Mesh – Intelligently learns your network environment to provide ideal WiFi unique to your home
- ✓ Gigabit Wired Speed – 3× Gigabit ports provide sufficient connectivity
- ✓ HomeShield – Provides comprehensive network protection, robust parental controls, and real-time IoT security



Aprašymas

Superior Mesh WiFi. Everywhere.

Whole Home Powerline Mesh WiFi System AX3000 + G1500

Combines G.hn Powerline + WiFi 6

Signal Through Walls and Floors

Deco PX50 combines dual-band WiFi and G.hn Powerline to transmit data between Deco units. Powerline technology uses your home's electrical wiring to create a stronger connection between Deco units, reducing the impact of walls, floors, and other obstacles on signals.

G.hn Powerline

Ideal for Overcoming Thick Walls

With the next-gen G.hn standard, PX50 provides the ideal solution for homes with thick or metal-reinforced walls that interfere with WiFi backhauls.

Dual-Band WiFi 6 Mesh

Ideal for Non-Stop Entertainments

Armed with WiFi 6 technology, Deco whole home mesh WiFi is designed to deliver a huge boost in coverage, speed, and total capacity. Get on the latest mesh WiFi to enjoy the future network that loads faster and connects more.

Superfast. No Lag.

WiFi + Powerline Hybrid Bandwidth

Powerline and wireless connections work together to transmit data between Deco units. PX50 delivers phenomenal speeds compared with traditional mesh WiFi.

Far-Reaching WiFi Coverage

To blanket your entire home with WiFi, Deco PX50 units work together as a powerful mesh network to boost broader coverage for connections in every corner.

Want more coverage? Simply add another Deco. All TP-Link Deco can work together.

Engineered for

More Devices

Deco products are aimed to dramatically improve capacity and efficiency in traffic-dense environments. No matter how many screens or devices are on at once, everyone is able to enjoy a more efficient network that loads faster without dragging down performance.

Intelligent Networking for a Smarter Home

Deco uses its custom algorithms to automate the connections on your network, ensuring the strongest possible signals at all times.

Seamless Roaming with One Wi-Fi Name

TP-Link Mesh means Deco units work together to form one unified network. Your phone or tablet automatically connects to the fastest Deco as you move through your home, creating a truly seamless WiFi experience.

Protect Your Network and Everything on It

TP-Link's premium security services keep your home network safe with cutting-edge features for network and IoT protection.

Simple. Easy. Yet Powerful.

Setup and manage your network anytime and anywhere on the friendly TP-Link Deco app. In just three easy steps your entire home can be blanketed in strong and reliable WiFi.

Techninė specifikacija

Specifications	
Sandėlio grupė	Server, Storage & Network > Access Points/Routers [+1554][–541]
Design	
Product colour	White
Antenna type	Internal
Product type	Mesh system
Maximum coverage	600 m²

Wireless LAN features

Wi-Fi band	Dual-band (2.4 GHz / 5 GHz)
Top Wi-Fi standard	Wi-Fi 6 (802.11ax)
Wi-Fi standards	Wi-Fi 6 (802.11ax)
WLAN data transfer rate (first band)	2402 Mbit/s
WLAN data transfer rate (second band)	574 Mbit/s
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Security algorithms	WPA, WPA2, WPA3
Number of guest networks (5 GHz)	1
Number of guest networks (2.4 GHz)	1
Point-to-point protocol over Ethernet (PPPoE)	Yes
Dynamic IP	Yes
Static IP	Yes
IGMP proxy	Yes
IGMP snooping	Yes
Tagged VLAN	Yes
Dynamic DNS (DDNS)	Yes
Guest access	Yes
Apps supported	TP-Link Deco

Features

Built-in processor	No
Quality of Service (QoS) support	Yes
Cloud services supported	TP-Link ID
Port forwarding	Yes
Firewall security	SPI Firewall
DHCP client	Yes
DHCP server	Yes
Universal Plug and Play (UPnP)	Yes
Works with Amazon Alexa	Yes
MU-MIMO technology	Yes
MIMO	Yes

Ports & interfaces

Ethernet LAN (RJ-45) ports	1
----------------------------	---

Certificates

Certification	CE, FCC, RoHS
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-40 - 60 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 90%
Weight & dimensions	
Width	105 mm
Depth	105 mm
Height	169 mm
Packaging content	
Number of products included	3 pc(s)
AC adapter included	Yes
Number of units included	3 pc(s)
Ethernet cable	Yes
Packaging data	
Package width	276.5 mm
Package depth	417 mm
Package height	124 mm
Package weight	3.2 kg