

i-tec USB-C DP Dual HDMI Docking Station with Power Delivery 100 W

Gamintojas: **I-TEC** · Modelis: **C31TRIPLEVIDEODPPRO** · EAN: **8595611707469** · Prekės kodas: **760878**



114,90 €

Kaina su PVM

Be PVM: **94,96 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Compatible with USB-C, USB4 and Thunderbolt laptops & tablets. (The host device must support DisplayPort Alt mode).
- ✓ 2x HDMI and 1x DisplayPort++ supporting up to three 4K or a single 5K/60Hz display (depending on notebook performance). macOS supports a single extended display only.
- ✓ 6x USB-ports (5x USB-A, 1x USB-C) make it easy to connect multiple USB devices and peripherals.
- ✓ Provides up to 100W Power Delivery for compatible USB-C, USB4 and Thunderbolt laptops & tablets. The host device must support USB-C Power Delivery.
- ✓ GLAN Ethernet supports network speeds of 10/100/1000 Mbps speeds, providing a robust and high-speed internet connection.
- ✓ Combo 3.5 mm audio input/output jack for easy connection to headset or speakers.
- ✓ VESA bracket available to help keep your desk tidy and free from cables, plus K-lock slot for added security.
- ✓ Power-saving On/Off switch to reduce energy consumption when the docking station is not in use.
- ✓ Note: Power supply is not included. The dock can be powered using the laptop's original power adapter, or an optional power supply (i-tec part number CHARGER-C100W/UK) can be purchased separately.



Aprašymas

A high-performance USB-C office dock that supports up to 3x external 4K monitors. The dock is compatible with any laptop equipped with a USB-C, USB4 or Thunderbolt 3/4/5 port. Of course, it supports charging of your laptop or tablet, up to 100 W.

The integrated latest DP 1.4 DSC protocol also supports 5K/60 Hz resolution, which can be appreciated by professional graphic designers, data analysts, film editors or high-definition video lovers.

The dock can be purchased in two variants:

- without the included USB-C charging adapter (product code C31TRIPLEVIDEODPPRO – this version)
- with the included 100W adapter (product code C31TRI4KDPDPRO100/UK)

Note: macOS operating system does not support Multi Stream Transport (MST) video transmission technology, which means that if connected to macOS, the same image will be projected on all connected monitors.

- Connect up to three external 4K monitors
- Refresh rate up to 240Hz (when connected to a single 1440p monitor)
- Power delivery: up to 100W
- 2x HDMI, 1x DisplayPort++
- 3x USB 3.2 (5 Gbps), 1x USB-C 3.2 Gen2 (10 Gbps) and 2x USB 2.0 allow you to easily connect your USB devices and peripherals.
- Gigabit Ethernet RJ-45 provides a reliable, robust and high-speed
- Audio and microphone combo jack on the front panel
- Kensington lock provides anti-theft protection, especially in shared office environments or public areas
- Docking station power switch allows for maximum power savings
- Docking station supports a VESA mount for smart vertical installation behind a VESA-enabled monitor
- Supports Windows 10/11, macOS, Android, iPadOS, ChromeOS and Linux

The dock can be used without a power adapter connected. In this case, the video outputs, LAN (RJ-45), audio/mic and both USB 2.0 ports will always be functional. However, the USB 3.2 ports and the USB-C data port may not work when connecting devices with higher power requirements (e.g. SSDs, especially NVMe drives). In this case, the docking station may shut down. We recommend using the docking station with a power adapter connected to ensure that all ports are used and that maximum data transfer speeds are achieved.

Note: If connected to an Android device, the dock will only work with the power adapter connected.

NOTE: USB-C charger is not included. If you require a docking station with an included USB-C charger, consider the version with product number C31TRIVIDPRO100W/UK.

Techninė specifikacija

Specifications	
Sandėlio grupė	Root/Accessories Exploitation/Cables and adapters/Docking stations and port replicators [+24][-64]
Ports & interfaces	
Connectivity technology	Wired
Host interface	USB 3.2 Gen 2 (3.1 Gen 2) Type-C
USB 2.0 ports quantity	2
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	3
HDMI ports quantity	2

Headphone outputs	1
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	2
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	100 W
HDMI version	2
DisplayPorts quantity	1
DisplayPort version	1.4
Combo headphone/mic port	Yes
USB Type-C DisplayPort Alternate Mode	Yes
Network	
Ethernet LAN	Yes
Ethernet LAN (RJ-45) ports	1
Ethernet LAN data rates	10,100,1000 Mbit/s
Performance	
Product colour	Black
Card reader integrated	No
Data transfer rate	10 Gbit/s
Maximum digital resolution	3840 x 2160 pixels
Number of displays supported	3
Maximum refresh rate	240 Hz
Cable lock slot	Yes
Cable lock slot type	Kensington
VESA mounting	Yes
On/off switch	Yes
LED indicators	Yes
Plug and Play	Yes
Brand compatibility	Universal
Power	
Power source type	USB
Power connector	USB Type-C
Power consumption (max)	100 W
Power consumption (typical)	10 W
USB cable length	1 m
Software	

Windows operating systems supported	Windows 10, Windows 11
Mac operating systems supported	Yes
Linux operating systems supported	Yes
Other operating systems supported	Android, ChromeOS, iPadOS
Weight & dimensions	
Width	113 mm
Depth	113 mm
Height	31.2 mm
Weight	340 g
Packaging data	
Quantity per pack	1 pc(s)