

MSI Modern MD342CQPWDE computer monitor 86.4 cm (34") 3440 x 1440 pixels UltraWide Quad HD LCD White

Gamintojas: **MSI** · Modelis: **9S6-3PC59H-013** · EAN: **4711377151955** · Prekės kodas: **761051**



357,91 €

Kaina su PVM

Be PVM: **295,79 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 21:9 1500R curvature brings an immersive & comfortable viewing experience to eliminate distortion and cover a wider field of view
- ✓ Ready for light gaming with 120Hz high refresh rate & Adaptive-Sync support
- ✓ Built-in USB Type-C connection with 98W power delivery function allows you to connect to and charge your devices effortlessly
- ✓ PIP/PBP modes provide better efficiency for creators when need it
- ✓ TÜV certified display ensures the protection and health of eyesight
- ✓ MSI EyesErgo technology with Anti-Flicker technology helps prevent eye strain and fatigue
- ✓ MSI Eye-Q Check helps have self-check eyes & reminds to take a rest while using the monitor for a long time
- ✓ The stand is designed with ergonomic features, including tilt, swivel and height adjustments
- ✓ Maintain versatility across various devices by utilizing multiple input sources, such as Type-C, HDMI™ and DP ports
- ✓ Enjoy the cleanest environment with a convenient and removable cable management design



Aprašymas

CRAFTED WITH ELEGANCE AND VIBRANCY

The Modern Monitor seamlessly integrates sleek design with vivid performance, catering to those who value both aesthetics and functionality. Its elegant curves and vibrant display provide a superior visual experience, making it an ideal choice for your studio and media work.

Techninė specifikacija

Specifications	
Sandėlio grupė	Monitore [+1589][-92]
Display	
Display diagonal	86.4 cm (34")
Display resolution	3440 x 1440 pixels
Native aspect ratio	21:9
Display technology	LCD
Touchscreen	No
HD type	UltraWide Quad HD
Panel type	VA
Response time	4 ms
Screen shape	Curved
Contrast ratio (typical)	3500:1
Maximum refresh rate	120 Hz
Display number of colours	1.07 billion colours
Display brightness (typical)	300 cd/m²
Response time measurement type	GTG (Gray to Gray)
Response time (MPRT)	1 ms
Anti-glare screen	Yes
Screen curvature rating	1500R
Aspect ratio	16:9
Contrast ratio (dynamic)	100000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.23175 x 0.23175 mm
Horizontal scan range	70.73 - 178.8 kHz
Vertical scan range	48 - 120 Hz
Viewable size, horizontal	79.7 cm
Viewable size, vertical	33.4 cm
Display diagonal (metric)	86.36 cm

Colour depth	10 bit
Colour gamut standard	DCI-P3, NTSC, sRGB
Colour gamut	95%
sRGB coverage (typical)	119%
NTSC coverage (typical)	87%
Adobe RGB coverage	92%
DCI-P3 coverage	95%
Performance	
NVIDIA G-SYNC	No
AMD FreeSync	No
VESA Adaptive Sync support	Yes
Flicker-free technology	Yes
Low Blue Light technology	Yes
Multimedia	
Built-in speaker(s)	Yes
Number of speakers	2
RMS rated power	6 W
Design	
Market positioning	Business
Product colour	White
Frameless design	Yes
Feet colour	White
Ports & interfaces	
Built-in USB hub	Yes
HDMI	Yes
Headphone out	Yes
USB upstream port type	USB Type-B
Number of USB Type-B upstream ports quantity	1
USB Type-A downstream ports quantity	2
USB Type-C DisplayPort Alternate Mode	Yes
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	98 W
HDMI ports quantity	2
HDMI version	2.0b

DisplayPorts quantity	1
DisplayPort version	1.4a
Headphone outputs	1
Ergonomics	
VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	75 x 75 mm
Cable lock slot type	Kensington
Adjustable height (max)	11 cm
Pivot	Yes
Pivot angle	-5 - 5°
Swivelling	Yes
Swivel angle range	-30 - 30°
Tilt adjustment	Yes
Tilt angle range	-5 - 20°
Power	
Energy efficiency class (SDR)	F
Energy efficiency class (HDR)	G
Energy consumption (SDR) per 1000 hours	31 kWh
Energy consumption (HDR) per 1000 hours	51 kWh
Power consumption (standby)	0.5 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Input current	9.5 A
AC adapter output voltage	19 V
Power supply type	External
Energy efficiency scale	A to G
Weight & dimensions	
Width (with stand)	808.6 mm
Depth (with stand)	250.6 mm
Height (with stand)	424.1 mm
Weight (with stand)	8.05 kg
Width (without stand)	808 mm

Depth (without stand)	125.3 mm
Height (without stand)	362.4 mm
Weight (without stand)	5.45 kg
Packaging data	
Package width	945 mm
Package depth	245 mm
Package height	510 mm
Package weight	11.9 kg
Package type	Box
Packaging content	
Stand included	Yes
Other features	
Motion blur reduction	Yes
Compatibility	PC, Mac, PS5™, PS4™, Xbox, Mobile, Notebook
Warranty period	3 year(s)
Certification	CB/CE