

Philips V Line 271V8AW/00 computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LCD White

 Gamintojas: **MMD-MONITORS & DISPLAYS** · Modelis: **271V8AW/00** · EAN: **8712581804398** · Prekės kodas: **761579**


142,90 €

Kaina su PVM

 Be PVM: **118,10 €**



Sandėlyje


Prekė internetu

 Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 68.6 cm (27") White
- ✓ Built-in speaker(s)
- ✓ HDMI HDMI version: 1.4
- ✓ Screen shape: Flat
- ✓ Maximum refresh rate: 75 Hz Response time: 4 ms Response time measurement type: GTG (Gray to Gray)
- ✓ 1920 x 1080 pixels Full HD Panel type: IPS
- ✓ Energy efficiency class (SDR): E



Aprašymas

Philips V line wide-view monitor gives viewing beyond boundaries, great value with essential features. Adaptive-Sync delivers smooth video display. Features like anti-glare, LowBlue mode and flicker-free for easy-on-the-eyes.

Techninė specifikacija

Specifications

Sandėlio grupė

Audio, Video, Display & TV - Displays - Business Monitors [+179][-196]

Display

Display diagonal	68.6 cm (27")
Display resolution	1920 x 1080 pixels
Native aspect ratio	16:9
Display technology	LCD
Touchscreen	No
HD type	Full HD
Panel type	IPS
Response time	4 ms
Screen shape	Flat
Contrast ratio (typical)	1000:1
Maximum refresh rate	75 Hz
Display number of colours	16.7 million colours
LED backlight	Yes
Backlight type	W-LED
Display brightness (typical)	250 cd/m²
Response time measurement type	GTG (Gray to Gray)
Anti-glare screen	Yes
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Response time (fast)	4 ms
Pixel pitch	0.311 x 0.311 mm
Pixel density	82 ppi
Horizontal scan range	30 - 83 kHz
Vertical scan range	48 - 60 Hz
Viewable size, horizontal	59.8 cm
Viewable size, vertical	33.6 cm
Display diagonal (metric)	68.6 cm
DDC/CI	Yes
Haze rate	25%
Surface hardness	3H
Colour gamut standard	sRGB
Display sRGB	Yes
Display panel size	27 inch/68.6 cm

Performance

NVIDIA G-SYNC	No
AMD FreeSync	No
VESA Adaptive Sync support	Yes
Component video sync	Separate Sync, Sync-on-green (SOG)
Flicker-free technology	Yes
Low Blue Light technology	Yes
Multimedia	
Built-in speaker(s)	Yes
Built-in camera	No
Number of speakers	2
RMS rated power	4 W
Design	
Market positioning	Home
Product colour	White
Ports & interfaces	
Built-in USB hub	No
HDMI	Yes
VGA (D-Sub) ports quantity	1
HDMI ports quantity	1
HDMI version	1.4
Audio output	Yes
PC Audio in	Yes
HDCP	Yes
HDCP version	1.4
Ergonomics	
VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	No
Panel mounting interface	100 x 100 mm
Cable lock slot type	Kensington
Tilt adjustment	Yes
Tilt angle range	-5 - 20°
On Screen Display (OSD)	Yes

On Screen Display (OSD) languages	Portuguese, Czech, Dutch, English, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Korean, Polish, Russian, Simplified Chinese, Spanish, Swedish, Traditional Chinese, Turkish, Ukrainian
Plug and Play	Yes
LED indicators	Operation, Stand-by
Power	
Energy efficiency class (SDR)	E
Energy efficiency class (HDR)	Not available
Energy consumption (SDR) per 1000 hours	21 kWh
Power consumption (typical)	35.39 W
Power consumption (standby)	0.5 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	20 - 80%
Operating altitude	0 - 3658 m
Non-operating altitude	0 - 12192 m
Weight & dimensions	
Width (with stand)	613 mm
Depth (with stand)	231 mm
Height (with stand)	456 mm
Weight (with stand)	3.74 kg
Width (without stand)	613 mm
Depth (without stand)	50 mm
Height (without stand)	363 mm
Weight (without stand)	3.28 kg
Packaging data	
Package width	695 mm
Package depth	126 mm
Package height	480 mm
Package weight	6.15 kg

Packaging content

Stand included	Yes
Cables included	HDMI, Power
Manual	Yes

Other features

Compatible operating systems	Mac OS X; Windows 11/10/8.1/8
Exterior finish type	Textured
Monitor sync input signal	Separate Sync; Sync on Green
Signal input	VGA (Analogue); HDMI (digital, HDCP)
EasyRead mode	Yes
LowBlue mode	Yes
Mean time between failures (MTBF)	30000 h
User controls	Power On/Off; Menu/OK; Input/Down; SmartImage/Back; Volume
Picture enhancement	SmartImage
Regulatory Approvals	CE Mark; FCC; ICES-003; CB; EAC; TUV Ergo; TUV/GS

Recycling data

Packaging recyclability rate	100%
------------------------------	------

Matmenys ir svoris

Matmenys (I × P × A)	70,00cm × 48,00cm × 13,00cm
Svoris	6,10kg