

# **ATEN 4 x 4 4K HDMI Audio/Video Matrix Switch**

Gamintojas: **ATEN** · Modelis: **VM0404HA** · EAN: **4719264643873** · Prekės kodas: **761697**



## **329,89 €**

Kaina su PVM

Be PVM: **272,64 €**

**Sandėlyje**



**Prekę internetu**

Nuskenaukite kodą arba apsilankykite [www.shopro.lt](http://www.shopro.lt)

## **Pagrindinės savybės**

- ✓ Connects any of 4 HDMI sources to any of 4 HDMI displays
- ✓ Supports 4K resolutions up to UHD (3840 x 2160) and DCI (4096 x 2160) with refresh rates of 30 Hz (4:4:4) and 60 Hz (4:2:0)
- ✓ Signaling rates up to 3.4 Gbits for flawless 4K output
- ✓ Multiple Control Methods – system management via front-panel pushbuttons, IR remote and RS-232 control



## **Aprašymas**

The ATEN VM0404HA 4x4 4K HDMI Matrix Switch supports 4K resolutions of UHD (3840 x 2160) and DCI (4096 x 2160) with refresh rates of 30 Hz (4:4:4) and 60 Hz (4:2:0). Ready for the future of highdefinition video switching, the VM0404HA is ideal for applications where the routing of 4K digital signals is required, such as in classrooms, auditoriums, department stores and more.

1x VM0404HA 4x4 4K HDMI Matrix Switch

1x OAD6-1005-26EG Power Adapter

1x 2XRT-0106G IR Remote Control

1x 2XRT-0003G IR Receiver

1x Mounting Kit

1x User Instructions

## **Techninė specifikacija**

### Specifications

Sandėlio grupė Server, Storage & Netzwerk > Switches [+1370][-591]

### Features

|                                             |                    |
|---------------------------------------------|--------------------|
| Product type                                | AV matrix switcher |
| Data transfer rate                          | 10.2 Gbit/s        |
| Maximum pixel clock                         | 340 MHz            |
| Maximum resolution                          | 4096 x 2160 pixels |
| HDCP                                        | Yes                |
| HDCP version                                | 1.4                |
| 3D                                          | Yes                |
| Extended display identification data (EDID) | Yes                |

### Design

|                         |       |
|-------------------------|-------|
| Housing colour          | Black |
| Housing material        | Metal |
| Rack mounting           | Yes   |
| Remote control included | Yes   |

### Display

|                  |    |
|------------------|----|
| Built-in display | No |
|------------------|----|

### Ports & interfaces

|                            |           |
|----------------------------|-----------|
| HDMI input ports quantity  | 4         |
| HDMI output ports quantity | 4         |
| USB connector type         | Micro-USB |
| USB ports quantity         | 1         |
| RS-232 ports               | 1         |
| Remote (IR) input          | 1         |
| DC-in jack                 | Yes       |

### Power

|                         |        |
|-------------------------|--------|
| Power consumption (max) | 9.62 W |
|-------------------------|--------|

### Operational conditions

|                                   |             |
|-----------------------------------|-------------|
| Operating temperature (T-T)       | 0 - 40 °C   |
| Storage temperature (T-T)         | -20 - 60 °C |
| Operating relative humidity (H-H) | 0 - 80%     |

### Logistics data

|                                  |         |
|----------------------------------|---------|
| Products per master (outer) case | 3 pc(s) |
|----------------------------------|---------|

|                                  |          |
|----------------------------------|----------|
| Master (outer) case gross weight | 9.54 kg  |
| Master (outer) case length       | 565 mm   |
| Master (outer) case width        | 375 mm   |
| Master (outer) case height       | 258 mm   |
| Master (outer) case net weight   | 7.53 kg  |
| Harmonized System (HS) code      | 85299097 |
| Technical details                |          |
| Compliance certificates          | RoHS     |
| Weight & dimensions              |          |
| Width                            | 162.9 mm |
| Depth                            | 437.2 mm |
| Height                           | 44 mm    |
| Weight                           | 2.51 kg  |
| Package width                    | 116 mm   |
| Package depth                    | 540 mm   |
| Package height                   | 233 mm   |
| Package weight                   | 2.9 kg   |
| Packaging content                |          |
| Rack mount kit                   | Yes      |
| Manual                           | Yes      |
| Mounting brackets included       | Yes      |
| AC adapter included              | Yes      |