

Philips 1000 series 24E1N1300A/00 computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LCD Black

Gamintojas: **PHILIPS** · Modelis: **24E1N1300A/00** · EAN: **8712581803513** · Prekės kodas: **761829**



193,90 €

Kaina su PVM

Be PVM: **160,25 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 60.5 cm (23.8") Black
- ✓ Built-in speaker(s)
- ✓ HDMI HDMI version: 1.4
- ✓ Screen shape: Flat
- ✓ Maximum refresh rate: 100 Hz Response time: 4 ms Response time measurement type: GTG (Gray to Gray) Response time (MPRT): 1 ms
- ✓ 1920 x 1080 pixels Full HD Panel type: IPS
- ✓ Energy efficiency class (SDR): E



Aprašymas

This monitor is made to keep you connected. With features like USB-C 3.2 with power delivery, users can charge their linked device and work seamlessly, all with one cable. In addition, the singular cable makes for a clean workspace.

Techninė specifikacija

Specifications

Sandėlio grupė

Peripherals & Desktop > Monitors [+2345][-559]

Display	
Display diagonal	60.5 cm (23.8")
Display resolution	1920 x 1080 pixels
Native aspect ratio	16:9
Display technology	LCD
Touchscreen	No
HD type	Full HD
Panel type	IPS
Response time	4 ms
Screen shape	Flat
Contrast ratio (typical)	1300:1
Maximum refresh rate	100 Hz
Display number of colours	16.7 million colours
LED backlight	Yes
Backlight type	W-LED
Display brightness (typical)	250 cd/m²
Response time measurement type	GTG (Gray to Gray)
Response time (MPRT)	1 ms
Anti-glare screen	Yes
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Response time (fast)	1 ms
Pixel pitch	0.2745 x 0.2745 mm
Pixel density	92.56 ppi
Horizontal scan range	30 - 140 kHz
Vertical scan range	48 - 120 Hz
Viewable size, horizontal	52.7 cm
Viewable size, vertical	29.6 cm
Display diagonal (metric)	60.5 cm
DDC/CI	Yes
Haze rate	25%
Surface hardness	3H
Colour gamut standard	sRGB, NTSC, DCI-P3, Adobe RGB
sRGB coverage (typical)	102.66%
NTSC coverage (typical)	89.36%

Adobe RGB coverage	84.49%
DCI-P3 coverage	81.39%
Display sRGB	Yes
Display panel size	23.8 inch/60.5 cm
Performance	
NVIDIA G-SYNC	No
AMD FreeSync	No
VESA Adaptive Sync support	Yes
Component video sync	Separate Sync
Flicker-free technology	Yes
Low Blue Light technology	Yes
Multimedia	
Built-in speaker(s)	Yes
Built-in camera	No
Number of speakers	2
RMS rated power	4 W
Design	
Product colour	Black
Ports & interfaces	
Built-in USB hub	Yes
HDMI	Yes
USB hub version	3.2 Gen 1 (3.1 Gen 1)
USB Type-A downstream ports quantity	2
USB Type-C downstream ports quantity	1
USB Type-C DisplayPort Alternate Mode	Yes
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	65 W
HDMI ports quantity	1
HDMI version	1.4
Audio output	Yes
HDCP	Yes
HDCP version	1.4
Ergonomics	
VESA mounting	Yes

Cable lock slot	Yes
Panel mounting interface	100 x 100 mm
Cable lock slot type	Kensington
Tilt adjustment	Yes
Tilt angle range	-5 - 20°
On Screen Display (OSD)	Yes
On Screen Display (OSD) languages	Portuguese, Czech, Dutch, English, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Korean, Polish, Russian, Simplified Chinese, Spanish, Swedish, Traditional Chinese, Turkish, Ukrainian
Plug and Play	Yes
LED indicators	Operation, Stand-by

Power

Energy efficiency class (SDR)	E
Power consumption (typical)	18.3 W
Power consumption (standby)	0.5 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	20 - 80%
Operating altitude	0 - 3658 m
Non-operating altitude	0 - 12192 m

Weight & dimensions

Width (with stand)	542 mm
Depth (with stand)	180 mm
Height (with stand)	417 mm
Weight (with stand)	3.41 kg
Width (without stand)	542 mm
Depth (without stand)	45 mm
Height (without stand)	316 mm
Weight (without stand)	3.06 kg

Packaging data

Package width	610 mm
Package depth	124 mm
Package height	370 mm
Package weight	5.26 kg
Packaging content	
Stand included	Yes
Cables included	HDMI, Power, USB Type-C
Manual	Yes
Sustainability	
Doesn't contain	Mercury, PVC/BFR
Other features	
Compatible operating systems	Mac OS X; Windows 11/10
Exterior finish type	Textured
Monitor sync input signal	Separate Sync
SoftBlue	Yes
EasyRead mode	Yes
LowBlue mode	Yes
Mean time between failures (MTBF)	50000 h
User controls	Power On/Off; Menu; Volume; Input; SmartImage Game
Picture enhancement	SmartImage game
Regulatory Approvals	CB; CE Mark; ICES-003; TUV/ISO9241-307; TUV-BAUART; EAC; FCC; VCCI; PSB; PSE; Energy Star 8.0
Recycling data	
Packaging recyclability rate	100%
Matmenys ir svoris	
Matmenys (I × P × A)	54,00cm × 42,00cm × 18,00cm