

Canon EOS 2000D BK 18-55 IS II EU26 SLR Camera Kit 24.1 MP CMOS 6000 x 4000 pixels Black

Gamintojas: **CANON** · Modelis: **2728C003** · EAN: **4549292111859** · Prekės kodas: **762590**



441,90 €

Kaina su PVM

Be PVM: **365,21 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Take beautiful photos and movies with background blur
- ✓ Easily connect, shoot and share on the move
- ✓ Express your creativity with easy to follow guidance
- ✓ Explore the power of DSLR and interchangeable lenses
- ✓ Shoot with speed and confidence in tricky situations



Aprašymas

STEP UP TO EFFORTLESS DSLR STORYTELLING

Easily tell superb stories with detailed photos and cinematic Full HD movies full of colour, even in difficult light, using the 24.1 Megapixel EOS 2000D. Share instantly and shoot remotely with Wi-Fi and Canon Camera Connect app.

Techninė specifikacija

Specifications

Sandėlio grupė

Digital cameras [+308][-5]

Picture quality

Camera type	SLR Camera Kit
Megapixel (approx.)	24.1 MP
Sensor type	CMOS
Maximum image resolution	6000 x 4000 pixels
Still image resolution(s)	JPEG 3:2: (L) 6000 x 4000, (M) 3984 x 2656, (S1) 2976 x 1984, (S2) 1920 x 1280, (S3) 720 x 480 JPEG 4:3: (L) 5328 x 4000, (M) 3552 x 2664, (S1) 2656 x 1992, (S2) 1696 x 1280, (S3) 640 x 480 JPEG 16:9: (L) 6000 x 3368, (M) 3984 x 2240, (S1) 2976 x 1680 (S2) 1920 x 1080, (S3) 720 x 408 JPEG 1:1: (L) 4000 x 4000, (M) 2656 x 2656, (S1) 1984 x 1984, (S2) 1280 x 1280, (S3) 480 x 480 RAW: (RAW) 6000 x 4000
Image stabilizer	Yes
Image formats supported	JPEG
Image stabilizer location	Lens
Supported aspect ratios	1:1, 3:2, 4:3
Total megapixels	24.7 MP
Image sensor size (W x H)	22.3 x 14.9 mm
Sensor format	Advanced Photo System type-C (APS-C)
Lens system	
Focal length range	18 - 55 mm
Lens mount interface	Canon EF, Canon EF-S
Focusing	
Focus adjustment	Auto/Manual
Auto focusing (AF) modes	AI Focus, One Shot Focus, Servo Auto Focus
Auto Focus (AF) points	9
Auto Focus (AF) points selection	Auto, Manual
Auto Focus (AF) lock	Yes
Auto Focus (AF) assist beam	Yes
Exposure	
ISO sensitivity (min)	100
ISO sensitivity (max)	6400
Light exposure modes	Auto, Manual
Light exposure correction	± 5EV (1/2EV; 1/3EV step)
ISO sensitivity	100, 6400, Auto
Light exposure control	Program AE
Auto Exposure (AE) lock	Yes
Shutter	
Fastest camera shutter speed	1/4000 s

Slowest camera shutter speed	30 s
Camera shutter type	Electronic
Flash	
Flash modes	Auto, Flash off, Flash on, Manual, Red-eye reduction, Second curtain synchro
Flash exposure lock	Yes
Flash guide number	9.2 m
Flash recharging time	2 s
Flash sync-speed	1/200 s
Flash exposure compensation	Yes
Flash exposure correction	±2EV (1/2, 1/3 EV step)
Shoe mounting point	Yes
Shoe mounting point type	Hot shoe
Video	
Video recording	Yes
Maximum video resolution	1920 x 1080 pixels
HD type	Full HD
Video resolutions	640 x 480,1280 x 720,1920 x 1080
Resolution at capture speed	640x480@25fps, 640x480@30fps, 1280x720@50fps, 1280x720@60fps, 1920x1080@24fps, 1920x1080@25fps, 1920x1080@30fps
Video formats supported	H.264, MOV
Audio	
Built-in microphone	Yes
Audio formats supported	PCM
Memory	
Compatible memory cards	SD, SDHC, SDXC
Memory slots	1
Display	
Display	TFT
Display diagonal	7.62 cm (3")
Display diagonal (metric)	7.5 cm
Display resolution (numeric)	920000 pixels
Viewfinder	
Viewfinder type	Optical
Magnification	0.8x

Ports & interfaces

PictBridge	Yes
USB version	2
HDMI	Yes
HDMI connector type	Mini
Microphone in	Yes
USB port	Yes

Network

Bluetooth	No
Wi-Fi	Yes
Near Field Communication (NFC)	Yes
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)

Camera

White balance	Auto, Cloudy, Custom modes, Daylight, Flash, Fluorescent, Shade, Tungsten
Scene modes	Close-up (macro), Food, Night portrait, Portrait, Sports, Landscape
Shooting modes	Aperture priority, Auto, Manual, Shutter priority
Photo effects	Black&White
Self-timer delay	2,10 s
Brightness adjustment	Yes
Camera playback	Movie, Slide show
Dioptre correction	Yes
Playback zoom (max)	10x
Histogram	Yes
Live view	Yes
Orientation sensor	Yes
Camera file system	DPOF 1.1, Raw
Anti-dust function	Yes
Eye relief	2.1 cm
Playback modes	Slideshow
Slideshow	Yes
Built-in processor	Yes
Image processor	DIGIC 4+

Design

Product colour	Black
----------------	-------

Battery	
Battery technology	Lithium-Ion (Li-Ion)
Battery type	LP-E10
Number of batteries supported	1
Battery level indicator	Yes
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Weight & dimensions	
Width	129 mm
Depth	77.6 mm
Height	101.3 mm
Weight (including battery)	475 g
Logistics data	
Harmonized System (HS) code	85258900
Other features	
Power source type	Battery
Technical details	
Self-timer	Yes
Matmenys ir svoris	
Matmenys (I × P × A)	16,00cm × 14,00cm × 24,00cm
Svoris	1,40kg