

TP-Link TL-MR100 wireless router Fast Ethernet Single-band (2.4 GHz) 4G Black

 Gamintojas: **TP-LINK** · Modelis: **TL-MR100** · EAN: **6935364088804** · Prekės kodas: **762723**


57,90 €

Kaina su PVM

 Be PVM: **47,85 €**

Sandėlyje


Prekė internetu

 Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Tabletop router Black
- ✓ Single-band (2.4 GHz) Wi-Fi 4 (802.11n) 300 Mbit/s
- ✓ Fast Ethernet
- ✓ Ethernet WAN SIM card slot
- ✓ Ethernet LAN (RJ-45) ports: 2
- ✓ Quality of Service (QoS) support



Aprašymas

No Configuration Needed Simply Plug and Play!

With an integrated 4G LTE modem and a built-in SIM card slot, all you need to do is inserting a micro SIM card and turning on the router. It has never been easier than enjoy a fast, stable Wi-Fi on 4G LTE network.

Share Your 4G LTE Network

Take full advantage of your cutting-edge 4G LTE network to download speed up to 150 Mbps. Share your 4G LTE network with multiple Wi-Fi devices and enjoy uninterrupted HD movies, rapid file downloads, and smooth video chats. Fully compatible with FDD-LTE and TDD-LTE to work with most service providers worldwide.

Robust Parental Controls

If you want to block harmful websites, set surfing time limits, check which sites your kids are using or just pause the internet, you can do it all.

Wi-Fi Where You Need It

Enjoy unconstrained convenience and versatility. MR100 has been tested in the field for years to ensure universal compatibility with 2 advanced LTE antennas to deliver a smooth connection. Simply plug in a micro SIM card and power on this elegant piece of device to utilize fast and stable Wi-Fi, whether you're at home or working remotely.

Reliable Access for Up to 32 Devices Simultaneously

Easily share a 3G/4G connection with up to 32 wireless devices, such as phones, tablets, and laptops, at the same time. 1 LAN ports stand ready to provide internet for wired devices like desktop computers.

Techninė specifikacija

Specifications	
Sandėlio grupė	Networking [+781][-3087]
WAN connection	
Ethernet WAN	Yes
SIM card slot	Yes
3G/4G USB modem compatibility	No
WAN connection type	RJ-45
Wireless LAN features	
Wi-Fi band	Single-band (2.4 GHz)
Top Wi-Fi standard	Wi-Fi 4 (802.11n)
WLAN data transfer rate (max)	300 Mbit/s
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Network	
Ethernet LAN	Yes
Ethernet LAN interface type	Fast Ethernet
Ethernet LAN data rates	10,100 Mbit/s
Cabling technology	10/100Base-T(X)
Networking standards	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Port forwarding	Yes
Port triggering	Yes
Dynamic DNS (DDNS)	Yes
Wireless radio	Yes
Equivalent Isotropically Radiated Power (EIRP) (@IEEE 802.11n)	20 dBmW
Receiver sensitivity	11g 54M: -74dBm 11n HT20: -71dBm 11n HT40: -67dBm
Mobile network	
Mobile network generation	4G

3G	Yes
4G	Yes
3G standards	HSPA, UMTS
4G standard	LTE-TDD & LTE-FDD
4G bands supported	800,900,1800,1900,2100,2300,2500,2600 MHz
3G bands supported	850,900,2100 MHz
SIM card type	MicroSIM
Ports & interfaces	
Ethernet LAN (RJ-45) ports	2
USB port	No
Memory card slot(s)	No
DC-in jack	Yes
Management features	
Wi-Fi Multimedia (WMM)/(WME)	Yes
Quality of Service (QoS) support	Yes
Wireless statistics	Yes
Reset button	Yes
WPS push button	Yes
Security	
Security algorithms	64-bit WEP, 128-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK
Firewall	Yes
Guest access	Yes
Stateful Packet Inspection (SPI)	Yes
Schedule access	Yes
MAC address filtering	Yes
IP address filtering	Yes
DMZ support	Yes
Protocols	
DHCP client	Yes
DHCP server	Yes
Universal Plug and Play (UPnP)	Yes
Supported network protocols	IPv4, IPv6
Design	
Product type	Tabletop router

Product colour	Black
On/off switch	Yes
Certificates	
Certification	CE, RoHS
Packaging content	
Cables included	LAN (RJ-45)
AC adapter included	Yes
Quick installation guide	Yes
Antenna	
Antenna design	External
Antenna connector type	N-type
Antennas quantity	2
Features	
Firmware upgradeable	Yes
Power	
Power source type	DC
Output voltage	9 V
Output current	0.85 A
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 90%
System requirements	
Browser supported	Internet Explorer 11, Firefox 12.0, Chrome 20.0, Safari 4.0
Windows operating systems supported	Windows 2000, Windows 7, Windows 8, Windows 8.1, Windows 98SE, Windows NT, Windows Vista, Windows XP
Linux operating systems supported	Yes
Mac operating systems supported	Yes
Weight & dimensions	
Width	154 mm
Depth	114 mm
Height	36 mm
Weight	150 g

Packaging data

Package width	293 mm
Package depth	161 mm
Package height	66 mm
Package weight	450 g

Logistics data

Harmonized System (HS) code	85176990
-----------------------------	----------

Matmenys ir svoris

Matmenys (l × p × a)	30,00cm × 7,00cm × 16,00cm
Svoris	0,51kg