



**Mainboard  
ASROCK Intel  
B760 Express  
LGA1700 Micro-  
ATX Memory  
DDR5 Memory  
slots 2 2xPCI-  
Express 3.0 1x  
1xPCI-Express  
4.0 16x 1xM.2  
1x15pin D-sub  
1xHDMI  
1xDisplayPort  
1xAV-In 1xAV-  
out  
1xMicrophone  
2xUSB 2.0  
3xUSB 3.2  
1xUSB-C 1xRJ45  
B760M-HDV/M.2**

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

Modelis: B760M-HDV/M.2

Gamintojas: ASROCK

EAN: 4710483943485

Prekės kodas: 76324

---

# 94.99€

---

## **+1+1 Power Phase Design**

Featuring sturdy components and completely smooth power delivery to the CPU, offering enhanced performance for gamers.

## **DDR5 XMP & EXPO Support**

Derived from the “built for stable and reliable” designing concept, ASRock does not compromise on any details. This motherboard is built with high quality components, enthusiasts are able to enjoy the boost of DDR5 memory overclocking performance by enabling the pre-tested profiles. Make sure the memory modules are Intel® XMP/AMD EXPO™ capable and overclocking can be made so affordable, satisfying and absolutely no sweat at all.

## **POLYCHROME RGB**

This motherboard features onboard RGB headers and addressable RGB headers that allow motherboard to be connected to compatible LED devices such as strip, CPU fans, coolers, chassis and so on. Users may also synchronize RGB LED devices across the Polychrome RGB Sync-certified accessories to create their own unique lighting effects

## **High Speed M.2 Solution(PCIe Gen4 x4)**

Supports PCI Express 4.0 M.2 SSDs, it is capable of perform twice the speed compared to previous 3rd generation, giving a lightning fast data transferring experience.

## **Dragon 2.5 Gb/s LAN**

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

The intelligent 2.5Gb/s LAN platform is built for maximum networking performance for the demanding requirements of home networking, content creators, online gamers and high-quality streaming media. Boost networking performance up to 2.5X the bandwidth compared to the standard gigabit Ethernet, you'll enjoy the faster and uncompromised connectivity experience for gaming, file transfers and backups.

## **M.2 (KEY E) For WiFi**

Besides the onboard LAN port, users may also choose wireless connections by M.2 (Key E) slot.

## **USB 3.2 Gen1 Type-C**

USB 3.2 Gen1 Type-C delivers up to 5 Gbps data transfer rate and next generation reversible USB design to the rear panel of computer case.

## **3 Graphics Outputs**

Complete with all three types of most used connectors! Packed with a D-Sub + DisplayPort + HDMI combo.

## **Auto Driver Installer**

No need to worry about lack of disk drive! Asrock preinstall LAN driver to ensure that you are able to install all drivers needed in an easier way than using SCD.

step1: Install Auto Driver Installer

step2: Update drivers needed

step3: Done!

- Supports 14th, 13th & 12th Gen Intel® Core™ Processors (LGA1700)
- 7+1+1 Power Phase
- Supports DDR5 7200MHz (OC)
- 1 PCIe 4.0 x16, 2 PCIe 3.0 x1, 1 M.2 Key E for WiFi
- Graphics Output Options: HDMI, DisplayPort, D-Sub
- Realtek ALC897 7.1 CH HD Audio Codec
- 4 SATA3, 1 Hyper M.2 (PCIe Gen4 x4)
- 1 Ultra M.2 (PCIe Gen3 x4)
- 1 USB 3.2 Gen1 Type-C (Rear)

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

- 5 USB 3.2 Gen1 Type-A (3 Rear, 2 Front)
- 6 USB 2.0 (2 Rear, 4 Front)
- Dragon 2.5G LAN
- Supports ASRock Auto Driver Installer

Summary: Asrock B760M-HDV/M.2. Processor manufacturer: Intel, Processor socket: LGA 1700, Compatible processor series: Intel Core i3 12th Gen, Intel Core i3 13th Gen, Intel Core i5 12th Gen, Intel Core i5 13th Gen,.... Supported memory types: DDR5-SDRAM, Maximum internal memory: 96 GB, Memory slots type: DIMM. Supported storage drive interfaces: M.2, SATA III, RAID levels: 0, 1, 5, 10. Ethernet interface type: 2.5 Gigabit Ethernet, LAN controller: Dragon RTL8125BG. Component for: PC, Motherboard form factor: micro ATX, Motherboard chipset family: Intel | Vendor Homepage: <https://asrock.com/MB/Intel/B760M-HDVM.2/index.asp#Overview> | Audio chip: Realtek ALC897 | Audio output channels: 7.1 | Component for: PC | Motherboard chipset: Intel B760 | Motherboard chipset family: Intel | Motherboard form factor: micro ATX | Windows operating systems supported: Windows 10 x64/Windows 11 x64 | Compatible processor series: Intel Core i3 12th Gen/Intel Core i3 13th Gen/Intel Core i5 12th Gen/Intel Core i5 13th Gen/Intel Core i7 12th Gen/Intel Core i7 13th Gen/Intel Core i9 12th Gen/Intel Core i9 13th Gen/Intel Core i9 14th Gen | Processor manufacturer: Intel | Processor socket: LGA 1700 | ECC compatibility: Non-ECC | Maximum internal memory: 96 | Memory channels: Dual-channel | Memory slots type: DIMM | Number of memory slots: 2 | Supported memory types: DDR5-SDRAM | Unbuffered memory: Yes | RAID levels: 0/1/10/5 | RAID support: Yes | Supported storage drive interfaces: M.2,SATA III | Parallel processing technology support: Not supported | ATX Power connector (24-pin): Yes | CPU fan connector: Yes | Front panel audio connector: Yes | Number of SATA III connectors: 4 | RGB LED pin header: Yes | TPM connector: Yes | USB 2.0 connectors: 2 | USB 3.2 Gen 1 (3.1 Gen 1) connectors: 1 | DisplayPort version: 1.4 | DisplayPorts quantity: 1 | Ethernet LAN (RJ-45) ports: 1 | HDMI ports quantity: 1 | Line-in: Yes | Microphone in: Yes | USB 2.0 ports quantity: 2 | USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity: 3 | USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity: 1 | VGA (D-Sub) ports quantity: 1 | Ethernet interface type: 2.5 Gigabit Ethernet | Ethernet LAN: Yes | LAN controller: Dragon RTL8125BG | Wi-Fi: No | Number of M.2 (M) slots: 1 | PCI Express x1 (Gen 3.x) slots: 2 | PCI Express x16 (Gen 4.x) slots: 1 | BIOS memory size: 128 | BIOS type: EFI AMI | Depth: 201 | Width: 244 | Cables included: SATA | Screws included: Yes | Model: B760M-HDV/M.2 | Units per Shipping Box: 20 | Unit Calculated Volume: 0.004511 | Unit Calculated Weight: 0.927

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš išsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903