



**Mainboard  
ASROCK AMD  
B550 SAM4  
MicroATX 1xPCI-  
Express 3.0 1x  
1xPCI-Express  
3.0 4x 2xM.2  
1xPCI-Express  
4.0 16x Memory  
DDR4 Memory  
slots 4 1xHDMI  
1xDisplayPort  
2xAudio-In  
1xAudio-Out  
2xUSB 2.0  
4xUSB 3.2  
1xPS/2 1xRJ45  
B550MPHANTOMGAMING4**

Modelis: B550MPHANTOMGAMING4

Gamintojas: ASROCK

EAN: 4710483932755

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

**89.99€**

---

Phantom Gaming is designed by gamers and for gamers! Underneath its relentless appearance lie plentiful gaming oriented features and excellent gaming capabilities. It's all about bringing a new gaming experience to gamers!

### **8 Power Phase Design**

Featuring sturdy components and completely smooth power delivery to the CPU. Plus, it enhanced performance with the lowest temperature for advanced gamers.

### **Premium 50A Power Choke**

Compared to traditional chokes, ASRock's premium 50A power chokes effectively make the saturation current up to three times better, thus providing enhanced and improved Vcore voltage to the motherboard.

### **A SOLID M.2-SOLUTION PERFORMER**

Dual M.2 For SSD, Supports Type 2280 M.2

Ready for higher capacity and even faster Type 2280 M.2 NVMe SSD to fulfill the need of performance. Hyper M.2 socket that supports PCIe Gen4 x4 while M.2 socket is capable of running PCIe Gen3 x2 and SATA3 mode.

### **2oz Copper PCB**

2 ounce copper inner layers that provide stable signal traces and power shapes! Delivering lower temperature and higher energy efficiency for overclocking, it's able to support the latest DDR4 memory modules with most extreme memory performance!

### **RULE YOUR OWN LIGHTING WAY - POLYCHROME RGB**

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

This motherboard features onboard RGB headers and an addressable RGB header that allow motherboard to be connected to compatible LED devices such as strip, CPU fans, coolers, chassis and so on. Users may also synchronize RGB LED devices across the Polychrome RGB Sync-certified accessories to create their own unique lighting effects.

\*The addressable RGB LED header supports WS2812B addressable RGB LED strip (5V/Data/GND), with a maximum power rating of 3A (5V), a max of 80 LEDs and length within 2 meters.

\*The RGB LED header supports standard 5050 RGB LED strip (12V/G/R/B), with a maximum power rating of 3A (12V) and length within 2 meters.

## **Dual Graphics Outputs**

Complete with two types of most used connectors! Packed with a HDMI + DisplayPort combo, you have more graphics output options now.

## **HDMI 4k @60Hz**

Supports the most recent HDMI 4K 60Hz graphics output specification. With the larger bandwidth and increased frame rate, the motion on your screen becomes more fluid and less blurry.

## **AMD StoreMI Technology**

A powerful tool that combines the speed of your SSD with the capacity of your hard disk into a single, fast, easy-to-manage drive, AMD StoreMI technology “combines” these two types of storage into a single drive and automatically moves the data you access the most to the SSD, so you get the best of both worlds.

## **Sapphire Black PCB**

Pure black PCB appearance. The new Sapphire Black PCB represents rock-solid quality and gives the motherboard a more mysterious touch.

## **High Density Glass Fabric PCB**

High Density Glass Fabric PCB design that reduces the gaps between the PCB layers to protect the motherboard against electrical shorts caused by humidity.

## **2oz Copper PCB**

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

Using only carefully selected copper materials for PCB layers, 2oz Copper PCB delivers lower temperature and higher energy efficiency for overclocking.

### **Full Spike Protection**

Some sensitive digital components on the motherboard are vulnerable to power surges, the excessive current may cause your system to malfunction immediately. ASRock Full Spike Protection includes various technologies to prevent your motherboard's components from being damaged by these unexpected voltage spikes.

### **Live Update & APP Shop**

ASRock Live Update & APP Shop is designed for your convenience. We provide various apps and support software for users to download. You can also easily optimize your system and keep your motherboard up to date with ASRock Live Update & APP Shop.

- Premium 50A Power Choke
- Sapphire Black PCB
- High Density Glass Fabric PCB
- 2oz Copper PCB
- ASRock Hyper M.2 (PCIe Gen4x4)
- ASRock Full Spike Protection (for all USB, Audio, LAN Ports)
- ASRock Live Update & APP Shop

Summary: Asrock B550M Phantom Gaming 4. Processor manufacturer: AMD, Processor socket: Socket AM4, Compatible processor series: AMD Ryzen 3000 Series. Supported memory types: DDR4-SDRAM, Maximum internal memory: 128 GB, Memory slots type: DIMM. Supported storage drive interfaces: SATA III, Supported storage drive types: HDD & SSD. Maximum resolution: 5120 x 2880 pixels. Ethernet interface type: Gigabit Ethernet, LAN controller: Realtek RTL8111H | Vendor Homepage:

<https://www.asrock.com/MB/AMD/B550M%20Phantom%20Gaming%204/index.asp#Overview> | Audio chip: Realtek ALC887 / Realtek ALC897 | Audio output channels: 7.1 | Component for: PC | Motherboard chipset: AMD B550 | Motherboard chipset family: AMD | Motherboard form factor: micro ATX | Overclocking features: FCC, CE ErP/EuP | PC health monitoring: Fan/Temperature/Voltage | Windows operating systems supported: Windows 10 x64 | Compatible processor series: AMD Ryzen 3000 Series | Maximum number of SMP processors: 1 | Processor manufacturer: AMD | Processor

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903

socket: Socket AM4 | ECC compatibility: ECC & Non-ECC | Maximum internal memory: 128 | Memory channels: Dual-channel | Memory slots type: DIMM | Number of memory slots: 4 | Supported memory clock speeds: 2133/2400/2667/2933/3200/3466/3600/3733/3800/3866/4000/4133/4200/4266/4333/4400/4466/4533 | Supported memory types: DDR4-SDRAM | Unbuffered memory: Yes | Supported storage drive interfaces: SATA III | Supported storage drive types: HDD & SSD | DirectX version: 12.0 | HDCP: Yes | Maximum resolution: 5120 x 2880 | 12V power connector: Yes | ATX Power connector (24-pin): Yes | CPU fan connector: Yes | Front panel audio connector: Yes | Number of chassis fan connectors: 3 | Number of SATA III connectors: 4 | RGB LED pin header: Yes | TPM connector: Yes | USB 2.0 connectors: 2 | USB 3.2 Gen 1 (3.1 Gen 1) connectors: 2 | DisplayPort version: 1.4 | DisplayPorts quantity: 1 | Ethernet LAN (RJ-45) ports: 1 | HDMI ports quantity: 1 | HDMI version: 2.1 | PS/2 ports quantity: 1 | USB 2.0 ports quantity: 2 | USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity: 4 | Ethernet interface type: Gigabit Ethernet | Ethernet LAN: Yes | LAN controller: Realtek RTL8111H | Wake-on-LAN ready: Yes | Wi-Fi: No | Number of M.2 (M) slots: 1 | PCI Express x1 (Gen 3.x) slots: 1 | PCI Express x16 (Gen 3.x) slots: 3 | ACPI version: 5.1 | BIOS memory size: 256 | BIOS type: UEFI AMI | System Management BIOS (SMBIOS) version: 2.3 | Harmonized System (HS) code: 84733020 | Depth: 244 | Height: 70 | Width: 244 | Cables included: SATA | Drivers included: Yes | Weight: 465 | Units per Shipping Box: 1 | Unit Calculated Volume: 0.00429 | Unit Calculated Weight: 1.1

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903