

TP-Link USB 3.0 to Gigabit Ethernet Network Adapter

Gamintojas: **TP-LINK** · Modelis: **UE306** · EAN: **4897098687376** · Prekės kodas: **763895**



14,90 €

Kaina su PVM

Be PVM: **12,31 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Fastest USB 3.0 and Gigabit solution ensure high-speed transfer rate
- ✓ Plug and Play in Nintendo Switch, Windows 10/8.1 and Linux OS
- ✓ Foldable and Portable design ideally suits your Ultrabook
- ✓ Compatible with Nintendo Switch: enjoy gaming with your friends and fast downloads by plugging into your Nintendo switch dock and adding a gigabit Ethernet connection



Aprašymas

Every Gamer's Best Friend

Simply by plugging in the USB 3.0 interface, UE306 helps connect your Nintendo Switch to a wired network system, a much faster and more stable network environment than a WiFi connection. Enjoy super-fast and high-quality downloading on your Nintendo Switch.

Give Wired Internet Connections to USB Devices

Give your laptop, computer, and other USB web devices access to wired network connections by connecting into the modem, router, or network switch. It's built for most of today's devices to enjoy powerful, instant wired network connections—ideal for those without a built-in RJ45 Ethernet port.

Gigabit Networking

for Fast, Stable Data Transfers

Equipped with a USB 3.0 port and Gigabit Ethernet port, it supports network speeds up to 1000 Mbps for faster large file transfers and downloads,

seamless streaming, immersive gaming, and more.

Easy to Use with Plug & Play

Just plug in and be ready to use in seconds—no manual driver installation required. Meanwhile, an intuitive LED indicator lets you know the network status at a glance. Plug & Play is enabled for Nintendo Switch, Windows 10/8.1, and Linux OS.

Techninė specifikacija

Specifications	
Sandėlio grupė	Modules [+12][−51]
Performance	
Product colour	Black
Plug and Play	Yes
Certification	CE, FCC, RoHS
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	−40 - 70 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 90%
Weight & dimensions	
Width	71 mm
Depth	26 mm
Height	16.2 mm
Weight	20 g
Packaging data	
Package width	183 mm
Package depth	85 mm
Package height	18 mm
Package weight	50 g
Technical details	
Compliance certificates	RoHS, Federal Communications Commission (FCC), CE
Logistics data	
Harmonized System (HS) code	85176990
Other features	
Interface	Ethernet
Sustainability	

Sustainability compliance	Yes
Matmenys ir svoris	
Matmenys (I × P × A)	9,00cm × 2,00cm × 18,00cm
Svoris	0,05kg