

# Philips Hue White and colour ambience Starter kit: 3 E27 smart bulbs + Dimmer switch + Bridge Pro

Gamintojas: **PHILIPS HUE** · Modelis: **8720169374508** · EAN: **8720169374508** · Prekės kodas: **764238**



## 215,90 €

Kaina su PVM

Be PVM: **178,43 €**

**Sandėlyje**





**Prekė internetu**

Nuskenaukite kodą arba apsilankykite [www.shopro.lt](http://www.shopro.lt)

## Pagrindinės savybės

- ✓ Zigbee security
- ✓ Hue MotionAware
- ✓ Whole-home control from anywhere
- ✓ More capacity, faster processor



## Aprašymas

### Easy smart lighting

Get superpowered smart lighting features with the Bridge Pro. Equipped with a new chip capable of running complex algorithms and AI-powered features, it's faster and stronger than ever. Add ambient colour to any room with the included colour-capable bulbs, and convenient control with the included switch.

## Techninė specifikacija

### Specifications

Sandėlio grupė

Bulbs [+34][-63]

### Features

|                                          |                    |
|------------------------------------------|--------------------|
| Type                                     | Smart lighting kit |
| Interface                                | Bluetooth/Zigbee   |
| Product colour                           | Black              |
| Bulb type                                | LED                |
| Fitting/cap type                         | E27                |
| Bulb size                                | A60                |
| Light colour                             | Multi              |
| Colour temperature (min)                 | 1000 K             |
| Colour temperature (max)                 | 20000 K            |
| Luminous flux                            | 1100 lm            |
| Color Rendering Index (CRI)              | 80                 |
| Power factor                             | 0.5                |
| Bulb power                               | 8.1 W              |
| Bulb lifetime                            | 25000 h            |
| Rated lifetime                           | 25000 h            |
| Dimmable                                 | Yes                |
| Deep dimmable                            | Yes                |
| Bridge                                   | 1                  |
| International Protection (IP) code       | IP20               |
| Frequency range (hue bridge)             | 2400 - 2483.5 MHz  |
| Number of bulbs per hue bridge (max)     | 150 bulb(s)        |
| Hue bridge mounting type                 | Desktop/Wall       |
| Mounting option                          | Wall; Standing     |
| Bulb technology                          | LED                |
| Number of switch cycles                  | 50000              |
| Software upgradeable                     | Yes                |
| Mounting type                            | Freestanding/Wall  |
| Instant full light                       | Yes                |
| Frequency range (hue dimmer switch)      | 2400 - 2483.5 MHz  |
| Hue dimmer switch lifetime (clicks)      | 50000              |
| Hue dimmer switch battery lifetime (min) | 2 year(s)          |
| Philips Hue app supported                | Yes                |
| <b>Performance</b>                       |                    |
| Smartphone/tablet remote support         | Yes                |
| Works with Amazon Alexa                  | Yes                |

|                                            |           |
|--------------------------------------------|-----------|
| Works with the Google Assistant            | Yes       |
| Works with Apple HomeKit                   | Yes       |
| Works with IFTTT                           | Yes       |
| <b>Power</b>                               |           |
| Energy efficiency class                    | D         |
| Power consumption (standby)                | 0.2 W     |
| Input voltage                              | 220-240 V |
| Battery type                               | CR2032    |
| AC adapter input voltage (hue bridge)      | 100-240 V |
| AC adapter frequency (hue bridge)          | 50/60 Hz  |
| AC input voltage                           | 220-240 V |
| <b>Weight &amp; dimensions</b>             |           |
| Width                                      | 60 mm     |
| Height                                     | 110 mm    |
| Diameter                                   | 6 cm      |
| Hue bridge width                           | 9.23 cm   |
| Hue bridge height                          | 2.6 cm    |
| Hue dimmer switch width                    | 3.5 cm    |
| Hue dimmer switch depth                    | 1.1 cm    |
| Hue dimmer switch height                   | 9.2 cm    |
| Bulb width                                 | 6 cm      |
| Bulb height                                | 11 cm     |
| Hue dimmer switch wall plate width         | 7 cm      |
| Hue dimmer switch wall plate depth         | 1.4 cm    |
| Hue dimmer switch wall plate height        | 11.5 cm   |
| Hue dimmer switch weight (with wall plate) | 67 g      |
| Hue bridge length                          | 9.23 cm   |
| Hue bridge diameter                        | 9.23 cm   |
| Hue dimmer switch weight                   | 37 g      |
| <b>Packaging data</b>                      |           |
| Package width                              | 1760 mm   |
| Package depth                              | 2190 mm   |
| Package height                             | 1400 mm   |
| Package weight                             | 1.02 kg   |
| Package net weight                         | 610 g     |

|                                               |                                                                                           |
|-----------------------------------------------|-------------------------------------------------------------------------------------------|
| Package gross weight                          | 1.02 kg                                                                                   |
| <b>Packaging content</b>                      |                                                                                           |
| Quantity per pack                             | 5 pc(s)                                                                                   |
| Hue dimmer switch included                    | Yes                                                                                       |
| Number of hue dimmer switches included        | 1                                                                                         |
| AC adapter included                           | Yes                                                                                       |
| Hue bridge                                    | Yes                                                                                       |
| Batteries included                            | Yes                                                                                       |
| Cables included                               | LAN (RJ-45)                                                                               |
| Number of hue bulb(s) included                | 3 bulb(s)                                                                                 |
| Hue dimmer switch battery included            | Yes                                                                                       |
| Hue dimmer switch battery type                | CR2032                                                                                    |
| Number of hue dimmer switch battery supported | 1                                                                                         |
| Hue bulb(s) included                          | Yes                                                                                       |
| <b>Other features</b>                         |                                                                                           |
| Operating relative humidity (H-H)             | 5 - 95%                                                                                   |
| Operating temperature (T-T)                   | -20 - 45 °C                                                                               |
| Ethernet cable                                | Yes                                                                                       |
| Zigbee Light Link                             | Yes                                                                                       |
| Networking standards                          | IEEE 802.15.4                                                                             |
| Effects                                       | Yes                                                                                       |
| Wi-Fi                                         | No                                                                                        |
| Compatible operating systems                  | iOS; Android                                                                              |
| <b>Technical details</b>                      |                                                                                           |
| Material                                      | Synthetic                                                                                 |
| EAN/UPC/GTIN (packaging)                      | 8720169374508                                                                             |
| Warranty period                               | 2 year(s)                                                                                 |
| Defined support period (note)                 | Minimum 60 months, 36 months for bridge from date of purchase from an authorized reseller |
| Communication protocol                        | Bluetooth; Zigbee                                                                         |
| Virtual assistant                             | Amazon Alexa / Google Home / Apple HomeKit                                                |
| Number of accessories (max)                   | 50                                                                                        |
| Number of lights per switch (max)             | 50                                                                                        |
| Dimmable with Hue app & switch                | Yes                                                                                       |
| Light output                                  | White and color light                                                                     |

|                          |                |
|--------------------------|----------------|
| Luminous flux (at 4000K) | 1100 lm        |
| Matter support method    | Via Hue Bridge |