

TP-Link Tapo Outdoor Dual Lens Pan/Tilt Security Camera

Gamintojas: **TP-LINK** · Modelis: **Tapo C545D** · EAN: **8885020629255** · Prekės kodas: **764296**



106,90 €

Kaina su PVM

Be PVM: **88,35 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ **2K 3MP Dual Lens** - Capture the full picture with dual 2K high definition optics, monitoring two separate areas at the same time with just one device. Engineered to minimize blind spots for optimal coverage
- ✓ **Wide-Angle & Telephoto Lens** - With 165° FOV wide-angle lens and 6mm telephoto lens, it ensures all-around awareness and down-to-the-detail protection of your home
- ✓ **Synchronized Smart Tracking** - When the fixed lens detects events, the pan/tilt lens will automatically pivot to focus on and track the moving object
- ✓ **One-Tap Smart Focus** - Select an area in the wide-angle view, and the pan/tilt camera will focus on it instantly
- ✓ **IP66 Weather Resistance** - Delivers reliable surveillance through rain, snow, dust, and scorching heat. Monitor your property with confidence, no matter the weather
- ✓ **Ethernet Support** - Ideal for areas with weak Wi-Fi, an Ethernet connection guarantees smooth live streaming and faster data transmission
- ✓ **Free AI Detection & Notification** - Get instant push notifications when motion, person, pets and vehicles are detected, there is no additional fee to use it
- ✓ **Works with Alexa, Google Home & Samsung SmartThings** - Fully compatible with Amazon Alexa, Google Assistant and Samsung SmartThings
- ✓ **Smart Night Vision** - Choose from vibrant full-color with spotlights, discreet black-and-white infrared, or an automatic Smart Mode based on AI light detection for optimal clarity in any nighttime scenario
- ✓ **Secure Local or Cloud Storage** - Save footage continuously on up to a 512 GB microSD card (not included) or subscribe to Tapo Care for cloud storage which saves 30-day video



Aprašymas

Wide View, Sharp Zoom, Full Protection

Outdoor Dual Lens Pan/Tilt Security Camera

Pan, Tilt, and Capture It All

The top wide-angle lens is fixed in place but supports manual Pan (270°) and Tilt (-30° to -10°) adjustment for the best viewing angle. The bottom telephoto lens features automatic pan and tilt to follow motion or shift focus between different areas as needed.

Synchronised Smart Tracking

The two cameras dynamically work together to seamlessly follow movement-when the fixed lens detects events like motion, people, and pets, the pan/tilt lens will automatically pivot to focus on and track the moving object.

Magnify Details with Telephoto Lens

The 6mm telephoto lens delivers 3× clarity compared to standard lens and supports up to 10.8× digital zoom, ensuring every detail is clearly visible when you zoom in.

Panoramic Coverage of Two Areas, Simultaneously

Monitor two separate areas at the same time with just one powerful camera. Reduce blind spots and get a more thorough, comprehensive overview of your home.

Instant Detail with One-Tap Smart Focus

One tap for instant clarity: select an area in the wide-angle view, and the pan/tilt camera will focus on it instantly.

Smarter, More Accurate Notifications Powered by AI

Stay informed with smart AI detection that recognises and notifies you of people, pets, and vehicles – all without any subscription fees. Tailor your alerts by selecting which types of detection will trigger notifications.

Smart & Versatile Night Vision Modes

Choose from vibrant full-colour with spotlights, discreet black-and-white infrared, or an automatic Smart Mode based on AI light detection for optimal clarity in any nighttime scenario.

Reliable Connectivity with Ethernet Support

Ensure a more stable and consistent connection for your camera with Ethernet support. Ideal for areas with weak Wi-Fi, an Ethernet connection guarantees smooth live streaming and faster data transmission.

Patrol Mode

Set the camera to automatically move between up to 8 preset viewing points at set times.

Engineered for Weather Resilience

Delivers reliable surveillance through rain, snow, dust, and scorching heat. Monitor your property with confidence, no matter the weather.

Pair with Smart Assistants

Includes seamless integration with Amazon Alexa, Google Assistant, and Samsung SmartThings. View live streams on your Echo Show or Chromecast.

Two-Way Audio

Built-in premium microphone and speakers ensure you can hear and be heard with exceptional clarity.

Adaptable Installation Options

Tapo C545D can be securely mounted on a wall, affixed to the ceiling, or even held by a rod - designed to withstand the elements and deliver

dependable monitoring across diverse outdoor settings.

Techninė specifikacija

Specifications	
Sandėlio grupė	IP Cameras [+77][-206]
Performance	
Type	IP security camera
Placement supported	Outdoor
Connectivity technology	Wired & Wireless
Auto-tracking	Yes
Wide Dynamic Range (WDR)	Yes
Day/night mode	Yes
Infrared (IR) cut-off filter	Yes
Design	
Mounting type	Ceiling/Wall/Pole
Product colour	White
Form factor	Spherical
Protection features	Dust resistant, Water resistant
International Protection (IP) code	IP66
Camera	
Lens viewing angle, horizontal	57.3 - 137.6°
Lens viewing angle, vertical	31.7 - 73°
Lens viewing angle, diagonal	66.5 - 165.1°
Image sensor	
Sensor type	CMOS
Optical sensor size	25.4 / 2.8 mm (1 / 2.8")
Progressive scan	Yes
Lens system	
Number of lenses	2
Focal length range	2.53 - 6 mm
Maximum aperture number	1.6
Night vision	
Night vision	Yes
Colour night vision distance	29.9 m

LED type	IR
Infra-red wavelength	850 nm
Video	
Maximum resolution	2304 x 1296 pixels
Total megapixels	3 MP
Video compression formats	H.264
Frame rate	15 fps
Noise reduction	Yes
Noise reduction technology	3D noise reduction
Audio	
Built-in speaker(s)	Yes
Audio system	2-way
Built-in microphone	Yes
Network	
Ethernet LAN	Yes
Wi-Fi	Yes
Bluetooth	No
Ethernet interface type	Fast Ethernet
Supported network protocols	TCP/IP, DHCP, ICMP, DNS, NTP, HTTPS, TCP, UDP
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6 (802.11ax)
Wi-Fi data rate (max)	144 Mbit/s
Frequency band	2.4 GHz
Works with the Google Assistant	Yes
Works with Amazon Alexa	Yes
Live view	Yes
Storage	
Built-in HDD	No
Card reader integrated	Yes
Compatible memory cards	MicroSD (TransFlash)
Maximum memory card size	512 GB
Ports & interfaces	
Ethernet LAN (RJ-45) ports	1
Security	
Built-in siren	Yes

Siren noise level	99 dB
Video motion detection	Yes
Active tampering alarm	Yes
Security algorithms	128-bit AES, SSL/TLS, WPA, WPA2-PSK, WPA3
Alert notification type	Snapshot alert message
Privacy protection	Yes
Intelligent Video Surveillance (IVS) system features	Human detection, Line crossing detection, Pet detection, Vehicle detection
Management features	
Reset button	Yes
Power	
Power source type	DC
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Power consumption (typical)	5.3 W
Power consumption (max)	11.2 W
DC output voltage	12
DC output current	1 A
Operational conditions	
Operating temperature (T-T)	-30 - 60 °C
Storage temperature (T-T)	-40 - 60 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	0 - 90%
Weight & dimensions	
Width	114.6 mm
Depth	152.1 mm
Height	159.6 mm
Weight	491 g
Cable length	3 m
Packaging data	
Package width	196 mm
Package depth	235 mm
Package height	136 mm
Package weight	890 g
Packaging content	

Number of cameras	1
Mounting kit	Yes
Screws included	Yes
Drilling template included	Yes
AC adapter included	Yes
Anchors included	Yes
Quick start guide	Yes
Waterproof connector	Yes
Matmenys ir svoris	
Matmenys (I × P × A)	20,00cm × 24,00cm × 14,00cm
Svoris	1,01kg