Axagon RSS-CD09 2.5 SSD/HDD caddy into DVD slot 9.5 mm LED ALU sąsajos plokštė / adapteris Vidinis SATA

Gamintojas: **AXAGON** · Modelis: **RSS-CD09** · EAN: **8595247906533** · Prekės kodas: **764299**



14,90 €

Kaina su PVM

Be PVM: **12,31 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Vidinis
- ✓ Priimančioji sąsaja: SATA
- ✓ Išvesties sąsaja: SATA
- ✓ Paskirtis: Nešiojamas kompiuteris
- ✓ 5 Gbit/s
- ✓ Juoda










Aprašymas

The AXAGON RSS-CD09 internal frame is designed to be mounted instead of the existing 9.5 mm CD/DVD drive. It is designed for 2.5" SSD/HDD SATA drives. You can easily replace the optical drive in your laptop with a hard drive.

The SATA 6G interface allows you to enjoy the speed of modern SSD disks up to 6 Gb/s. Thanks to the absence of complex electronics, it does not

slow down the data transfer speed and supports all modern functions such as TRIM. This reduction ensures wide compatibility with various notebook brands. The ODD frame can be set via double switch so it will work with most notebook brands like LENOVO, HP, DELL, ASUS, ACER, SONY, TOSHIBA and others.

It is possible to use standard 2.5” SSD disks with a height of 7 mm as well as hard disks with a height of 9.5 mm. The ODD caddy with mounted disk behaves like a standard hard disk in the operating system and in the BIOS (UEFI). By inserting a disk into the adapter, you can easily add an internal 2.5" disk, which can be used to supplement an existing notebook disk.Booting support can significantly speed up older notebooks by adding a 2.5" SSD disk.

The unique screwless disk mounting system is secured with a rubber spacer or rubber thread plugs. Rubber insert plugs also help minimize hard drive vibration. Metal springs help fix the adapter in the optical drive bay. The metal frame body is made of aluminum and ensures perfect mechanical protection of the inserted disk. The built-in HQ capacitor helps stabilize the SSD/HDD power supply. Elegant built-in LED indicates disk insertion and data transfer.

The package also includes a plastic faceplate (front panel) imitating the front of the optical CD/DVD drive. There are several mounting holes on the back of the reducer to fix in the notebook body.

Input:
• SATA interface, compatible with SATA 6G (SATA III), SATA 3G (SATA II) and SATA 1.5G (SATA I),
• 13 pin (7+6) SLIM SATA data and power male connector for notebook connection.

Output:
• SATA interface, compatible with SATA 6G (SATA III), SATA 3G (SATA II) and SATA 1.5G (SATA I),
• supports 2.5" SSD/HDD,
• maximum disk capacity – all without limitation,
• maximum disk height - 9.5 mm,
• standard 22 pin (7+15) SATA data and power female connector for 2.5" disks.

Other features:
• Compliant with Serial ATA 3.1 specification (SATA/600), transmission rates of up to 6 Gb/s (600 MB/s).
• Compliant with Serial ATA 2.0 specification (SATA/300), transmission rates of up to 3 Gb/s (300 MB/s).
• Compliant with Serial ATA 1.0 specification (SATA/150), transmission rates of up to 1.5 Gb/s (150 MB/s).
• The overall speed depends of inserted disk type and the SATA interface version of the notebook optical drive.
• It is a pure hardware reduction - for all operating systems, no drivers are installed.
• Disk boot support in external adapter.
• Full Plug and Play support.
• The adapter is powered by a 6-pin Slim SATA power connector.
• Built-in HQ capacitor for stabilized SSD/HDD power supply.
• The dimensions of the frame correspond to the slim 5.25" position in the laptop.
• Aluminum body for disk protection and disk cooling.

Other features:
• Adapter dimensions 128 x 127 x 9.5 mm.
• Adapter weight 66 g (without faceplate).

Notice:
The height of the original optical drive must be determined before replacement. RSS-CD09 is designed for a 9.5 mm height.

Package contains:
• ODD adapter for 2.5” SSD/HDD,
• 4 rubber plugs, plastic pry bar, screwdriver, front panel (faceplate),

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

• printed installation manual in CZ / DE / DK / ENG / ESP / FIN / FR / GR / HR / HU / IT / NL / PL / PT / RO / RU / SK / SWE / TR / BG / CN / ARA,
• packed in a cardboard box.

Techninė specifikacija

Ryšys	
Priimančioji sąsaja	SATA
Išvesties sąsaja	SATA
NVMe	Ne
Vidinių SATA prievadų skaičius	1
Konstrukcija	
Vidinis	Taip
Produkto spalva	Juoda
Paskirtis	Nešiojamas kompiuteris
LED indikatoriai	Taip
Hot-Plug palaikymas	Taip
Lengvas instaliavimas	Taip
Kilmės šalis	Kinija
Sertifikavimas	CE, RoHS
Savybės	
Duomenų perdavimo sparta (maks.)	5 Gbit/s
„Plug and Play“ funkcija	Taip
Sistemos reikalavimai	
Palaikomos „Windows“ operacinės sistemos	Taip
Palaikomos MAC operacinės sistemos	Taip
Palaikoma operacinė sistema „Linux“	Taip
Palaikomos serverio valdymo sistemos	Taip
Kitos palaikomos operacinės sistemos	Taip
Techninė informacija	
Garantinis laikotarpis	3 metai
Atitikties sertifikatai	RoHS, CE
Svoris ir matmenys	
Plotis	128 mm
Ilgis	127 mm
Aukštis	9,5 mm
Svoris	66 g

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Pakuotės duomenys	
Kiekis pakuotėje	1 vnt
Pridėti montavimo kronšteinai	Taip
Instrukcija	Taip
Pakuotės plotis	150 mm
Pakuotės gylis	150 mm
Pakuotės aukštis	20 mm
Paketo svoris	127 g
Pakuotės tipas	„Box“
Matmenys ir svoris	
Matmenys (I × P × A)	15,00cm × 15,00cm × 2,00cm

Dokumentai ir vaizdo įrašai

› Naudojimo instrukcija

Gamintojo ir saugos informacija

GAMINTOJAS

RealQ, s.r.o.
Železná 663/5, 619 00 Brno-jih, CZ
axagon.eu

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.