

TP-Link PoE++ Injector Adapter

Gamintojas: **TP-LINK** · Modelis: **POE170S** · EAN: **4897098683897** · Prekės kodas: **765144**



84,91 €

Kaina su PVM

Be PVM: **70,17 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 2 Gigabit ports ensure faster transmission
- ✓ Complies with IEEE802.3af/at/bt standards, supplies up to 60 W
- ✓ Reduces infrastructure costs by transmitting data and power simultaneously via an Ethernet cable
- ✓ Automatically determines and supplies the exact power to meet the device's need
- ✓ Wall-mounting and desktop design accommodates most installation scenarios
- ✓ Plug & Play installation requires no configuration
- ✓ Integrated power supply
- ✓ Durable metal casing



Aprašymas

What This Product Does

The PoE++ Injector TL-POE170S fully complies with IEEE 802.3af/at/bt standards with up to 60 W power supply. It can easily expand your network to where there are no power lines or outlets, where you wish to fix devices such as PTZ IP Cameras, LED, etc.

Techninė specifikacija

Specifications

Sandėlio grupė

Power Stations [+1][-117]

Network

Ethernet interface type	Gigabit Ethernet
Ethernet LAN data rates	10,100,1000 Mbit/s
Cabling technology	10/100/1000
Power over Ethernet (PoE)	Yes
Networking standards	IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3bt, IEEE 802.3i, IEEE 802.3u
Cable types supported	Cat3, Cat4, Cat5, Cat5e, Cat6

Features

Product colour	Black
Housing material	Metal
Wall mountable	Yes
Plug and Play	Yes

Ports & interfaces

RJ-45 input ports	1
RJ-45 output ports	1

Power

Output power	60 W
AC adapter input voltage	100 - 240 V
AC adapter frequency	50/60 Hz

Certificates

Certification	FCC, CE, RoHS
---------------	---------------

Operational conditions

Operating temperature (T-T)	0 - 45 °C
Operating relative humidity (H-H)	10 - 90%
Storage temperature (T-T)	-40 - 70 °C
Storage relative humidity (H-H)	5 - 90%

Weight & dimensions

Width	155 mm
Depth	70 mm
Height	42 mm

Packaging content

Number of products included	1 pc(s)
Quick installation guide	Yes

Packaging data

Package width	190 mm
Package depth	250 mm
Package height	95 mm
Package weight	920 g
Package type	Box
Logistics data	
Harmonized System (HS) code	85044095