

Lenovo 00FM518 network switch Managed L2/L3 Black

Gamintojas: **LENOVO** · Modelis: **00FM518** · EAN: **883436674805** · Prekės kodas: **766721**



1 320,90 €

Kaina su PVM

Be PVM: **1 091,65 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Managed L2/L3 SNMP v1,v3
- ✓ Quality of Service (QoS) support
- ✓ 10G support
- ✓ MAC address table: 128000 entries
- ✓ Access Control List (ACL)

Aprašymas

The Lenovo® Flex System Fabric SI4093 System Interconnect Module enables simplified integration of Flex System™ into your networking infrastructure and provides the capability of building simple connectivity for points of delivery or clusters up to 126 nodes.

The SI4093 requires no management for most data center environments, which eliminates the need to configure each networking device or individual ports, thus reducing the number of management points. It provides a low latency, loop-free interface that does not rely upon spanning tree protocols, which removes one of the greatest deployment and management complexities of a traditional switch. The SI4093 offers administrators a simplified deployment experience while maintaining the performance of intra-chassis connectivity.

Techninė specifikacija

Management features

Switch type	Managed
Switch layer	L2/L3
Quality of Service (QoS) support	Yes

Network

Networking standards	IEEE 802.1Q, IEEE 802.1Qaz, IEEE 802.1Qbb, IEEE 802.1ab, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3ad, IEEE 802.3ae, IEEE 802.3ap, IEEE 802.3ba, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z
10G support	Yes
Full duplex	Yes
Flow control support	Yes
Link aggregation	Yes
VLAN support	Yes
Number of VLANs	4095
Optical fiber	
Fiber ethernet cabling technology	10GBASE-LR, 10GBASE-SR, 10GBASE-T, 40GBASE-ESR4, 40GBASE-LR4
Data transmission	
MAC address table	128000 entries
Security	
Access Control List (ACL)	Yes
Security algorithms	SSH
Multicast features	
Multicast support	Yes
Protocols	
Management protocols	SNMP v1,v3
Design	
Product colour	Black
Performance	
Mean time between failures (MTBF)	236805 h
Weight & dimensions	
Width	401 mm
Depth	317 mm
Height	30 mm
Weight	3.7 kg
Packaging data	
Package width	508 mm
Package depth	432 mm
Package height	114 mm
Package weight	4.1 kg

Certificates

Certification

United States FCC 47 CFR Part 15, Subpart B, ANSI C63.4 (2003), Class A IEC/EN 60950-1, Second Edition Canada ICES-003, issue 4, Class A Japan VCCI, Class A Australia/New Zealand AS/NZS CISPR 22:2006, Class A Taiwan BSMI CNS13438, Class A CE Mark (EN55022 Class A, EN55024, EN61000-3-2, EN61000-3-3) CISPR 22, Class A China GB 9254-1998 Turkey Communiqué 2004/9; Communiqué 2004/22 Saudi Arabia EMC.CVG, 28 October 2002

Gamintojo ir saugos informacija

GAMINTOJAS

Lenovo Group Limited

Courtyard Xibeiwang East Road Building 2, No.10,
100094 Beijing, CN

lenovo.com

ATSAKINGAS ASMUO ES

Lenovo France SAS

Rue des Deux Gares 20, 92500 Rueil-Malmaison,
FR

lenovo.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt