# Zebra DS8108-SR Handheld bar code reader 1D/2D LED Black

Gamintojas: **ZEBRA** · Modelis: **DS8108-SR00007ZZWW** · EAN: **8596375046702** · Prekės kodas: **767186**



**303.90€**

Kaina su PVM

Be PVM: **251.16€**

In Stock

**Prekė internetu**
Nuskenuokite kodą arba apsilankykite www.shopro.lt

## Pagrindinės savybės

- ✓ Handheld bar code reader Black
- ✓ Scanner type: 1D/2D Sensor type: LED
- ✓ Codabar, Code 11, Code 128, Code 39, Code 93, GS1 DataBar Expanded, Interleaved 2 of 5, MSI, Plessey, U.P.C. Aztec Code, Composite Codes, Han Xin, MaxiCode, Micro QR Code, MicroPDF417, PDF417, QR Code, TLC-39
- ✓ Tilt reading angle: 0 - 360°
- ✓ Wired Standard interfaces: RS-232, USB, Keyboard wedge



## Aprašymas

### THE ULTIMATE IN PERFORMANCE, INNOVATION AND MANAGEABILITY

The checkout stand is the last chance you have to leave shoppers with a good impression. The quality of the checkout experience is heavily dependent upon the performance of the scanner you choose. Now, you can leave every shopper with the ultimate last impression with the DS8100 Series handheld imager.

The DS8100 Series rises above conventional imagers to deliver unprecedented scanning performance on virtually every 1D and 2D barcode, keeping your checkout lines moving and your cashiers free to deliver a more personal checkout experience. The DS8100 Series — because when it comes to

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

the checkout experience in your store, only the best will do.

## UNPRECEDENTED PERFORMANCE

Only the DS8100 Series combines the power of an 800 MHz microprocessor, a high-resolution megapixel sensor and Zebra’s exclusive PRZM technology. With this unique combination of hardware and advanced algorithms, the DS8100 Series instantly captures the most problematic barcodes with lightning speed, including dense, poorly printed, crinkled, faded, distorted, dirty or damaged barcodes and electronic barcodes on smartphones — even when the screen is dimly lit.

## INNOVATION BEYOND THE BARCODE

A wide range of innovations allows workers to do much more than scan barcodes one at a time. Workers can simultaneously capture multiple barcodes and transmit only those required in the proper directly to your application. Only the DS8100 Series can capture the information on a full 8.5 x 11 or A4 page, process the desired information into the right format for electronic storage and transmit the data to your applications — all with one press of the trigger. And support for Digimarc*© barcodes provides future-proofing, ensuring that the DS8100 Series you deploy today can support the barcodes of tomorrow.

Only the DS8100 Series combines the power of an 800 MHz microprocessor, a high-resolution megapixel sensor and Zebra’s exclusive PRZM technology. With this unique combination of hardware and advanced algorithms, the DS8100 Series instantly captures the most problematic barcodes with lightning speed, including dense, poorly printed, crinkled, faded, distorted, dirty or damaged barcodes and electronic barcodes on smartphones — even when the screen is dimly lit.

## UNRIVALED MANAGEABILITY

Our complimentary tools deliver unrivaled manageability. With visionary visibility into scanning performance and battery metrics, you can spot and correct issues before they impact device uptime, worker productivity and the quality of your customer service. You can control many aspects of your scanners from any Android, iOS and Windows smartphone or tablet, as well as any iOS or Windows PC. You can create a single configuration barcode to customize settings. And you can stage, configure and update firmware on all your DS8100 devices in all of your locations — no user actions required.

### Techninė specifikacija

| | |
|---|---|
| **Scanning** | |
| Type | Handheld bar code reader |
| Scanner type | 1D/2D |
| Sensor type | LED |
| Linear (1D) barcodes supported | Codabar, Code 11, Code 128, Code 39, Code 93, GS1 DataBar Expanded, Interleaved 2 of 5, MSI, Plessey, U.P.C. |
| 2D (matrix & stacked) barcodes supported | Aztec Code, Composite Codes, Han Xin, MaxiCode, Micro QR Code, MicroPDF417, PDF417, QR Code, TLC-39 |
| Wavelength | 617 nm |
| Tilt reading angle | 0 - 360° |
| Pitch reading angle | 0 - 60° |
| Yaw reading angle | 0 - 60° |
| **Ports & interfaces** | |
| Connectivity technology | Wired |

| | |
|---|---|
| Standard interfaces | RS-232, USB, Keyboard wedge |
| PC connection | RS-232/USB |
| **Performance** | |
| Product colour | Black |
| International Protection (IP) code | IP42 |
| **Power** | |
| Input voltage | 5 V |
| Power consumption | 450 mA |
| **Weight & dimensions** | |
| Weight | 154 g |
| Width | 66 mm |
| Depth | 107 mm |
| Height | 168 mm |
| **Operational conditions** | |
| Operating temperature (T-T) | 0 - 50 °C |
| Storage temperature (T-T) | -40 - 70 °C |
| Operating relative humidity (H-H) | 5 - 95% |
| **Logistics data** | |
| Harmonized System (HS) code | 84716070 |

## Dokumentai ir vaizdo įrašai

› Product leaflet

## Gamintojo ir saugos informacija

MANUFACTURER

**Zebra**

EU RESPONSIBLE PERSON

**Zebra Technologies**
Borupvang 3, Ballerup, DK
zebra.com

DISTRIBUTOR

**MB KOMPIUTERIŲ GURU**
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt