TP-Link MS116GS network switch Gigabit Ethernet (10/100/1000) Black

Gamintojas: **TP-LINK** · Modelis: **MS116GS** · EAN: **6957939002435** · Prekės kodas: **767421**



65,90 €

Kaina su PVM

Be PVM: **54,46 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Basic switching RJ-45 Ethernet ports quantity: 16
- ✓ MAC address table: 8000 entries Switching capacity: 32 Gbit/s
- ✓ AC





Aprašymas

Connect More with 16 Gigabit Ports

Quickly expand your wired network with sixteen 10/100/1000 Mbps Ethernet ports—10 times faster than regular 10/100 Mbps Ethernet ports. MS116GS offers flexible connectivity and is fully compatible with 4K UHD TVs, computers, printers, IP cameras, game consoles, and more.

One-Click Traffic Separation

With one click, Isolation Mode easily divides traffic for ports 1–14 to avoid snooping and tampering. This enables the switch to isolate broadcast storm, improving LAN security and data transmission.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Prevent Network Loops

Automatically detect loops and block the corresponding port while the power and port indicator flash slowly to alert. Easy to monitor and address loop-related issues within your network.

Durable, Silent, and Flexible

MS116GS’s durable metal case allows for efficient heat dissipation, excellent signal interference prevention, reliable equipment stability, and a long network life. And you can put the switch on desk or rack mount to meet your demand.

Plug and Play

Forget about complicated installation. Just connect the switch to your TV or computer via an Ethernet cable to immediately expand your wired network. No configuration is required.

Reliable Performance

With a non-blocking switching design, MS116GS enables packets to be forwarded and filtered at the full capacity of the wired connection. MS116GS incorporates IEEE 802.3x flow control for Full Duplex operation and backpressure mechanisms for Half Duplex, effectively managing traffic congestion and ensuring reliable performance.

Go Green with Your Ethernet

You now have the choice to go green when upgrading to a gigabit network! MS116GS features the latest innovative energy-efficient technologies to greatly expand your network capacity with much less power. It automatically adjusts power consumption to limit the carbon footprint of your network.

Techninė specifikacija

Ports & interfaces	
Basic switching RJ-45 Ethernet ports quantity	16
Basic switching RJ-45 Ethernet ports type	Gigabit Ethernet (10/100/1000)
Installed SFP modules quantity	0
Installed SFP+ modules quantity	0
Network	
Networking standards	IEEE 802.1p, IEEE 802.3ab, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x
Flow control support	Yes
Auto MDI/MDI-X	Yes
Data transmission	
MAC address table	8000 entries
Switching capacity	32 Gbit/s
Security	
Loop protection	Yes

Design	
Product colour	Black
LED indicators	Yes
Power	
Power source	AC
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power over Ethernet (PoE)	
Power over Ethernet (PoE)	No
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	5 - 90%
Storage relative humidity (H-H)	10 - 90%
Weight & dimensions	
Width	294 mm
Depth	140 mm
Height	44 mm

Gamintojo ir saugos informacija

GAMINTOJAS

TP-Link

ATSAKINGAS ASMUO ES

TP-Link Deutschland GmbH
Niederkasseler Lohweg 175, 40547 Düsseldorf, DE
tp-link.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.