

Viewsonic VA3820C computer monitor 96.5 cm (38") 3840 x 1600 pixels Wide Quad HD+ LED Black

Gamintojas: **VIEWSONIC** · Modelis: **VA3820C** · EAN: **766907032567** · Prekės kodas: **767492**



885,90 €

Kaina su PVM

Be PVM: **732,15 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Integrated USBC workstation offers audiovisual and data transfer, and 96W power delivery
- ✓ 2300R Curved panel
- ✓ USB 3.2 hub with 1 upstream, 2 downstream ports, HDMI, and DisplayPort inputs for easy connectivity
- ✓ Height adjustable swivel stand with tilt function
- ✓ 21:9 ultrawide screen with UWQHD+ 3840 x 1600 resolution

Aprašymas

Ergonomic Workstation with One Cable Solution

Discover a monitor to simplify your work, boost your productivity, and provide comfort in your workspace thanks to one cable solution and ergonomic design.

Simplify Your Work with Just One Cable

The VA3820C allows for a streamlined workflow and eliminates the need for dongles and plug-in attachments. USB Type-C offers seamless video, audio, data and 96W power transfer.

Stunning WQHD+ Resolution on a 21:9 Ultra-wide Screen

Immerse yourself in a comfortable, wide viewing experience with stunningly detailed visuals. The VA3820C features WQHD+ resolution (3840 x 1600) and an ultra-wide 21:9 aspect ratio, offering 35% more screen space than a 16:9 monitor of the same size, making it perfect for enhanced

multitasking.

Viewing Comfort with Seamless Focus

The VA3820C's 2300R curve is expertly designed to maintain a uniform visual distance, providing a more immersive viewing experience. Whether you are managing multiple tasks or working on projects for prolonged hours, this monitor offers flexible viewing, reduces eye and neck strain, and enhances physical comfort to support a more efficient workflow.

Exceptional Color Precision

Experience true-to-life visuals with a 98% DCI-P3 color gamut, ensuring your presentations, graphic designs, and on-screen content are vibrant and visually engaging.

HDR10 Delivers Stellar Contrast and Color Accuracy

Compatible with the industry-standard HDR10 High Dynamic Range, this monitor delivers highly defined color, brightness, and contrast greatly exceeding the capabilities of ordinary SDR products.

Connection Flexibility

HDMI, and DisplayPort (DP) inputs give you the freedom to connect your monitor to a wide range of devices. Simplify your workspace, expand your connectivity options, and streamline data transfer with our monitor's integrated USB hub.

A New Angle on Workplace Ergonomics

Effortlessly swivel the display up to 60° degrees, tilt up to -5°~15° degrees and raise up to 130 mm. The tilt also enables you to use the monitor while standing or having a strategic group discussion around the screen.

Built-in Speakers

This monitor is integrated with dual 2.5-watt stereo speakers. When paired with incredible screen performance, the combination provides complete multi-sensory immersion.

Eye ProTech+ for Always-on Eye Protection

Work comfortably over extended periods with ViewSonic Eye ProTech+. Combining Flicker-Free technology with a built-in low blue light screen, this monitor helps maintain fresh-feeling eyes and prevent digital eye fatigue at all times without compromising image quality.

Dimension & I/O Ports

Conveniently mount the monitor to your preference by utilizing the 100mm x 100mm VESA-compatible mount design.

Techninė specifikacija

Display	
Display diagonal	96.5 cm (38")
Display resolution	3840 x 1600 pixels
Native aspect ratio	21:9
Display technology	LED

Touchscreen	No
HD type	Wide Quad HD+
Panel type	IPS
Response time	4.785 ms
Screen shape	Curved
Contrast ratio (typical)	2000:1
Maximum refresh rate	75 Hz
Display number of colours	1.07 billion colours
Display brightness (typical)	300 cd/m²
Response time measurement type	GTG (Gray to Gray)
Anti-glare screen	Yes
Screen curvature rating	2300R
Contrast ratio (dynamic)	50000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.229 x 0.229 mm
High Dynamic Range (HDR) supported	Yes
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)
Surface hardness	3H
Colour depth	10 bit
Colour gamut standard	DCI-P3
Colour gamut	98%
sRGB coverage (typical)	100%
NTSC coverage (typical)	95%

Performance

NVIDIA G-SYNC	No
AMD FreeSync	No
Flicker-free technology	Yes
Low Blue Light technology	Yes

Multimedia


Built-in speaker(s)	Yes
Built-in camera	No
Number of speakers	2
RMS rated power	5 W

Design

Market positioning	Business
Product colour	Black
Ports & interfaces	
Built-in USB hub	Yes
HDMI	Yes
USB upstream port type	USB Type-B
Number of USB Type-B upstream ports quantity	1
USB Type-A downstream ports quantity	2
USB Type-C DisplayPort Alternate Mode	Yes
HDMI ports quantity	2
HDMI version	2
DisplayPorts quantity	1
Audio output	Yes
HDCP	Yes
HDCP version	2.2
Ergonomics	
VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Cable lock slot type	Kensington
Adjustable height (max)	13 cm
Swivelling	Yes
Swivel angle range	-30 - 30°
Tilt adjustment	Yes
Tilt angle range	-15 - 15°
Power	
Energy efficiency class (SDR)	F
Energy efficiency class (HDR)	G
Energy consumption (SDR) per 1000 hours	34 kWh
Energy consumption (HDR) per 1000 hours	41 kWh
Power consumption (typical)	32 W
Power consumption (standby)	0.5 W
Power consumption (max)	39 W
AC input voltage	100 - 240 V

Power supply type	External
Energy efficiency scale	A to G
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	20 - 90%
Weight & dimensions	
Width (with stand)	897.5 mm
Depth (with stand)	237.8 mm
Weight (with stand)	9.4 kg
Width (without stand)	897.5 mm
Depth (without stand)	105.9 mm
Height (without stand)	398.5 mm
Weight (without stand)	7.2 kg
Packaging data	
Package width	1150 mm
Package depth	190 mm
Package height	525 mm
Package weight	13.3 kg
Other features	
Weight	9.4 kg
Logistics data	
Products per master (outer) case	1 pc(s)
Pallet gross width	120 cm
Pallet gross length	100 cm
Pallet gross height	2.24 m
Harmonized System (HS) code	8528521000
Matmenys ir svoris	
Svoris	13,37kg

Energijos efektyvumas ir ekologinis projektavimas



34 kWh/1000h



41 kWh/1000h



2026/01/23

Energijos efektyvumo klasė

F A-G

- > [Energijos etiketė](#)
- > [Gaminio informacijos lapas](#)
- > [EPREL duomenų bazė](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Viewsonic

ATSAKINGAS ASMUO ES

ViewSonic Technology GMBH

Fürst-Leopold-Platz 1, 46284 Dorsten, DE

viewsonic.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt