

HP Series 7 Pro 27 inch 4K Conferencing Monitor - 727pm

Gamintojas: **HP INC** · Modelis: **8K135AA** · EAN: **5715063748862** · Prekės kodas: **767742**



1 048,90 €

Kaina su PVM

Be PVM: **866,86 €**

Sandėlyje









Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Collaborate like you're face to face thanks to the stunningly realistic Poly Studio AI webcam and audio with effortless AI experiences across any OS.
- ✓ This powerful 100W Thunderbolt 4 display seamlessly delivers high-speed data and charges devices with unhindered performance — all on a clean desk.
- ✓ Make beautiful things thanks to factory-calibrated color accuracy on an IPS Black 4K monitor with 98% Display P3 for billions of realistic colors.
- ✓ Thoughtfully made with at least 90% recycled plastic content and 90% recycled aluminum in the stand.





Aprašymas

Intelligent conferencing: Recreating reality

Effortlessly make a great impression with built-in AI on the HP 27" 4K Conferencing Monitor. Intelligent conferencing delivers productive, high-quality collaboration every time. And it's all on a dazzling display with powerful Thunderbolt 4.

Techninė specifikacija

Display	
Display diagonal	68.6 cm (27")
Display resolution	3840 x 2160 pixels
Native aspect ratio	16:9
Display technology	LCD
Touchscreen	No
HD type	4K Ultra HD
Panel type	IPS Black
Response time	5 ms
Screen shape	Flat
Contrast ratio (typical)	2000:1
Maximum refresh rate	60 Hz
Display number of colours	1.07 billion colours
LED backlight	Yes
Backlight type	Edge LED
Display brightness (typical)	400 cd/m²
Display brightness	400 cd/m²
Response time measurement type	GTG (Gray to Gray)
Display surface	Matt
Anti-glare screen	Yes
Supported graphics resolutions	1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1440 x 900 (WXGA+), 1600 x 1200 (UXGA), 1600 x 900, 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA), 2560 x 1440, 3840 x 2160, 640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA)

Aspect ratio	16:9
Contrast ratio (dynamic)	10000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.15 x 0.15 mm
Pixel density	163 ppi
Horizontal scan range	30 - 140 kHz
Vertical scan range	29 - 60 Hz
Viewable size, horizontal	59.7 cm
Viewable size, vertical	33.6 cm
Display diagonal (metric)	68.6 cm
High Dynamic Range (HDR) supported	Yes
High Dynamic Range (HDR) technology	DisplayHDR 400
Haze rate	25%
Surface hardness	3H
Colour depth	10 bit
Colour gamut standard	sRGB, DCI-P3
Colour gamut	100%
sRGB coverage (typical)	100%
Performance	
NVIDIA G-SYNC	No
AMD FreeSync	No
Fast charging	Yes
Flicker-free technology	Yes
Low Blue Light technology	Yes
HP segment	Business
Infrared (IR) sensor	Yes
Multimedia	
Built-in speaker(s)	Yes
Built-in camera	Yes
Number of speakers	4
RMS rated power	12 W
Megapixel (approx.)	5 MP
Built-in microphone	Yes
Audio decoders	DTS Virtual:X

Design	
Market positioning	Business
Product colour	Black
Frameless design	Yes
Detachable stand	Yes
Feet colour	Silver, Black
Ports & interfaces	
Built-in USB hub	Yes
HDMI	Yes
Headphone out	No
USB hub version	3.2 Gen 2 (3.1 Gen 2)
USB upstream port type	USB Type-C
Number of USB Type-C upstream ports quantity	1
USB Type-A downstream ports quantity	5
USB Type-C downstream ports quantity	2
USB Type-C DisplayPort Alternate Mode	Yes
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	100 W
HDMI ports quantity	1
HDMI version	2
DisplayPorts quantity	1
DisplayPort version	1.4
Thunderbolt 4 ports quantity	2
Built-in KVM switch	Yes
HDCP	Yes
Charging port type	USB Type-C + USB Type-A
AC (power) in	Yes
Network	
Ethernet LAN	Yes
Remotely operated	Yes
Ergonomics	
VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes

Panel mounting interface	100 x 100 mm
Adjustable height (max)	15 cm
Pivot	Yes
Pivot angle	-90 - 90°
Swivelling	Yes
Swivel angle range	-45 - 45°
Tilt adjustment	Yes
Tilt angle range	-5 - 20°
Picture-in-Picture	Yes
On Screen Display (OSD)	Yes
Power	
Energy efficiency class (SDR)	F
Energy efficiency class (HDR)	F
Energy consumption (SDR) per 1000 hours	26 kWh
Energy consumption (HDR) per 1000 hours	48 kWh
Power consumption (typical)	46 W
Power consumption (standby)	0.5 W
Power consumption (max)	236 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal
Energy efficiency scale	A to G
Operational conditions	
Operating temperature (T-T)	5 - 35 °C
Operating relative humidity (H-H)	20 - 80%
Storage relative humidity (H-H)	20 - 80%
Non-operating relative humidity (non-condensing)	20 - 80%
Weight & dimensions	
Width (with stand)	613.4 mm
Depth (with stand)	225.2 mm
Height (with stand)	540.5 mm
Weight (with stand)	7 kg
Width (without stand)	613.4 mm
Depth (without stand)	75.5 mm

Height (without stand)	354 mm
Packaging data	
Package width	715 mm
Package depth	161 mm
Package height	455 mm
Package weight	10.3 kg
Package type	Box
Warranty card	Yes
Mounting brackets included	Yes
Packaging content	
Stand included	Yes
Cables included	HDMI, DisplayPort, Thunderbolt, USB Type-C to USB Type-A
Quick start guide	Yes
Bundled software	HP Display Center; HP Client Management Script Library
Sustainability	
Sustainability certificates	ENERGY STAR, EPEAT, TCO, EPEAT Climate +, TCO10
Sustainable technologies and materials	At least 90% post-consumer recycled plastic; At least 90% recycled aluminum; At least 15% recycled steel; Molded paper pulp cushion inside box is made of 100% recycled or certified sources; Low halogen; Outside box and corrugated cushions are made of 100% recycled or certified sources
Sustainability compliance	Yes
Carbon footprint	
Total carbon footprint (kg of CO2e)	250.76
Carbon emissions, manufacturing (kg of CO2e)	177.77
Carbon emissions, logistics (kg of CO2e)	3.38
Carbon emissions, end-of-life (kg of CO2e)	2.34
Total carbon emissions, w/o use phase (kg of CO2e)	67.28
Other features	
Country of origin	China
Introduction year	2024
Weight	7 kg
Height	354 mm
Width	613.4 mm
Depth	75.5 mm
Compliance certificates	CECP, CCC, CB, EAC, BIS, Federal Communications Commission (FCC), CE, BSMI

Manufacturer warranty	HP three-year limited warranty
Low halogen	Yes
Ethernet LAN data rates	10,100,1000 Mbit/s
Ethernet LAN (RJ-45) ports	1
Certification	BIS; BSMI; CB; CCC; CE; CECP; CEL; EAC; FCC; ISO 9241-307; KC; KCC; NOM; PSB; RCM; SEPA; TUV-S; UL/CSA; VCCI; WEEE; ISC; Low blue light; WW application; ICE; UAE; GS; Ukraine EE; Belarus EE; Korea MEPS; CEL Grade 2
UNSPSC-code	43211902

Technical details

General Product Safety Regulation (GPSR) URL	https://support.hp.com/us-en/document/ish_6126692-6126777-16?openCLC=true
--	---

Matmenys ir svoris

Svoris	7,00kg
--------	--------

Energijos efektyvumas ir ekologinis projektavimas



Energijos efektyvumo klasė

F A-G

- > [Energijos etiketė](#)
- > [Gaminio informacijos lapas](#)
- > [EPREL duomenų bazė](#)

Dokumentai ir vaizdo įrašai

- > [Gaminio lankstinukas](#)
- > [Vaizdo įrašas 1](#) [objects.icecat.biz/objects/118455140_72249586.mp4](#)
- > [Vaizdo įrašas 2](#) [objects.icecat.biz/objects/118455140_72249578.mp4](#)
- > [Vaizdo įrašas 3](#) [objects.icecat.biz/objects/118455140_72249567.mp4](#)

Gamintojo ir saugos informacija

GAMINTOJAS

HP Inc

Page Mill Road 1501, CA 94304 Palo Alto,
California, US
hp.com

ATSAKINGAS ASMUO ES

HP Printing and Computing Solutions S.L.U.

Calle Jose Echegaray 18, 28232 Las Rozas
(Madrid), ES
hp.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

- > [Gamintojo saugos informacija](#)