

DELL S Series S2722DC computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD LCD Grey

Gamintojas: **DELL** · Modelis: **DELL-S2722DC** · EAN: **5397184567609** · Prekės kodas: **767868**



599,91 €

Kaina su PVM

Be PVM: **495,79 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 68.47cm (27") Quad HD 2560 x 1440 W-LED IPS
- ✓ 4ms, 16:9, 350 cd/m², 1000:1
- ✓ HDMI



Aprašymas

A 27" QHD monitor with outstanding visuals and USB-C connectivity. One cable lets you transfer video, audio and data along with power delivery.

Techninė specifikacija

Display	
Display diagonal	68.6 cm (27")
Display resolution	2560 x 1440 pixels
Native aspect ratio	16:9
Display technology	LCD
Touchscreen	No
HD type	Quad HD
Panel type	IPS
Response time	4 ms
Screen shape	Flat
Contrast ratio (typical)	1000:1
Maximum refresh rate	75 Hz
Display number of colours	16.7 million colours
Backlight type	W-LED
Display brightness (typical)	350 cd/m²
Anti-glare screen	Yes
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1600 x 900, 1920 x 1080 (HD 1080), 2048 x 1080, 2560 x 1440
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Response time (fast)	5 ms
Pixel pitch	0.2331 x 0.2331 mm
Pixel density	109 ppi
Horizontal scan range	30 - 144 kHz
Vertical scan range	48 - 75 Hz
High Dynamic Range (HDR) supported	No
Surface hardness	3H
Colour gamut standard	sRGB
sRGB coverage (typical)	99%
Heat dissipation	528.88 BTU/h

Heat dissipation (typical)	60.39 BTU/h
----------------------------	-------------

Performance

NVIDIA G-SYNC	No
AMD FreeSync	Yes
Flicker-free technology	Yes
Low Blue Light technology	Yes

Multimedia

Built-in speaker(s)	Yes
Built-in camera	No
Number of speakers	2
RMS rated power	3 W

Design

Market positioning	Business
Product colour	Grey
Front bezel colour	Black
Detachable stand	Yes
Feet colour	Grey

Ports & interfaces

Built-in USB hub	No
HDMI	Yes
Headphone out	No
USB upstream port type	USB Type-B
Number of USB Type-C upstream ports quantity	1
USB Type-A downstream ports quantity	2
USB Power Delivery up to	65 W
HDMI ports quantity	2
HDMI version	1.4
DisplayPorts quantity	0
Audio output	Yes

Network

Wi-Fi	No
-------	----


Ergonomics

VESA mounting	Yes
Cable lock slot	Yes

Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Adjustable height (max)	11 cm
Pivot	Yes
Pivot angle	-90 - 90°
Swivelling	Yes
Swivel angle range	-30 - 30°
Tilt adjustment	Yes
Tilt angle range	-5 - 21°
On Screen Display (OSD)	Yes
LED indicators	Power
Power	
Energy efficiency class (SDR)	E
Energy efficiency class (HDR)	Not available
Energy consumption (SDR) per 1000 hours	18 kWh
Power consumption (typical)	17.7 W
Power consumption (standby)	0.3 W
Power consumption (max)	155 W
Power consumption (off)	0.2 W
AC input voltage	120 - 240 V
AC input frequency	50 - 60 Hz
Power supply type	Internal
Energy efficiency scale	A to G
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 80%
Storage relative humidity (H-H)	5 - 90%
Operating altitude	0 - 5000 m
Non-operating altitude	0 - 12192 m
Weight & dimensions	
Width (with stand)	611.6 mm
Depth (with stand)	174.7 mm
Height (with stand)	510.1 mm
Weight (with stand)	7.16 kg

Width (without stand)	611.6 mm
Depth (without stand)	55.4 mm
Height (without stand)	364.6 mm
Weight (without stand)	5.4 kg
Bezel width (side)	7.43 mm
Bezel width (top)	7.42 mm
Bezel width (bottom)	2.15 cm
Packaging data	
Package width	139.9 mm
Package depth	819.9 mm
Package height	447 mm
Package weight	9.78 kg
Packaging content	
Stand included	Yes
Cables included	USB Type-C to USB Type-C
Quick start guide	Yes
DisplayPort cable length	1.8 m
Carbon footprint	
Total carbon footprint (kg of CO2e)	587
Total carbon emissions, standard deviation (kg of CO2e)	142
Carbon emissions, manufacturing (kg of CO2e)	366.25
Carbon emissions, logistics (kg of CO2e)	48.16
Carbon emissions, energy usage (kg of CO2e)	166.88
Carbon emissions, end-of-life (kg of CO2e)	5.52
PAIA version	1.3.2, 2022
Other features	
Ethernet LAN (RJ-45) ports	0
Logistics data	
Harmonized System (HS) code	85285210

Energijos efektyvumas ir ekologinis projektavimas



Energijos efektyvumo klasė

E A-G

- › [Energijos etiketė](#)
- › [Gaminio informacijos lapas](#)
- › [EPREL duomenų bazė](#)



2019/09/13

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Greitos pradžios vadovas](#)
- › [Atitikties deklaracija](#)
- › [CE ženklavimas](#)
- › [Anglies pėdsakas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

DELL

ATSAKINGAS ASMUO ES

Dell B.V.

Transformatorweg 383, 1014 AK Amsterdam, NL
dell.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

- › [CE ženklavimas](#)
- › [Atitikties deklaracija](#)