

TP-Link Tapo Smart Wire-Free Security Camera System, 2-Camera System

Gamintojas: **TP-LINK** · Modelis: **TAPO C420S2** · EAN: **4897098688052** · Prekės kodas: **768427**



216,90 €

Kaina su PVM

Be PVM: **179,26 €**

Sandėlyje







Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 2K QHD-Now with 1.7 times more pixels than 1080p, providing clearer videos and photos
- ✓ 180-Day Battery Life*-The rechargeable and removable battery with a low-power protocol extends your usage
- ✓ Full-Color Night Vision-Reveal high-fidelity details and color at night with the starlight sensor
- ✓ Smart AI Detection and Notification-Smart AI identifies people, pets, packages, and cars, notifying users as needed
- ✓ Wire-Free Placement-No wires means you can place the cameras almost anywhere inside or outside-whatever works for you!
- ✓ Light and Sound Alarm-Triggers sound and light as an alarm when motion is detected
- ✓ Two-Way Audio-Enables communication through a built-in microphone and speaker
- ✓ Flexible Storage Choices-Save recorded videos on the hub-installed microSD card† (up to 256 GB) or by using Tapo Care** cloud storage services
- ✓ IP65 Water&Dust Resistant-Offers excellent waterproof and dustproof performance for outdoor scenarios





Aprašymas

Smart. Secure. Easy.

Install Anywhere with Long Battery Life

Smart Wire-Free Security Camera System

180-Day Long Battery Life

The rechargeable and removable battery with low power protocol can largely extend your usage time.

*Battery life of up to 180 days is based on TP-Link's laboratory testing triggering 10-20 events per day. Actual battery life may vary based on device settings, use, and environmental factors.

2K QHD Crystal Clear View

Now with 1.7 times more pixels than 1080p, providing clearer videos and more crisp photos.

Smart AI Detection and Notification

Smart AI identifies people, pets, and vehicles, notifying users as needed.

Sound and Light Alarm

Trigger the sound and light alarm to frighten away the unwanted visitors.

Set the Camera On the Table

Set your camera anywhere(Indoor / Outdoor) you want.

Two-Way Audio

Communicate directly with the outdoors.

Customizable Activity Zone

See what matters most to you.

Secure Local Storage

Save recorded videos on the hub-installed microSD card (Up to 256GB) or using Tapo Care cloud storage service.

Cloud Storage

Tapo Care supported. Enjoy your cloud storage with unlimited spaces.

Water & Dust Resistant - IP65

Resistant to outdoor weather-related factors.

Techninė specifikacija

Performance	
Type	IP security camera
Placement supported	Indoor & outdoor
Connectivity technology	Wireless
People counting function	Yes
Design	
Mounting type	Wall
Product colour	White
Form factor	Bulb
LED indicators	System
Protection features	Dust resistant, Water resistant
International Protection (IP) code	IP65
Camera	
Field of view (FOV) angle	113°
Image sensor	
Optical sensor size	25.4 / 3 mm (1 / 3")
Progressive scan	Yes
Lens system	
Focal length range	3.18 mm
Night vision	
Night vision	Yes
Night vision distance	850 m
LED type	IR
Video	
Maximum resolution	2560 x 1440 pixels
Video formats supported	H.264
Supported video modes	1440p
Frame rate	20 fps
Video streaming	Yes
Audio	
Built-in speaker(s)	Yes

Audio system	2-way
Built-in microphone	Yes
Network	
Ethernet LAN	No
Wi-Fi	Yes
Bluetooth	No
Ethernet interface type	Fast Ethernet
Networking standards	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Frequency band	2.4 GHz
Storage	
Card reader integrated	Yes
Compatible memory cards	MicroSD (TransFlash)
Maximum memory card size	256 GB
Ports & interfaces	
DC-in jack	Yes
Security	
Security algorithms	WPA, WPA2-PSK
Alert notification type	Snapshot alert message
Intelligent Video Surveillance (IVS) system features	Human detection, People counting, Vehicle detection
Motion sensor	Yes
Management features	
Reset button	Yes
Power	
Power source type	Battery, USB
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
DC output current	3 A
Battery life	0.5 year(s)
Operational conditions	
Operating temperature (T-T)	-20 - 45 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 90%
Weight & dimensions	

Width	110.6 mm
Depth	64.2 mm
Height	64.2 mm

Packaging data

Package width	277 mm
Package depth	250 mm
Package height	100 mm
Package weight	1.26 kg

Packaging content

Number of cameras	2
Cables included	LAN (RJ-45), USB
Mounting kit	Yes
Mounting brackets included	Yes
Screws included	Yes
Quick start guide	Yes
USB charger included	Yes

Matmenys ir svoris

Svoris	1,26kg
--------	--------

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Greitos pradžios vadovas](#)
- › [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

TP-Link

ATSAKINGAS ASMUO ES

TP-Link Deutschland GmbHNiederlasser Lohweg 175, 40547 Düsseldorf,
DEtp-link.com

PLATINTOJAS

MB KOMPIUTERIŲ GURUV. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt