TP-Link RE650(EU) network extender Network transmitter White 10, 100, 1000 Mbit/s

Gamintojas: **TP-LINK** · Modelis: **RE650** · EAN: **1210002614160** · Prekės kodas: **768468**



88,90 €

Kaina su PVM

Be PVM: **73,47 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Network transmitter 1733 Mbit/s
- ✓ 10/100/1000Base-T(X)
- ✓ Wi-Fi Dual-band (2.4 GHz / 5 GHz) 1733 Mbit/s 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
- ✓ White






Aprašymas

- Superior Extended Range – Four fixed external antennas extend Wi-Fi coverage by up to 14,000 sq. ft.
- 4-Stream for AC2600 Dual Band Wi-Fi – Simultaneous 800Mbps on 2.4GHz + 1733Mbps on 5GHz
- 4×4 MU-MIMO – Simultaneously transfers data to multiple devices for 4x faster performance
- Beamforming Technology – Send targeted Wi-Fi signal to individual devices for stronger connections
- Gigabit Ethernet Port – Provide faster wired connections to smart TVs, computers and gaming consoles
- Intelligent Signal Light – Helps to determine the best location for optimal Wi-Fi coverage by indicating the signal strength in the current placement
- AP Mode – create a new Wi-Fi access point to enhance your wired network with Wi-Fi capability
- TP-LINK Tether App – Easily access and manage your network using any iOS or Android mobile device
- Ultimate Compatibility – Extend the range of any Wi-Fi router or wireless access point

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Far Reaching Wi-Fi and Powerful Performance

Powerful Quad-Antenna design with Beamforming delivers highly targeted Wi-Fi connections to improve throughput and signal quality for stronger Wi-Fi across your home, while extending your routers coverage by 14,000 square feet. The Intelligent Processing Engine balances the demands of your devices to keep their connections fast and uninterrupted, sending Wi-Fi traffic to dedicated processors while the powerful dual-core CPU handles the rest.

4-Stream AC2600 Dual Band Wi-Fi

Using 4-Stream and TurboQAM technology to boost its Wi-Fibandwidth, the RE650 reaches industry leading maximum speeds of up to 800 Mbps on 2.4GHz and 1733 Mbps on 5GHz. This provides the performance necessary to support your most demanding online applications, including 4K streaming and gaming.

More Connections and Faster for Everyone

MU-MIMO technology allows the RE650 to serve up to four devices at once, reducing wait time and greatly increasing Wi-Fi throughput for every device. With MU-MIMO, the RE650 runs up to 4x faster than traditional AC range extender.

High-Speed Gigabit Wired Connection

The RE650’s Gigabit Ethernet port lets you connect a wired device such as a game console or smart TV to create a fast, reliable wired connection.

Find the Best Spot with Intelligent Signal Indicator

The Intelligent Signal Light helps you quickly find the best location to install the RE650.

Built-In Access Point Mode

RE650 is more than a wireless range extender. Simply plug an Ethernet cable into its Ethernet port, and easily turn your wired internet connection into a 4×4 MU-MIMO dual band wireless access point.

Drop-Free and Seamless Dual Band Connections

If one of the main router's dual bands drops suddenly, or in case the main router can only deliver single band, the RE650 still provides stable dual-band connections for clients, allowing you to enjoy stable and drop-free experience on all your devices.

Easy Monitoring and Control

TP-Link Tether is an intuitive app that allows users to conveniently monitor the state of your range extender, controlling its functions and altering its settings from any compatible mobile device.

Techninė specifikacija

Performance	
Type	Network transmitter
Data transfer rate	1733 Mbit/s
Ethernet LAN data rates	10,100,1000 Mbit/s
WPS push button	Yes

Windows operating systems supported	Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 2000, Windows 2000 Professional, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 98SE, Windows NT, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Mac compatibility	Yes
Mac operating systems supported	Yes
Linux operating systems supported	Yes
Browser supported	Internet Explorer 11, Firefox 12.0, Chrome 20.0, Safari 4.0

Antenna

Antennas quantity	4
Antenna type	External
Transmitting power (CE)	2.4 GHz ≤20dBm, 5 GHz ≤23dBm

Network

Cabling technology	10/100/1000Base-T(X)
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Wi-Fi	Yes
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Wi-Fi data rate (max)	1733 Mbit/s
Wi-Fi band	Dual-band (2.4 GHz / 5 GHz)
Security algorithms	64-bit WEP, 128-bit WEP, WPA-PSK, WPA2-PSK

Ports & interfaces

Ethernet LAN (RJ-45) ports	1

Design

Product colour	White
LED indicators	Yes
Quantity per pack	1 pc(s)
Reset button	Yes
Certification	CE

Power

AC input voltage	100 - 240 V

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

AC input frequency	50/60 Hz
Power consumption (max)	12 W
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 90%
Weight & dimensions	
Width	163 mm
Depth	86 mm
Height	40 mm
Packaging content	
Quick start guide	Yes
Packaging data	
Package type	Box
Package width	202 mm
Package depth	125 mm
Package height	97 mm
Package weight	610 g
Certificates	
Compliance certificates	CE, Federal Communications Commission (FCC), RoHS
Logistics data	
Harmonized System (HS) code	85176990
Matmenys ir svoris	
Matmenys (I × P × A)	21,00cm × 13,00cm × 10,00cm
Svoris	0,50kg

Gamintojo ir saugos informacija

GAMINTOJAS

TP-Link

ATSAKINGAS ASMUO ES

TP-Link Deutschland GmbH
Niederkasseler Lohweg 175, 40547 Düsseldorf, DE
tp-link.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.