

TP-Link Festa FR205 wired router 10 Gigabit Ethernet, 100 Gigabit Ethernet, Gigabit Ethernet White

Gamintojas: **TP-LINK** · Modelis: **FESTA FR205** · EAN: **8885020621525** · Prekės kodas: **768483**



107,90 €

Kaina su PVM

Be PVM: **89,17 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Free Cloud Centralized Management: Accessible via the Festa app or the web†
- ✓ Easy Setup and Use: No professional technician required. Self-Organizing Networking and Zero-Touch Provisioning technology make it a breeze
- ✓ Complete SMB-Lite Festa Ecosystem: Designed with business-grade features, it's ideal for small businesses, home offices, cafes, retail, prosumers, advanced consumers, and large households
- ✓ 5x Gigabit Ports: 1x WAN, 2x WAN/LAN, and 2x LAN ports for high-speed Gigabit connectivity
- ✓ 1x USB WAN Port: Enables mobile broadband backup via a 4G/3G modem†
- ✓ Load Balancing on Up to 3 WAN Ports: Optimizes multi-line broadband utilization
- ✓ High-Security VPN Options: Supports IPSec, PPTP, L2TP, and OpenVPN
- ✓ Business-Level Quality: Features an elegant metal casing and a design suitable for desktop or wall mounting



Aprašymas

Festa A Networking Solution Built For Small Business, No IT Required

Festa offers business-class features with consumer-inspired simplicity. Our free cloud-based centralized management is accessible via the Festa app or web, providing essential features for small businesses without the complexity required by larger-scale operations.

High-Security and High-Performance VPN

OpenVPN/IPSec/PPTP/L2TP VPN effortlessly establishes secure VPN tunnels for safe internet browsing, communication between branches, or enabling remote work and study from home.

Easy to Block Unwanted Websites

Effortlessly set internet access rights and strategies via IP/URL Filtering and Access Control List (ACL).

Techninė specifikacija

WAN connection	
Ethernet WAN	Yes
3G/4G USB modem compatibility	Yes
Network	
Networking standards	IEEE 802.1Q, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x
Ethernet interface type	10 Gigabit Ethernet, 100 Gigabit Ethernet, Gigabit Ethernet
Cabling technology	10/100/1000Base-T(X)
Static route	Yes
VLAN support	Yes
Port forwarding	Yes
Policy-based routing	Yes
Management features	
Web-based management	Yes
Reset button	Yes
Ports & interfaces	
Ethernet LAN (RJ-45) ports	5
USB ports quantity	1
USB version	2
DC-in jack	Yes
Protocols	
DHCP client	Yes

DHCP server	Yes
Security	
Security algorithms	IPSec
VPN tunnels quantity	20
Packaging content	
AC adapter included	Yes
Cables included	LAN (RJ-45)
Quick installation guide	Yes
Features	
Flash memory	128 MB
Internal memory	256 MB
Design	
Product colour	White
Wall mountable	Yes
LED indicators	LAN, Power, System, WAN
Power	
Power consumption (typical)	7.94 W
Output voltage	12 V
Output current	1 A
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 90%
Weight & dimensions	
Width	158 mm
Depth	25.4 mm
Height	100.7 mm

Gamintojo ir saugos informacija

GAMINTOJAS

TP-Link

ATSAKINGAS ASMUO ES

TP-Link Deutschland GmbH

Niederkasseler Lohweg 175, 40547 Düsseldorf,
DE
tp-link.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt