Zyxel Nebula FWA70 belaidis maršrutizatorius 2.5 Gigabit Ethernet 5G

Gamintojas: **ZYXEL** · Modelis: **FWA70-EU0102F** · EAN: **4718937652860** · Prekės kodas: **768990**

383,90 €

Kaina su PVM

Be PVM: **317,27 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 2.5 Gigabit Ethernet
- ✓ Ethernet LAN (RJ-45) portų kiekis: 1
- ✓ Eterneto WAN SIM kortelės anga
- ✓ USB prievadas





Aprašymas

Outdoor-ready.
Reliable connectivity, rain or shine.
Designed with an IP55 weather-resistant enclosure, this solution is built to handle light rain, wind and everyday outdoor conditions. Perfect for delivering high-speed internet to remote or rural areas, it excels where wired connections are unreliable or unavailable.

By leveraging the power of the 5G network, it ensures fast, stable connectivity - whether used as a primary link for underserved regions or as a dependable backup solution when wired service falls short.

5G connectivity that thrives in real-world conditions.
The FWA70 is designed to thrive in real-world conditions. With IP55-rated protection, wide operating temperatures, surge protection, and wind-tested durability, you can rely on stable performance even when the weather turns extreme.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Stay connected.
Stay ahead.
Skip the wait and high costs of wired internet with the FWA70. Powered by 5G NR Sub-6 GHz, it delivers instant high-speed access with download rates of up to 7 Gbps*, supported by 4x4 MIMO high-gain antennas (up to 9dBi per element) for stronger coverage and consistently stable performance.

For Businesses - stay resilient with 5G as a reliable backup. Perfect for SMBs to ensure operations keep running when fixed lines fail.

Fast setup.
Smarter connectivity.
Get connected in minutes - just insert a Nano SIM card and the FWA70 is ready to deliver high-speed 5G. Designed for homes, small offices and prosumers, it combines straightforward setup with advanced performance.

The 2.5mGig (multi-gig) LAN port not only unlocks superfast 5G-to-LAN connectivity but also delivers the FWA70 with power and data through a single cable, simplifying installation. The Zyxel One app helps you find the strongest signal for optimal placement, while clear LED indicators make it easy to check status at a glance.

Click. Tap. Done.
Get up and running in minutes with the Nebula mobile app. With just a few simple clicks, our user-friendly step-by-step wizard walks you through the entire installation process, no technical expertise required.

Once connected, the intuitive interface gives you complete control, making it easy to adjust settings, monitor performance and manage your network anytime, anywhere

Search: Zyxel Nebula Mobile

For Homes - plug into your existing WiFi router and share blazing-fast 5G with the whole family.

For Prosumers - enjoy multi-gigabit performance for 4K streaming, content creation and remote work without compromise.

Powerful, effortless and
scalable connectivity.
With Nebula, you can manage your entire network – wireless, switching, security and LTE/5G – through a single centralized cloud platform. Deploy and configure devices quickly and remotely, without the need for extra hardware controllers or software.

Whether you're managing one site or many, Nebula delivers real-time monitoring, instant alerts and complete network visibility – anytime, anywhere.

Scale confidently, simplify operations and stay secure – all through one intuitive platform.

Flexible installation.
Compact design.
The FWA70 supports multiple mounting options — place it on a desk, fix it on a wall, attach it to a window, or pole-mount it outdoors. Its compact footprint blends easily into any space while delivering high-performance 5G connectivity.

* Wall-mount and pole-mount kits come as standard. Other mounting accessories are available as optional extras.

Sustainable by design.
The Zyxel Group is committed to reducing its environmental impact through eco-friendly packaging and sustainable practices.

The FWA70 reflects that commitment by arriving in recycled paper packaging. Beyond packaging, we care about performance - and the planet: an advanced power-saving mode helps minimize energy waste, while consumption tracking via the Zyxel One app or web GUI empowers you to monitor and manage energy usage responsibly.

Techninė specifikacija

WAN jungtis	
Eterneto WAN	Taip

SIM kortelės anga	Taip
WAN tinklo prisijungimo tipas	RJ-45
Tinklas	
Ethernet LAN jungtis	Taip
Eterneto LAN sąsajos tipas	2.5 Gigabit Ethernet
Eterneto LAN duomenų perdavimo norma	2500 Mbit/ai
Tinklo standartai	IEEE 802.3af, IEEE 802.3at
Portų ekspedijavimas	Taip
Prievado suaktyvinimas	Taip
VPN perėjimas	Taip
Mobilusis ryšys	
Mobiliojo tinklo generavimas	5G
4G standartai	LTE-TDD & LTE-FDD
SIM kortelės tipas	„NanoSIM“
Ryšys	
Ethernet LAN (RJ-45) portų kiekis	1
USB prievadas	Taip
DC įėjimo lizdas	Taip
Valdymo funkcijos	
Atstatymo mygtukas	Taip
Saugumas	
„Stateful Packet Inspection“ (SPI)	Taip
MAC adresų filtravimas	Taip
IP adreso filtravimas	Taip
URL filtravimas	Taip
DMZ palaikymas	Taip
Tinklo adresų transliavimas (NAT)	Taip
Protokolai	
DHCP serveris	Taip
Universali „Plug and Play“ jungtis (UPnP)	Taip
Konstrukcija	
Tarptautinės apsaugos (IP) kodas	IP55
LED indikatoriai	Būsena
Sertifikatai	

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Sertifikavimas	CE UKCA WEEE HSF (Hazardous Substance Free)
Pakuotės turinys	
Pridėti kabeliai	LAN (RJ-45)
Pridedamas PoE injektorius	Taip
Antena	
Antenos konstrukcija	Vidinis
Antenos stiprinimo lygis (max)	9 dBi
Antenų kiekis	4
Energijos valdymas	
Maitinimo šaltinio tipas	DC, PoE
Energijos suvartojimas	15 W
Aplinkos sąlygos	
Darbo temperatūros diapazonas (TT)	-30 - 55 °C
Sandėliavimo temperatūros norma (T-T)	-40 - 70 °C
Darbo santykinės drėgmės diapazonas	5 - 95%
Sandėliavimo santykinis drėgmės diapazonas	5 - 95%
Svoris ir matmenys	
Plotis	68 mm
Ilgis	150 mm
Aukštis	200 mm
Svoris	660 g
Pakuotės duomenys	
Pakuotės plotis	225 mm
Pakuotės gylis	275 mm
Pakuotės aukštis	100 mm
Paketo svoris	1,36 kg
Pakuotės tipas	„Box“
Matmenys ir svoris	
Matmenys (I × P × A)	28,00cm × 23,00cm × 11,00cm

Dokumentai ir vaizdo įrašai

› Gaminio lankstinukas

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Gamintojo ir saugos informacija

GAMINTOJAS

Zyxel Networks Corporation
Industry East RD. IX, Hsinchu Science Park 2,
30076 Hsinchu, TW
zyxel.com

ATSAKINGAS ASMUO ES

Zyxel Networks A/S
Adenauerstraße 20/A3, 52146 Würselen, DE
zyxel.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt