

HP E32k G5 4K USB-C PVC Free Monitor

Gamintojas: **HP INC.** · Modelis: **6N4D6A5#ABB** · EAN: **196786615597** · Prekės kodas: **770108**



678,89 €

Kaina su PVM

Be PVM: **561,07 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ On this 80 cm (31.5") diagonal 4K monitor^[1], accomplish more with four times the precision of standard FHD monitor, so you have the detail you need to make things happen whether you're focused in or looking at the big picture.
- ✓ When you're working from both the office and home, free yourself, your desk and your laptop from a mess of cables by simply connecting one USB-C® cable that connects your display, all your accessories, and charges your laptop up to 65W. To make your workday even easier, instantly start your devices with Single Power On^[2] and secure a stable internet connection with RJ-45.
- ✓ When doing your best relies on feeling your best, easily find all-day physical comfort with 4-way adjustability optimized by Ergonomic Setup Guide^[3], and view comfortably, day or night, with the ambient light sensor that automatically adapts display brightness to your surroundings with added comfort through HP Eye Ease.
- ✓ Spark joy on your desk and in the world with this elegantly designed monitor, featuring integrated 3W dual speakers, that elevates and maximizes your space. Beyond the looks, be inspired by this monitor that contains recycled materials^[4]. Plus, customize your space with the matching accessory ecosystem^[6].



Aprašymas

A Vision of Precision

Uniquely designed to deliver incredible visuals and extended flexibility, the HP E32k G5 4K USB-C Monitor redefines precision, so there's nothing between you and your best. Stylishly crafted with your comfort and the planet in mind, this 4K display is a powerhouse of productivity.

Techninė specifikacija

Display	
Display diagonal	80 cm (31.5")
Display resolution	3840 x 2160 pixels
Native aspect ratio	16:9
Display technology	LCD
Touchscreen	No
HD type	4K Ultra HD
Panel type	IPS
Response time	5 ms
Screen shape	Flat
Contrast ratio (typical)	1000:1
Maximum refresh rate	60 Hz
Display number of colours	1.07 billion colours
Backlight type	Edge LED
Display brightness (peak)	350 cd/m²
Display brightness (typical)	350 cd/m²
Response time measurement type	GTG (Gray to Gray)
Display surface	Matt
Anti-glare screen	Yes
Supported graphics resolutions	1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1440 x 900 (WXGA+), 1600 x 1200 (UXGA), 1600 x 900, 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 2560 x 1440, 3840 x 2160, 640 x 480 (VGA), 720 x 400, 720 x 480, 800 x 600 (SVGA)
Aspect ratio	16:9
Contrast ratio (dynamic)	8000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Response time (fast)	5 ms
Pixel pitch	0.18 x 0.18 mm
Pixel density	140 ppi
Horizontal scan range	30 - 135 kHz
Vertical scan range	30 - 60 Hz
Viewable size, horizontal	69.7 cm


Viewable size, vertical	39.2 cm
Digital horizontal frequency	30 - 135 kHz
Digital vertical frequency	30 - 60 Hz
Display diagonal (metric)	80 cm
Surface hardness	3H
Colour depth	10 bit
Colour gamut standard	sRGB
Colour gamut	99%
sRGB coverage (typical)	99%
Performance	
NVIDIA G-SYNC	No
AMD FreeSync	No
Fast charging	Yes
Flicker-free technology	Yes
Low Blue Light technology	Yes
HP segment	Business
Multimedia	
Built-in camera	No
Number of speakers	2
RMS rated power	6 W
Design	
Market positioning	Business
Product colour	Black
Detachable stand	Yes
Feet colour	Silver, Black
Ports & interfaces	
Built-in USB hub	Yes
HDMI	Yes
USB hub version	3.2 Gen 1 (3.1 Gen 1)
USB Type-A downstream ports quantity	3
USB Type-C downstream ports quantity	1
USB Type-C DisplayPort Alternate Mode	Yes
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	65 W

HDMI ports quantity	1
HDMI version	2
DisplayPorts quantity	1
DisplayPort version	1.4
HDCP	Yes
Network	
Ethernet LAN	Yes
Remotely operated	Yes
Ergonomics	
VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Adjustable height (max)	15 cm
Pivot	Yes
Pivot angle	-90 - 90°
Swivelling	Yes
Swivel angle range	-45 - 45°
Tilt adjustment	Yes
Tilt angle range	-5 - 20°
On Screen Display (OSD)	Yes
Power	
Energy efficiency class (SDR)	F
Energy efficiency class (HDR)	F
Energy consumption (SDR) per 1000 hours	32 kWh
Power consumption (typical)	39 W
Power consumption (standby)	0.5 W
Power consumption (max)	210 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal
Energy efficiency scale	A to G
Operational conditions	

Operating temperature (T-T)	5 - 35 °C
Operating relative humidity (H-H)	5 - 95%
Storage relative humidity (H-H)	20 - 80%
Weight & dimensions	
Width (with stand)	714 mm
Depth (with stand)	227 mm
Height (with stand)	603.4 mm
Weight (with stand)	8.4 kg
Width (without stand)	714 mm
Depth (without stand)	47 mm
Height (without stand)	421.2 mm
Packaging data	
Package width	820 mm
Package depth	527 mm
Package height	161 mm
Package weight	11.8 kg
Package type	Box
Packaging content	
Stand included	Yes
Cables included	AC, USB Type-C to USB Type-C
Quick start guide	Yes
Bundled software	HP Display Center; HP Display Manager
Sustainability	
Sustainability certificates	ENERGY STAR
Sustainable technologies and materials	Outside box and corrugated cushions are 100% sustainably sourced and recyclable; Contains ocean-bound recycled plastic; 75% ITE-derived closed loop plastic; At least 25% recycled metal
Sustainability compliance	Yes
Other features	
Country of origin	China
Introduction year	2023
Weight	8.4 kg
Compliance certificates	BIS, BSMI, CB, CCC, CE, CECP, CEL, EAC, Federal Communications Commission (FCC), KCC, Norma Oficial Mexicana (NOM), PSE, VCCI, WEEE, cTUVus
Ethernet LAN (RJ-45) ports	1

Certification	BIS; BSMI; CB; CCC; CE; CECP; CEL; cTUVus; EAC; FCC; ISO 9241-307; KC/KCC; Korea MEPS (E-standby); NOM; PSB; SEPA; TUV-S; UL/CSA; VCCI; WEEE; ISC; ICE; UAE; TGM; Ukraine certificates; NRCS; PSE; Ukraine EE; CEL Grade 2
UNSPSC-code	43211902
Supplied AC adapter type	196786615597
Technical details	
General Product Safety Regulation (GPSR) URL	https://support.hp.com/us-en/document/ish_6126692-6126777-16?openCLC=true

Energijos efektyvumas ir ekologinis projektavimas


Energijos efektyvumo klasė **F** A-G

- › [Energijos etiketė](#)
- › [Gaminio informacijos lapas](#)
- › [EPREL duomenų bazė](#)

Dokumentai ir vaizdo įrašai

- › [Gaminio lankstinukas](#)
- › [CE ženklimas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

HP Inc

Page Mill Road 1501, CA 94304 Palo Alto,
California, US
hp.com

ATSAKINGAS ASMUO ES

HP Printing and Computing Solutions S.L.U.

Calle Jose Echegaray 18, 28232 Las Rozas
(Madrid), ES
hp.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

- › [CE ženklimas](#)
- › [Gamintojo saugos informacija](#)