

MSI MPG A850G PCIE5 power supply unit 850 W 24-pin ATX ATX Black

Gamintojas: **MSI** · Modelis: **306-7ZP7B11-CE0** · EAN: **4719072972189** · Prekės kodas: **770128**



188,91 €

Kaina su PVM

Be PVM: **156,12 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Supports the NVIDIA next-gen graphics cards
- ✓ Full modular design
- ✓ Flat cable equipment
- ✓ 80 Plus Gold certified for high efficiency
- ✓ 100% all Japanese 105oC capacitor
- ✓ Active PFC design
- ✓ Industrial level protection with OVP,OCP,OPP,OTP, SCP,UVP
- ✓ LLC Half Bridge Topology with DC-DC module design



Aprašymas

GO AHEAD, POP YOUR STYLE

The MPG series brings out fashionable products by showing extremely unique styles and expressing a conceited attitude towards the challenge of the gaming world. With extraordinary performance and style, the MPG series defines the future of gaming fashion.

The MPG power supply showcases unique styles and color schemes with laser-like lines to create a masterful art piece with individuality, fully expressing the charm of MPG.

ATX 3.0 COMPATIBLE

It has an output port that is compliant with PCIe 5.0 and Intel PSDG (Power Supply Design Guide) ATX 3.0, also the power supply can hold up to 2x total power excursion and 3x GPU power excursion.

LEVEL UP YOUR GAME

With native 16 PIN PCIe connector the power supply is ready for all high performing future graphics cards. It can freely pipe up to 600W of power to PCIe 5.0 graphics cards.

LEVEL UP YOUR GAME

With native 16 PIN PCIe connector the power supply is ready for all high performing future graphics cards. It can freely pipe up to 600W of power to PCIe 5.0 graphics cards.

SINGLE-RAILED DESIGN

The single rail supply of power can properly deliver the power you need. For high-performance graphics cards and CPUs, this power supply's 5 CPU & PCI-E slots are more than plenty.

GPU SUPPORT FOR ALL

The gaming power supply can support the NVIDIA and AMD graphics cards. Prepared for the highest of requirements, the MPG power supply's IO supports can support different and versatile ways of connection according to the power connector design of different graphics cards.

0% RPM MODE

The fan 0 RPM mode can stop the fan's operation when TDP is below 40% to help with energy saving and providing silence.

FLUID DYNAMIC BEARING

This power supply's fan sports a fluid dynamic bearing, chosen to increase the life span of the fan while maintaining low noise level.

100% JAPANESE 105°C CAPACITORS

Aiming for unwavering product quality and performance stability, this power supply comes with 100% Japanese 105° C capacitors and solid capacitors.

FOR YOUR PEACE OF MIND

The power supply is proudly backed by a 10 year limited warranty, guaranteeing long term reliable and worry-free operation.

SYSTEM BUILD

THE POWER SUPPLY CAN BE EASILY PLACED AND INSTALLED INTO YOUR BUILD.

FULLY MODULAR

The power supply's fully modular design means that only the connectors required by the build need to be used, significantly reducing cable clutter and simplifying the system's overall build.

COMPACT SIZING

Smaller than typical PSUs on the market, the power supply's compact sizing makes it an excellent fit for most PC cases.

ALL THE MORE ORGANIZED

All of the power supply's cables are flat and in black. The flat cables make cable management easier and less of headache! Thanks to the flat cables, the entire system can be more organized and has more room for unobstructed airflow. Use the cables you need, and store the rest in the included cable bag.

Techninė specifikacija

Power	
Total power	850 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Power Factor Correction (PFC) type	Active
Combined power (+3.3V)	120 W
Combined power (+12V)	850 W
Combined power (+5V)	120 W
Max output current (+3.3V)	22 A
Max output current (+12V)	25 A
Max output current (-12V)	0.3 A
Efficiency	90%
Power protection features	Over current, Over power, Over voltage, Short circuit, Under voltage
Ports & interfaces	
Motherboard power connector	24-pin ATX
Peripheral (Molex) power connectors (4-pin)	4
Motherboard power cable length	60 cm
Number of SATA power connectors	8
SATA power cable length	950 mm
EPS power connector (8-pin)	No
EPS power connector (4+4 pin)	Yes
PCI Express power connectors (6-pin)	0
PCI Express power connectors (6+2 pin)	6
PCI Express power connectors (8-pin)	0
PCI Express power connectors (12+4 pin)	0
PCI Express power connectors (12-pin)	0
PCI Express power cable length	50 cm
CPU power connector (4+4 pin)	Yes

ATX Power connector (24-pin)	Yes
Floppy disk drive connector	Yes
PCI Express connector	Yes
Cabling type	Fully-Modular
Performance	
Purpose	PC
Power supply unit (PSU) form factor	ATX
80 PLUS certification	80 PLUS Gold
ATX version	3.1
Design	
Product colour	Black
Cooling type	Active
Fan diameter	13.5 cm
Number of fans	1 fan(s)
Illumination	No
On/off switch	Yes
Weight & dimensions	
Width	150 mm
Depth	150 mm
Height	86 mm
Logistics data	
Harmonized System (HS) code	84733020
Country of origin	China

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Micro-Star Int'l Co.

Lide St., Zhonghe Dist. No. 69, 235 New Taipei
City, TW
msi.com

ATSAKINGAS ASMUO ES

Mystar Computer B.V.

Science Park Eindhoven 5706, 5692 ER Son, NL
msi.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt