Lindy 3m USB 3.2 Type A to C Cable, 5A PD, Anthra Line

Gamintojas: **LINDY** · Modelis: **36919** · EAN: **4002888369190** · Prekės kodas: **770953**



31,90 €

Kaina su PVM

Be PVM: **26,36 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Professional choice USB 3.2 Gen 2 Type A to C, 5A (100W), cable for commercial and high performance AV and IT installations
- ✓ SuperSpeed USB 10Gbps - supports data transfer speeds up to 10Gbps (USB 3.1, USB 3.1 Gen 2)
- ✓ Robust PVC housing, 24K gold plated connectors and contacts
- ✓ Triple shielded cable, corrosion resistant tinned copper conductors



Aprašymas

The Anthra Line USB 3.2 Type A to C, 5A, cables from Lindy's Cable Lines concept are the professional choice for high performance connections in commercial AV and IT installations.

Anthra Line USB 3.2 cables are premium connections that feature triple shielded construction with tinned copper conductors for performance and corrosion resistance. High quality 24K gold plated contacts and connectors maintain optimal signal integrity and maximum reliability.

USB bandwidths up to 10Gbps are supported for rapid transfer of large data volumes. These cables are E-marked to provide 100W (5A) of power to devices using the most efficient power delivery profiles.

USB Type C features a reversible connector, so no matter which orientation the cable is inserted, a connection will always be found. This connector allows a fully bi-directional cable with automatic host and device negotiation.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Anthra Line USB 3.2 Type A to C, 5A cables are available in the following lengths: 0.5m, 1m and 1.5m.

Information about USB generations We have adapted the naming of our USB 3 cables to follow the updated USB specification. USB 3.0 and USB 3.1 Gen 1 have been renamed to USB 3.2 Gen 1, supporting data transfer up to 5Gbps USB 3.1 and USB 3.1 Gen 2 are now called USB 3.2 Gen 2, supporting data transfer rates up to 10 Gbps USB 3.2 Gen 2x2 is a new standard, supporting data transfer rates up to 20 Gbps

USB 3.0, USB 3.1 and USB 3.2 PCs, cables and devices are all compatible with each other, when using either a USB Type A or USB Type C host interface.

Techninė specifikacija

Features	
Connector 1	USB C
Connector 2	USB A
Connector 1 gender	Male
Connector 2 gender	Male
Product colour	Black
Connector 1 form factor	Straight
Connector 2 form factor	Straight
AWG wire size	24/30/32
Connector material	Nickel
Contact material	Phosphor bronze
Connector contacts plating	Gold
Magnetically shielded	Yes
Cable jacket material	Polyvinyl chloride (PVC)
Conductor material	Tinned copper
Connector shielding	Yes
Connector shield material	Aluminium
Connector housing material	Polyvinyl chloride (PVC)
Maximum data transfer rate	10000 Mbit/s
Maximum data transfer rate	10 Gbit/s
Cable type	Round cable
Cable colour	Black
Plug and Play	Yes
Weight & dimensions	
Cable length	3 m
Cable diameter	4.5 mm
Bend radius (min)	4.5 cm

Connector 1 dimensions (WxDxH)	16 x 47 x 8.8 mm
Connector 2 dimensions (WxDxH)	13 x 41 x 7.75 mm
Packaging data	
Package type	Polybag
Packaging content	
Quantity per pack	1 pc(s)
Operational conditions	
Operating temperature (T-T)	-20 - 80 °C
Storage temperature (T-T)	-25 - 85 °C
Certificates	
Compliance certificates	REACH, RoHS, UL
Certification	RoHS, REACH, California Proposition 65 & UL
Logistics data	
Harmonized System (HS) code	84733080
Warranty period	2 year(s)

Dokumentai ir vaizdo įrašai

- Gaminio lankstinukas
- CE ženklinimas

Gamintojo ir saugos informacija

GAMINTOJAS

LINDY International Ltd.
Sadler Forster Way Unit 103, TS17 9JY Stockton-on-Tees, GB
lindy.com

ATSAKINGAS ASMUO ES

LINDY-Elektronik GmbH
Markircher Str. 22, 68229 Mannheim, DE
lindy.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

- CE ženklinimas