

KYOCERA ECOSYS PA2101cwx/Plus Colour 1200 x 1200 DPI A4 Wi-Fi

Gamintojas: **KYOCERA** · Modelis: **870B6110C243NL1** · EAN: **632983937983** · Prekės kodas: **771365**



315,89 €

Kaina su PVM

Be PVM: **261,07 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Print speed up to 21 ppm b&w and 21 ppm colour
- ✓ 2.7 inch touch screen for easy operation
- ✓ Enterprise grade information security to protect against threats
- ✓ Optional additional paper feeder for a total of 550 sheets
- ✓ Standard wireless and Wi-Fi Direct



Aprašymas

ECOSYS makes your office more sustainable and efficient

Kyocera solutions always work with the environment in mind, but the ECOSYS range do this more than any other product on the market

Multi-Functional Products for day-to-day tasks

Kyocera provides the industry's most comprehensive line of award-winning low to high volume devices.

A4 printer for all needs

High quality, high reliability and high efficiency are essential.

ECOSYS: The sustainable solution

Unique to Kyocera, ECOSYS provides long-last and environmentally friendly printers at an economical cost.

Techninė specifikacija

Printing	
Colour	Yes
Print technology	Laser
Duplex printing	Yes
Maximum resolution	1200 x 1200 DPI
Print speed (black, normal quality, A4/US Letter)	21 ppm
Duplex printing mode	Auto
Print resolution colour	1200 x 1200 DPI
Print resolution black	1200 x 1200 DPI
Print speed (colour, normal quality, A4/US Letter)	21 ppm
Print speed (white, normal quality, A4/US Letter)	21 ppm
Duplex print speed (black, normal quality, A4/US Letter)	11 ppm
Warm-up time	32 s
Time to first page (black, normal)	11 s
Time to first page (colour, normal)	12.5 s
Features	
Maximum duty cycle	100000 pages per month
Printing colours	Black, Cyan, Magenta, Yellow
Page description languages	PCL 6, PostScript 3
Introduction month	January
Introduction year	2025
Country of origin	Vietnam
Replacement cartridges	TK-5480K Zwart (1.250 afdrukken) ISO/IEC 19752 TK-5480Y Geel (1.250 afdrukken) ISO/IEC 19752 TK-5480M Magenta (1.250 afdrukken) ISO/IEC 19752 TK-5480C Cyaan (1.250 afdrukken) ISO/IEC 19752 TK-5490K Zwart (2.800 afdrukken) ISO/IEC 19752 TK-5490Y Geel (2.400 afdrukken) ISO/IEC 19752 TK-5490M Magenta (2.400 afdrukken) ISO/IEC 19752 TK-5490C Cyaan (2.400 afdrukken) ISO/IEC 19752
Input & output capacity	
Total number of input trays	2
Total input capacity	250 sheets

Total output capacity	150 sheets
Paper tray 1 input capacity	50 sheets
Multi-Purpose tray	Yes
Multi-Purpose tray input capacity	50 sheets
Maximum number of input trays	3
Maximum input capacity	550 sheets
Maximum output capacity	150 sheets

Paper handling

Maximum ISO A-series paper size	A4
Paper tray media types	Plain paper, Pre-printed, Thicker paper, Thin paper
ISO A-series sizes (A0...A9)	A4, A5, A6
ISO B-series sizes (B0...B9)	B5, B6
Paper tray media weight	60 - 163 g/m ²

Ports & interfaces

Direct printing	Yes
USB port	Yes
USB 2.0 ports quantity	1

Network

Wi-Fi	Yes
Ethernet LAN	Yes
Cabling technology	10/100/1000Base-T(X)
Ethernet LAN data rates	10,100,1000 Mbit/s
Wi-Fi standards	802.11a
Mobile printing technologies	Apple AirPrint, Kyocera Mobile Print, Mopria Print Service

Performance

Internal memory	1000 MB
Maximum internal memory	1000 MB
Card reader integrated	Yes
Compatible memory cards	SD, SDHC
Built-in processor	Yes
Sound pressure level (printing)	48 dB
Sound pressure level (quiet mode)	44 dB
Sound power level (standby)	30 dB

Design

Market positioning	Home & office
Product colour	Black, White
Built-in display	Yes
Display	LCD
Colour display	Yes
Display diagonal	6.86 cm (2.7")
Control type	Touch
Power	
Power consumption (printing)	345 W
Power consumption (ready)	33 W
Power consumption (PowerSave)	0.3 W
Energy Star Typical Electricity Consumption (TEC)	0.2 kWh/week
AC input voltage	220 - 240 V
AC input frequency	50/60 Hz
System requirements	
Windows operating systems supported	Yes
Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma
Sustainability	
Sustainability certificates	Blue Angel, EPEAT
Weight & dimensions	
Width	410 mm
Depth	410 mm
Height	329 mm
Weight	22 kg
Packaging data	
Package width	596 mm
Package depth	571 mm
Package height	459 mm
Package weight	28 kg
Packaging content	
Cartridge(s) included	Yes
Included cartridge capacity (black)	1500 pages

Included cartridge capacity (CMY)	1500 pages
-----------------------------------	------------

Cables included	AC
-----------------	----

Quick installation guide	Yes
--------------------------	-----

Dokumentai ir vaizdo įrašai

› [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Kyocera Group Global Network

Takeda Tobadono-cho, Fushimi-ku 6 T, 612-8501

Kyoto, JP

global.kyocera.com

ATSAKINGAS ASMUO ES

KYOCERA Document Solutions Nederland

B.V.

Beechavenue 25, 1119 RA Schiphol-Rijk, NL

kyoceradocumentsolutions.nl

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt