Imou Cell PT Lite Kit Bokštelis IP apsaugos kamera Lauke 2304 x 1296 pikseliai Siena

Gamintojas: **IMOU** · Modelis: **Cell PT Lite KIT** · EAN: **6976391038271** · Prekės kodas: **771596**



81,90 €

Kaina su PVM

Be PVM: **67,69 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Lauke IP apsaugos kamera
- ✓ CMOS 25,4 / 2,8 mm (1 / 2.8") 3 MP 2304 x 1296 pikseliai
- ✓ Bevielis „Wi-Fi“
- ✓ Naktinis matymas 20 m
- ✓ Skaitmeninis priartinimas: 8x
- ✓ Bokštelis Siena Atsparus oro sąlygoms
- ✓ IP66 Neperpučiamas
- ✓ Balta
- ✓ 550 g

Aprašymas

Imou Cell PT Lite Kit

The Cell PT Lite is a fully wireless outdoor battery camera with a pan and tilt lens. The rotating lens can rotate up to 330° and tilt up to 90°. Upon detection, the lens automatically follows the movement. As this camera is fully wireless, you can easily place and install it anywhere you want. The camera's 5,000 mAh battery lasts a long time under normal conditions so there is little to worry about here. Enjoy high image quality thanks to the 2K QHD resolution. Furthermore, this security camera features human detection, a built-in siren and two-way talk. The IP66 certification makes the camera suitable for any weather condition. As a kit, the Cell PT Lite comes with a Imou solar panel for continuous power supply.

Image quality

The 2K QHD resolution, or 3-megapixel resolution, offers premium image quality to keep an eye on a front yard, backyard or garage. The applied H.265 image compression technology ensures that high-quality recordings and streams take up relatively little space and thus require less bandwidth. In this way, the available storage space and bandwidth can be used optimally.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Long battery life and solar panel

The Cell PT Lite’s 5,000 mAh battery lasts up to 120 days on a full charge under normal usage conditions. When battery levels are low, remove the battery from the camera to recharge. The Cell PT Lite kit comes with an Imou solar panel. By connecting the camera to 3W solar panel, there is a continuous power supply and no need to worry about charging the battery (depending on usage conditions).

Human detection and two-way talk

The Cell PT Lite accurately recognises persons based on AI detection. Combined with PIR detection, false alarms can be effectively prevented. Upon detection, you can choose to activate the built-in siren to keep unwanted visitors at an appropriate distance. Furthermore, the security camera supports two-way talk thanks to the built-in microphone and speaker.

Full coverage

The Cell PT Lite offers full coverage of an outdoor area thanks to the pan and tilt function of the lens. The rotating lens can pan up to 330° and tilt up to 90°. The smart tracking function enables the lens to automatically track movements upon detection.

Installation

Download the Imou Life app (iOS, Android or Windows) and create an Imou account. After logging in, select the ‘’+’’ sign at the top right of the Imou app to add a camera. Scan the QR code on the camera and follow the steps in the app. Next, select the Wi-Fi network (2.4GHz/5GHZ) and make sure the camera is close to the router during the installation process. The camera will be ready to use in no time.

Practical features Imou Life app
- Smart scenes: set smart scenes such as away mode where the camera is fully active
- Detection region: select in which zone the camera is active
- Customised security: Choose from several operational options including for power saving
- Multiple users: Share the device with multiple users so the whole household stays informed

Techninė specifikacija

Performance	
Type	IP security camera
Placement supported	Outdoor
Connectivity technology	Wireless
Auto-tracking	Yes
Day/night mode	Yes
Built-in light	Yes
Design	
Mounting type	Wall
Product colour	White
Form factor	Turret
Housing material	Plastic
Protection features	Weatherproof
International Protection (IP) code	IP66

Weatherproof	Yes
Camera	
Lens viewing angle, horizontal	88°
Lens viewing angle, vertical	45°
Lens viewing angle, diagonal	107°
Tilt angle range	0 - 90°
Pan range	0 - 330°
Image sensor	
Sensor type	CMOS
Number of sensors	1
Optical sensor size	25.4 / 2.8 mm (1 / 2.8")
Progressive scan	Yes
Lens system	
Number of lenses	1
Zoom capability	Yes
Digital zoom	8x
Auto focus	Yes
Fixed focal length	3.6 mm
Night vision	
Night vision	Yes
Night vision distance	20 m
Video	
Maximum resolution	2304 x 1296 pixels
Total megapixels	3 MP
Video compression formats	H.264, H.265
Frame rate	15 fps
Audio	
Built-in speaker(s)	Yes
Audio system	2-way
Built-in microphone	Yes
Network	
Ethernet LAN	No
Wi-Fi	Yes
Bluetooth	No

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Storage	
Built-in HDD	No
Card reader integrated	Yes
Compatible memory cards	MicroSD (TransFlash)
Maximum memory card size	256 GB
Ports & interfaces	
USB port	Yes
Security	
Built-in siren	Yes
Video motion detection	Yes
Intelligent Video Surveillance (IVS) system features	Human detection
Motion sensor technology	Passive infrared (PIR) sensor
Management features	
Reset button	Yes
Power	
Power source type	Battery, Solar
Power consumption (typical)	3.5 W
Battery voltage	5 V
Battery	
Battery capacity	5000 mAh
Rechargeable battery	Yes
Operational conditions	
Operating temperature (T-T)	-20 - 50 °C
Storage temperature (T-T)	0 - 45 °C
Operating relative humidity (H-H)	0 - 95%
Storage relative humidity (H-H)	0 - 95%
System requirements	
Mobile operating systems supported	Android, iOS
Weight & dimensions	
Width	110 mm
Depth	142 mm
Height	177 mm
Weight	550 g

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Sustainability	
Compliance certificates	CE, UKCA
Packaging content	
Number of cameras	1
Mounting kit	Yes
Mounting brackets included	Yes
Screws included	Yes
Battery included	Yes
Quick start guide	Yes
Batteries included	Yes
Technical details	
Integrated PIR sensor	Yes
Matmenys ir svoris	
Matmenys (I × P × A)	14,00cm × 18,00cm × 11,00cm

Dokumentai ir vaizdo įrašai

› Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

Hangzhou Huacheng Network Technology Co., Ltd.
Liye Road 582, Hangzhou, CN
imou.com

ATSAKINGAS ASMUO ES

Imou Network Technology B.V.
Lange Kleiweg 6, 2288 GK Rijswijk, NL
imou.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt