

Brother MFC-L2862DW multifunction printer Laser A4 1200 x 1200 DPI 34 ppm Wi-Fi

Gamintojas: **BROTHER** · Modelis: **MFC-L2862DW** · EAN: **4977766831826** · Prekės kodas: **771922**



331,90 €

Kaina su PVM

Be PVM: **274,30 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Home & office Laser Mono printing
- ✓ 1200 x 1200 DPI
- ✓ Printing colours: Black
- ✓ A4 34 ppm
- ✓ Mono copying Colour scanning Mono faxing
- ✓ Apple AirPrint, Brother iPrint & Scan, Google Cloud Print, Mopria Print Service
- ✓ Direct printing
- ✓ USB port Wi-Fi Ethernet LAN
- ✓ Internal memory: 256 MB
- ✓ 10.5 kg



Aprašymas

Product colour: Black | Width: 410 mm | AC input frequency: 50/60 Hz | N-in-1 copy function (N=): 2 | Security algorithms: SMTP-AUTH | Optical scanning resolution: 1200 x 1200 DPI | N-in-1 copy function (N=): 4 | Operating temperature (T-T): 10 - 32.5 °C | Ethernet LAN: Yes | Direct printing: Yes | Wi-Fi: Yes | Height: 319 mm | Security algorithms: WPA2-PSK | Security algorithms: WPA3-SAE | Depth: 399 mm | Display number of lines: 2 lines | Card reader integrated: No | Operating relative humidity (H-H): 20 - 80% | Custom media length: 127 - 355.6 mm | Security algorithms: SNMPv3 | Wi-Fi standards: 802.11g | Security algorithms: 64-bit WEP | Security algorithms: SSL/TLS | Cabling technology: 10/100Base-T(X) | Wi-Fi standards: 802.11b | Package width: 580 mm | Security algorithms: WPA-PSK | Security algorithms: 128-bit WEP | Wi-Fi standards: 802.11a | Weight: 10.5 kg | Wi-Fi standards: Wi-Fi 4 (802.11n) | Package depth: 517 mm | Storage temperature (T-T): 0 - 40 °C | Windows operating systems

supported: Windows 8 | Windows operating systems supported: Windows 11 | Windows operating systems supported: Windows 8.1 | Built-in display: Yes | Package height: 434 mm | Windows operating systems supported: Windows 7 | Copier resize: 25 - 400% | Power consumption (off): 0.08 W | Display: LCD | Mac operating systems supported: Yes | Touchscreen: Yes | Package weight: 14.1 kg | Security algorithms: APOP | Printing: Mono printing | Ethernet LAN data rates: 10,100 Mbit/s | Print technology: Laser | Display diagonal: 6.86 cm (2.7") | AC input voltage: 220 - 240 V | Custom media width: 76.2 - 215.9 mm | Linux operating systems supported: Yes | Copy speed (black, normal quality, A4): 34 cpm | Fax forwarding: Yes | ISO B-series sizes (B0...B9): B5 | Colour display: Yes | Scan to: Image | Envelopes sizes: DL | N-in-1 copy function: Yes | Total output capacity: 120 sheets | N-up printing: 2 | Watermark printing: Yes | Document formats supported: PDF | Number of print cartridges: 1 | N-up printing: 4 | Copying: Mono copying | Envelopes sizes: Com-10 | Output colour depth: 24 bit | Page description languages: BR-Script 3 | ISO A-series sizes (A0...A9): A6 | N-up printing: 16 | ISO B-series sizes (B0...B9): B6 | Duplex printing: Yes | Economical printing: Yes | N-up printing: 9 | Auto Document Feeder (ADF) media weight: 60 - 105 g/m² | ISO A-series sizes (A0...A9): A5 | Power cord included: Yes | Mobile printing technologies: Apple AirPrint | Scan drivers: TWAIN | Mobile printing technologies: Mopria Print Service | N-up printing: 25 | ISO A-series sizes (A0...A9): A4 | Paper tray media types: Plain paper | Print speed (black, normal quality, A4/US Letter): 34 ppm | Number of bitmap fonts: 12 | Scan technology: CIS | Input greyscale depth: 10 bit | Paper tray media weight: 60 - 163 g/m² | Sound pressure level (printing): 66.3 dB | Fax memory: 500 pages | Time to first copy (black, normal): 10 s | Scan drivers: SANE | Maximum ISO A-series paper size: A4 | Total number of input trays: 3 | Scan drivers: WIA | Time to first page (black, normal): 8.5 s | Duplex functions: Print | Multi-Purpose tray input capacity: 1 sheets | Duplex printing mode: Auto/Manual | Page description languages: PDF 1.7 | USB port: Yes | Page description languages: PCL 6 | Control type: Buttons | Power consumption (sleep): 4.1 W | Maximum resolution: 1200 x 1200 DPI | Scan to: FTP | Modem speed: 33.6 Kbit/s | Booklet printing function: Yes | Total input capacity: 301 sheets | Paper input type: Paper tray | Output greyscale depth: 8 bit | Envelopes sizes: Monarch | Scan to: E-mail | Power consumption (printing): 470 W | Scan to: E-mail Server | Paper tray 1 input capacity: 250 sheets | Other operating systems supported: ChromeOS | Mobile printing technologies: Brother iPrint & Scan | Mobile printing technologies: Google Cloud Print | Scan to: File | Scan to: OCR | Scan to: USB | Power consumption (standby): 43 W | Auto document feeder (ADF) input capacity: 50 sheets | Multi-Purpose Tray media weight: 60 - 230 g/m² | Greyscale levels: 256 | Scanning: Colour scanning | Wi-Fi Direct: Yes | Supported network protocols (IPv6): NDP, RA, DNS resolver, mDNS, LLNMR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/PPS, klient SMTP, server FTP, SNMPv1/v2c/v3, server HTTP/HTTPS, klient i server TFTP, ICMPv6, Usługi sieci Web (Dr | Maximum copy resolution: 600 x 600 DPI | N-in-1 print function: Yes | Faxing: Mono faxing | Image formats supported: JPEG | Power consumption (copying): 490 W | Number of barcode fonts: 16 | Internal memory: 256 MB | Paper tray media types: Letterhead | Paper tray media types: Executive | Poster printing function: Yes | Paper tray media types: Recycled paper | Scanner type: ADF scanner | Cartridge(s) included: Yes | Image formats supported: TIFF | Auto document feeder (ADF): Yes | Multi-Purpose tray: Yes | ID-card copy function: Yes | Maximum scan resolution: 19200 x 19200 DPI | Image formats supported: PNG | Duplex print speed (black, normal quality, A4/US Letter): 16 ppm | Envelopes sizes: C5 | Sound pressure level (quiet mode): 44 dB | Fax forwarding to: E-mail | Sound pressure level (standby): 30 dB | Number of PostScript fonts: 66 | Number of scalable fonts: 73 | Manual feeder: Yes | Fax forwarding to: Fax | Fax forwarding to: PC | Printer fonts: Barcode | Printer fonts: PCL | Error Correction Mode (ECM): Yes | ID printing function: Yes | Input colour depth: 30 bit | Maximum number of copies: 99 copies | Warnings: The product requires special disposal - do not dispose of in normal waste. | Warnings: Avoid contact with toner, it can irritate the skin and respiratory tract. | Included cartridge capacity (black): 1200 pages | Printer fonts: PostScript | Printing colours: Black | Warnings: Be careful when handling the device, it may contain live parts. | Barcode printing: Yes

Techninė specifikacija

Printing	
Print technology	Laser
Printing	Mono printing
Duplex printing	Yes
Maximum resolution	1200 x 1200 DPI
Print speed (black, normal quality, A4/US Letter)	34 ppm
Duplex printing mode	Auto/Manual
Duplex print speed (black, normal quality, A4/US Letter)	16 ppm
Time to first page (black, normal)	8.5 s
N-in-1 print function	Yes

N-up printing	2, 4, 9, 16, 25
Barcode printing	Yes
Watermark printing	Yes
Economical printing	Yes
Booklet printing function	Yes
Poster printing function	Yes
ID printing function	Yes

Copying

Copying	Mono copying
Maximum copy resolution	600 x 600 DPI
Copy speed (black, normal quality, A4)	34 cpm
Time to first copy (black, normal)	10 s
Maximum number of copies	99 copies
Copier resize	25 - 400%
N-in-1 copy function	Yes
N-in-1 copy function (N=)	2, 4
ID-card copy function	Yes

Scanning

Scanning	Colour scanning
Optical scanning resolution	1200 x 1200 DPI
Scanner type	ADF scanner
Maximum scan resolution	19200 x 19200 DPI
Scan technology	CIS
Scan to	E-mail, E-mail Server, FTP, File, Image, OCR, USB
Image formats supported	JPEG, PNG, TIFF
Document formats supported	PDF
Input colour depth	30 bit
Output colour depth	24 bit
Input greyscale depth	10 bit
Output greyscale depth	8 bit
Greyscale levels	256
Scan drivers	SANE, TWAIN, WIA

Fax

Faxing	Mono faxing
Modem speed	33.6 Kbit/s

Fax memory	500 pages
Fax forwarding	Yes
Fax forwarding to	E-mail, Fax, PC
Error Correction Mode (ECM)	Yes

Features

Duplex functions	Print
Number of print cartridges	1
Printing colours	Black
Page description languages	BR-Script 3, PCL 6, PDF 1.7
Printer fonts	Barcode, PCL, PostScript
Number of PostScript fonts	66
Number of barcode fonts	16
Number of bitmap fonts	12
Number of scalable fonts	73

Input & output capacity

Total number of input trays	3
Total input capacity	301 sheets
Total output capacity	120 sheets
Paper tray 1 input capacity	250 sheets
Multi-Purpose tray	Yes
Multi-Purpose tray input capacity	1 sheets
Paper input type	Paper tray
Auto document feeder (ADF)	Yes
Auto document feeder (ADF) input capacity	50 sheets
Manual feeder	Yes

Paper handling

Maximum ISO A-series paper size	A4
Paper tray media types	Executive, Letterhead, Plain paper, Recycled paper
ISO A-series sizes (A0...A9)	A4, A5, A6
ISO B-series sizes (B0...B9)	B5, B6
Envelopes sizes	C5, Com-10, DL, Monarch
Custom media width	76.2 - 215.9 mm
Custom media length	127 - 355.6 mm
Paper tray media weight	60 - 163 g/m ²
Multi-Purpose Tray media weight	60 - 230 g/m ²

Auto Document Feeder (ADF) media weight	60 - 105 g/m ²
---	---------------------------

Ports & interfaces

Direct printing	Yes
-----------------	-----

USB port	Yes
----------	-----

Network

Wi-Fi	Yes
-------	-----

Ethernet LAN	Yes
--------------	-----

Cabling technology	10/100Base-T(X)
--------------------	-----------------

Ethernet LAN data rates	10,100 Mbit/s
-------------------------	---------------

Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n)
-----------------	--

Wi-Fi Direct	Yes
--------------	-----

Security algorithms	64-bit WEP, 128-bit WEP, APOP, SMTP-AUTH, SNMPv3, SSL/TLS, WPA-PSK, WPA2-PSK, WPA3-SAE
---------------------	--

Mobile printing technologies	Apple AirPrint, Brother iPrint & Scan, Google Cloud Print, Mopria Print Service
------------------------------	---

Performance

Internal memory	256 MB
-----------------	--------

Card reader integrated	No
------------------------	----

Sound pressure level (printing)	66.3 dB
---------------------------------	---------

Sound pressure level (standby)	30 dB
--------------------------------	-------

Sound pressure level (quiet mode)	44 dB
-----------------------------------	-------

Design

Product colour	Black
----------------	-------

Market positioning	Home & office
--------------------	---------------

Built-in display	Yes
------------------	-----

Display	LCD
---------	-----

Display diagonal	6.86 cm (2.7")
------------------	----------------

Touchscreen	Yes
-------------	-----

Display number of lines	2 lines
-------------------------	---------

Control type	Buttons
--------------	---------

Colour display	Yes
----------------	-----

Power

Power consumption (printing)	470 W
------------------------------	-------

Power consumption (copying)	490 W
-----------------------------	-------

Power consumption (standby)	43 W
-----------------------------	------

Power consumption (sleep)	4.1 W
---------------------------	-------

Power consumption (off)	0.08 W
Energy Star Typical Electricity Consumption (TEC)	0.39 kWh/week
AC input voltage	220 - 240 V
AC input frequency	50/60 Hz
System requirements	
Windows operating systems supported	Windows 11, Windows 7, Windows 8, Windows 8.1
Mac operating systems supported	Yes
Linux operating systems supported	Yes
Other operating systems supported	ChromeOS
Operational conditions	
Operating relative humidity (H-H)	20 - 80%
Storage temperature (T-T)	0 - 40 °C
Operating temperature (T-T)	10 - 32.5 °C
Storage relative humidity (H-H)	35 - 85%
Weight & dimensions	
Width	410 mm
Depth	399 mm
Height	319 mm
Weight	10.5 kg
Packaging data	
Package width	580 mm
Package depth	517 mm
Package height	434 mm
Package weight	14.1 kg
Quantity per pack	1 pc(s)
Packaging content	
Cartridge(s) included	Yes
Included cartridge capacity (black)	1200 pages
Power cord included	Yes
Matmenys ir svoris	
Matmenys (I × P × A)	52,00cm × 58,00cm × 43,00cm
Svoris	14,20kg

Dokumentai ir vaizdo įrašai

› [Naudojimo instrukcija](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Brother Industries

Naeshiro-cho, Mizuho-ku 15-1, 467-8561 Nagoya,
JP

global.brother

ATSAKINGAS ASMUO ES

Brother International Limited

avenue du Bois de la Pie 165, 95913 Roissy-en-
France, FR

rsgp@brother.fr

brother.fr

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt