

Dahua Technology WizSense NVR5216-16P-EI2 network video recorder 1U Black

Gamintojas: **DAHUA TECHNOLOGY** · Modelis: **NVR5216-16P-EI2** · EAN: **6937552407732** · Prekės kodas: **773891**



1 240,90 €

Kaina su PVM

Be PVM: **1 025,54 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Supports Smart H.265+, H.265, Smart H.264+, H.264 and MJPEG decoding formats
- ✓ Max. decoding capability: 40 × 1080p@30 fps or 10 × 8MP@30 fps
- ✓ Max. 448/448/448 Mbps incoming/recording/outgoing bandwidth
- ✓ Supports IP cameras with a resolution up to 32 MP
- ✓ Supports 8K HDMI output
- ✓ Provides access to remote storage devices via iSCSI to expand storage capacity
- ✓ AI by Recorder supports 4-channel face detection and recognition, up to 20 face databases and 30,000 face images; 4-channel video metadata; 8-channel perimeter protection; 16-channel SMD Plus; 4-channel AcuPick
- ✓ AI by Camera supports face detection and recognition, perimeter protection, SMD, metadata, AcuPick, ANPR, stereo analysis, heat map, people counting, PPE detection, smart object detection and smart sound detection
- ✓ Supports EPTZ, and one-click arming and disarming



Techninė specifikacija

Performance

Video input channels	16 channels
Maximum resolution	7680 x 4320 pixels
Alarm input channels	4
Alarm output channels	2
Supported resolutions	7680 x 4320, 3840 x 2160, 1920 x 1080, 1280 x 1024, 1280 x 720
People counting	Yes
Video motion detection	Yes
Video loss detection	Yes
Multi-screen	Yes
Audio formats supported	G.711 A-law, G.711u, G.726, PCM
Video formats supported	H.265, H.265+, H.264, H.264+, MJPG
Operating system installed	Embedded LINUX
Backup function	Yes
Snapshot	Yes
Maximum frame rate	30 fps
Input bandwidth	448 Mbit/s
Output bandwidth	448 Mbit/s
Face detection	Yes
Wireless LAN features	
Wi-Fi	No
Hard drive	
Maximum storage capacity	20 TB
HDD interface	SATA
Number of HDDs supported	2
Ports & interfaces	
Ethernet LAN (RJ-45) ports	1
Power over Ethernet (PoE)	Yes
Ethernet LAN data rates	10,100,1000 Mbit/s
Power over Ethernet (PoE) ports quantity	16
HDMI output	Yes
HDMI ports quantity	1
VGA (D-Sub) output ports	1
USB 2.0 ports quantity	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1
Audio RCA inputs	1

Audio RCA outputs	1
RS-485 ports	1
RS-232 interface	Yes
RS-232 ports	1

Features

Rack mounting	Yes
Rack capacity	1U
On/off switch	Yes
Product colour	Black

Processor

Built-in processor	Yes
--------------------	-----

Power

Power consumption (max)	10 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power over Ethernet (PoE) power per port	25.5 W
Total Power over Ethernet (PoE) budget	130 W

System requirements

Mobile operating systems supported	Android, iOS
Browser supported	Chrome, IE, Safari, Edge, Firefox

Operational conditions

Operating temperature (T-T)	-10 - 55 °C
Operating relative humidity (H-H)	10 - 93%
Storage temperature (T-T)	-20 - 60 °C

Technical details

Compliance certificates	CE
-------------------------	----

Weight & dimensions

Width	375 mm
Depth	329.6 mm
Height	53 mm
Weight	2.62 kg
Package width	451 mm
Package depth	147 mm
Package height	425 mm

Package weight 4.06 kg

Packaging content

Quick installation guide Yes

Dokumentai ir vaizdo įrašai

- › Naudojimo instrukcija
- › Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

Zhejiang Dahua Technology Co., Ltd

Bin'an Road, Binjiang District No.1187 & 1199,
310053 Hangzhou, CN
dahuasecurity.com

ATSAKINGAS ASMUO ES

Dahua Technology GmbH

Niederkasseler Lohweg 185, 40547 Düsseldorf,
DE
dahuasecurity.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt