

Dahua Technology WizSense NVR5432-EI2 network video recorder 1.5U Black

Gamintojas: **DAHUA TECHNOLOGY** · Modelis: **NVR5432-EI2** · EAN: **6937552407756** · Prekės kodas: **773927**



1 296,90 €

Kaina su PVM

Be PVM: **1 071,82 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Max. 448/448/448 Mbps Incoming/Recording/Outgoing Bandwidth
- ✓ Max. Decoding Capability: 40 × 1080p@30 fps
- ✓ IP Cameras Resolution Up to 32MP
- ✓ 8K HDMI Output
- ✓ 4 Bays. Each HDD Storage Capacity Up to 26TB
- ✓ AI by Recorder: 4-ch Face Detection and Recognition, 16-ch SMD, 8-ch Perimeter Protection, 4-ch Video Metadata, 4-ch AcuPick
- ✓ iSCSI



Aprašymas

The NVR5000-EI2 delivers superior performance and advanced recording technology for IP surveillance systems. Featuring a powerful processor with high-speed data processing and robust decoding capabilities, it ensures smooth video streaming. The device incorporates an intuitive modular GUI NVR NEXT that simplifies workflows and enhances operational efficiency. Equipped with an integrated AI chip and Dahua's deep learning algorithms, it enables precise detection, efficient analytics, and reduced false alarms. Its AcuPick technology provides industry-leading one-click accuracy search. Supporting seamless integration with third-party devices and Video Management Software (VMS), the NVR5000-EI2 offers a versatile and scalable surveillance solution.

Techninė specifikacija

Performance	
Video input channels	32 channels
Maximum resolution	7680 x 4320 pixels
Alarm input channels	16
Alarm output channels	6
People counting	Yes
Video motion detection	Yes
Video loss detection	Yes
Multi-screen	Yes
Audio formats supported	G.711 A-law, G.711 μ -law, G.726, PCM
Video formats supported	H.264, H.264+, H.265, H.265+, M-JPEG
Operating system installed	Embedded LINUX
Backup function	Yes
Snapshot	Yes
Maximum frame rate	30 fps
Input bandwidth	448 Mbit/s
Output bandwidth	448 Mbit/s
Face detection	Yes
Wireless LAN features	
Wi-Fi	No
Hard drive	
Number of HDDs installed	0
Maximum storage capacity	26 TB
HDD interface	SATA
Number of HDDs supported	4
Ports & interfaces	
Ethernet LAN (RJ-45) ports	2
Ethernet LAN data rates	10,100,1000 Mbit/s
HDMI ports quantity	2
VGA (D-Sub) output ports	2
USB 2.0 ports quantity	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	2
Audio RCA inputs	1

Audio RCA outputs	2
eSATA ports quantity	1
RS-485 ports	1
RS-232 interface	Yes
RS-232 ports	1
Supported network protocols	HTTP, HTTPS, TCP/IP, IPv4, IPv6, RTSP, UDP, NTP, DHCP, DNS, SMTP, UPnP, FTP, DDNS, SNMP, P2P, iSCSI, RTMP

Features

Rack mounting	Yes
Rack capacity	1.5U
Product colour	Black

Processor

Built-in processor	Yes
--------------------	-----

Power

Power consumption (typical)	13 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz

System requirements

Mobile operating systems supported	Android, iOS
Browser supported	Chrome, IE, Safari, Edge, Firefox

Operational conditions

Operating temperature (T-T)	-10 - 55 °C
Operating relative humidity (H-H)	10 - 93%
Storage temperature (T-T)	-20 - 60 °C

Technical details

Compliance certificates	CE
-------------------------	----

Weight & dimensions

Width	440 mm
Depth	415.6 mm
Height	76 mm
Weight	4.27 kg
Package width	529 mm
Package depth	499 mm
Package height	211 mm

Package weight

6.3 kg

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Greitos pradžios vadovas](#)
- › [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Zhejiang Dahua Technology Co., Ltd

Bin'an Road, Binjiang District No.1187 & 1199,
310053 Hangzhou, CN
dahuasecurity.com

ATSAKINGAS ASMUO ES

Dahua Technology GmbH

Niederkasseler Lohweg 185, 40547 Düsseldorf,
DE
dahuasecurity.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt