

Dahua Technology PFT1500 Network transmitter Black 10, 100, 1000 Mbit/s

Gamintojas: **DAHUA TECHNOLOGY** · Modelis: **PFT1500** · EAN: **6923172531926** · Prekės kodas: **773929**



182,90 €

Kaina su PVM

Be PVM: **151,16 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 4 × 100 Mbps PoE Ethernet ports, 1 × 1000 Mbps PoE Ethernet port
- ✓ All ports meet the requirements of IEEE802.3af and IEEE802.3at standards. The red ports also conform with Hi-PoE and IEEE802.3bt standards
- ✓ 250 m long-distance PoE transmission, which can be enabled by the DIP switch
- ✓ PoE Watchdog for real-time detection of terminal device status
- ✓ Fanless
- ✓ Full-metal
- ✓ Lightning Protection: common mode: 4 kV, differential mode: 2 kV
- ✓ Desktop mount and DIN-rail mount



Aprašymas

The Device is a hardened PoE extender. It works together with conventional PoE devices to extend their maximum base transmission distance to 350 meters.

Techninė specifikacija

Performance	
Type	Network transmitter
Maximum transfer distance	250 m
Data transfer rate	1000 Mbit/s
Ethernet LAN data rates	10,100,1000 Mbit/s
Jumbo frames support	Yes
MAC address table	4000 entries
Flow control support	Yes
MTBF (transmitter)	66.37 h
Network	
Cabling technology	10/100/1000Base-T(X)
Networking standards	IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3bt, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z
Ports & interfaces	
Host interface	RJ-45
Ethernet LAN (RJ-45) ports	5
Power over Ethernet (PoE) ports quantity	4
Design	
Product colour	Black
Housing material	Metal
Mounting type	Desk
LED indicators	PoE
Quantity per pack	1 pc(s)
Power	
Power consumption (typical)	5 W
Power consumption (transmitter) (max)	90 W
Power over Ethernet (PoE)	Yes
Total Power over Ethernet (PoE) budget	90 W
Operational conditions	
Operating temperature (T-T)	-30 - 65 °C
Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	5 - 95%
Storage relative humidity (H-H)	5 - 95%

Operating relative humidity (transmitter)	5 - 95%
---	---------

Weight & dimensions

Width	150 mm
Depth	100 mm
Height	30 mm
Weight	470 g

Packaging data

Package type	Box
Package width	265 mm
Package depth	238 mm
Package height	76 mm
Package weight	650 g

Certificates

Compliance certificates	CE, Federal Communications Commission (FCC)
-------------------------	---

Sustainability

Sustainability compliance	Yes
---------------------------	-----

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Zhejiang Dahua Technology Co., Ltd

Bin'an Road, Binjiang District No.1187 & 1199,
310053 Hangzhou, CN
dahuasecurity.com

ATSAKINGAS ASMUO ES

Dahua Technology GmbH

Niederkasseler Lohweg 185, 40547 Düsseldorf,
DE
dahuasecurity.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt