

HP LaserJet Enterprise M507x Drucker s w (1PV88A#B19)

Gamintojas: **HP** · Modelis: **1PV88A#B19** · EAN: **192545078955** · Prekės kodas: **776620**



823,90 €

Kaina su PVM

Be PVM: **680,91 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Verslui Lazeris
- ✓ 1200 x 1200 DPI
- ✓ Spausdinimo spalvos: Juoda
- ✓ A4 43 ppm
- ✓ Abipusis spausdinimas Tiesioginis spausdinimas
- ✓ USB prievadas „Wi-Fi“ Ethernet LAN jungtis Bluetooth
- ✓ CGD Įmontuotas ekranas
- ✓ Veikos ciklas (maksimalus): 150000 lapai per mėnesį
- ✓ Bendras įvesties dėklų skaičius: 3 Bendra įvesties talpa: 1200 lapai
Bendra išvesties talpa: 250 lapai
- ✓ Vidinė atmintis: 512 MB Integruotas procesorius 1200 MHz





Aprašymas

Choose an HP LaserJet Enterprise printer designed to handle business solutions securely and efficiently, and helps conserve energy with HP EcoSmart black toner. Keep up with the demands of growing business with a printer you can rely on.[1]

Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.

Techninė specifikacija

Printing	
Colour	No
Print technology	Laser
Duplex printing	Yes
Maximum resolution	1200 x 1200 DPI
Print speed (black, normal quality, A4/US Letter)	43 ppm
Duplex printing mode	Auto
Print resolution black	1200 x 1200 DPI
Warm-up time	150 s
Time to first page (black, normal)	5.9 s
Print margins (top, bottom, right, left)	4.3 mm
Watermark printing	Yes
Secure printing	Yes
Features	
Maximum duty cycle	150000 pages per month
Printing colours	Black
Number of print cartridges	1
Page description languages	PostScript 3, PDF 1.7, PCL 6
Recommended duty cycle	2000 - 7500 pages per month
Printer fonts	Scalable, TrueType, Windows, PCL, PostScript
Country of origin	Philippines

Replacement cartridges	CF289A HP 89A Black Original LaserJet Toner Cartridge (5,000 pages);CF289X HP 89X High Yield Black Original LaserJet Toner Cartridge (10,000 pages);CF289Y HP 89Y Extra High Yield Black Original LaserJet Toner Cartridge (20,000 pages)
HP segment	Business
Input & output capacity	
Total number of input trays	3
Total input capacity	1200 sheets
Total output capacity	250 sheets
Paper tray 1 input capacity	100 sheets
Paper tray 2 input capacity	550 sheets
Multi-Purpose tray	Yes
Multi-Purpose tray input capacity	100 sheets
Maximum number of input trays	5
Maximum input capacity	2300 sheets
Maximum output capacity	250 sheets
Paper handling	
Maximum ISO A-series paper size	A4
Paper tray media types	Plain paper, Bond paper, Recycled paper, Envelopes, Card stock, Labels, Transparencies, Rough paper
ISO A-series sizes (A0...A9)	A4, A5, A6
ISO B-series sizes (B0...B9)	B5
ISO C-series sizes (C0...C9)	C5, C6
Non-ISO print media sizes	Oficio, 16K
JIS B-series sizes (B0...B9)	B5, B6
Envelopes sizes	B5, C5, C6, DL
Photo paper sizes	10x15 cm
Custom media width	76.2 - 215.9 mm
Custom media length	127 - 355.6 mm
Paper tray media weight	60 - 200 g/m ²
Ports & interfaces	
Direct printing	Yes
USB port	Yes
Standard interfaces	Ethernet, USB 2.0, Wireless LAN
USB 2.0 ports quantity	3
Optional connectivity	Ethernet, Wireless LAN

Network

Wi-Fi	Yes
Ethernet LAN	Yes
Network ready	Yes
Ethernet LAN data rates	1000 Mbit/s
Wi-Fi Direct	Yes
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Bluetooth	Yes
Security algorithms	SNMPv3, SSL/TLS, EAP-PEAP, EAP-TLS, FIPS 140, HTTPS, IPSec
Mobile printing technologies	Mopria Print Service, HP ePrint, Apple AirPrint, Google Cloud Print

Performance

Internal memory	512 MB
Maximum internal memory	1536 MB
Memory slots	1
Built-in processor	Yes
Processor frequency	1200 MHz
Sound pressure level (printing)	54 dB
Sound power level (printing)	6.8 dB

Design

Market positioning	Business
Product colour	White
Built-in display	Yes
Display	CGD
Colour display	Yes
Display diagonal	10.9 cm (4.3")
Touchscreen	Yes
Control type	Buttons, Touch
Certification	CISPR 22:2008 (International) - Class A, CISPR32:2012 (International) - Class A, EN 55032:2012 (EU) - Class A, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010, EMC Directive 2014/30/EU, Issue 6 Class A. Other EMC approvals as required by individual countries.

Power

Power consumption (printing)	601 W
Power consumption (ready)	7.6 W
Power consumption (PowerSave)	0.06 W
Power consumption (off)	0.06 W

Energy Star Typical Electricity Consumption (TEC)	1.257 kWh/week
AC input voltage	220 - 240 V
AC input frequency	50/60 Hz
System requirements	
Windows operating systems supported	Windows 7 Enterprise, Windows 7 Ultimate, Windows 7 Professional, Windows 7 Starter, Windows 7, Windows 8 Pro, Windows 8 Enterprise, Windows 8, Windows 8.1 Pro, Windows 8.1 Enterprise, Windows 8.1, Windows 10 Pro, Windows 10 Enterprise, Windows 10
Mac operating systems supported	Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, MacOS
Linux operating systems supported	Yes
Other operating systems supported	Android, iOS
Operational conditions	
Operating temperature (T-T)	10 - 32.5 °C
Storage temperature (T-T)	-20 - 40 °C
Operating relative humidity (H-H)	10 - 80%
Sustainability	
Sustainability certificates	ENERGY STAR, Blue Angel, EPEAT Silver
Sustainable technologies and materials	Mercury free
Doesn't contain	Mercury
Sustainability compliance	Yes
Carbon footprint	
Total carbon footprint (kg of CO2e)	140
Carbon emissions, manufacturing (kg of CO2e)	111
Carbon emissions, logistics (kg of CO2e)	5
Total carbon emissions, w/o use phase (kg of CO2e)	21
Weight & dimensions	
Width	418 mm
Depth	376 mm
Height	481 mm
Weight	16.3 kg
Pallet dimensions (W x D x H)	1200 x 1000 x 2476 mm
Packaging data	
Package width	671 mm
Package depth	497 mm
Package height	465 mm

Package weight	22.6 kg
Packaging content	
Warranty card	Yes
Cables included	AC
Quick installation guide	Yes
Brand-specific features	
HP ePrint	Yes
HP Auto-On/Auto-Off	Yes
HP Dynamic security	Yes
HP Security tools	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; Optional HP and 3rd party advanced authentication solutions (e.g.: badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; Hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs, ...); Connection Inspector - helps ensure network connections to device are safe; Security management: Compatible with HP JetAdvantage Security Manager; HP Printer Security Plugin for Microsoft SCCM; Device Security Syslog Messages processed and accessible in ArcSight, Splunk, and McAfee(ESM) SIEMs
HP GTIN (EAN/UPC) with options	(ABT) 192545078917; (ABY) 192545078924; (ACQ) 192545078931; (B13) 192545078948; (B19) 192545078955; (BAZ) 192545078962
HP GTIN (EAN/UPC)	192545078917, 192545078924, 192545078931, 192545078948, 192545078955, 192545078962
Logistics data	
Harmonized System (HS) code	84433210
Pallet gross weight	299.6 kg
Layers per pallet	5 pc(s)
Products per pallet	15 pc(s)
Technical details	
Master (outer) cases per pallet layer	3 pc(s)
Compliance certificates	CECP
General Product Safety Regulation (GPSR) URL	https://support.hp.com/gb-en/product/setup-user-guides/hp-laserjet-enterprise-m507-series/model/19203859?sku=1PV88A ; https://h10032.www1.hp.com/ctg/Manual/c06187694.pdf
Other features	

Recommended system requirements	2 GB available hard disk space; Internet connection; USB port; Internet browser; for additional OS hardware requirements. 2 GB available hard disk space; Internet connection or USB port; OS hardware requirements.
Power supply type	Built-in 115V or 220V Power Supply
Electromagnetic compatibility	CISPR 22:2008 (International) - Class A, CISPR32:2012 (International) - Class A, EN 55032:2012 (EU) - Class A, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010, EMC Directive 2014/30/EU, Issue 6 Class A. Other EMC approvals as required by individual countries.
Compatible operating systems	Windows Client OS (32/64 bit), Win10, Win8.1, Win 8 Basic, Win8 Pro, Win8 Enterprise, Win8 Enterprise N, Win7 Starter Edition SP1, UPD Win7 Ultimate, Mobile OS, iOS, Android, Mac, Apple macOS Sierra v10.12, Apple macOS High Sierra v10.13, Apple macOS Mojave v10.14, Discrete PCL6 Printer Driver, For more information on the supported operating systems go to http://support.hp.com , Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) - User Guide, Search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating systems, For more information on the supported operating systems see http://www.hp.com/go/upd
Printing	Mono printing
Processor frequency	1.2 GHz
Manufacturer warranty	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements.
Recommended humidity operating range	30 - 70%
Recommended operating temperature range (T-T)	15 - 27 °C
Custom media sizes	Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2: 105 x 148 to 215.9 x 355.6 mm; Optional 550 sheet Tray: 105 x 148 to 215.9 x 355.6 mm
Envelope feeder	No
Acoustic power emissions (ready)	39 dB
Acoustic pressure emissions bystander (ready)	24 dB
Typical electricity consumption (TEC) number	Blue Angel: 1.257 kWh/Week; Energy Star 3.0: 0.420 kWh/Week
UNSPSC-code	43212105
Box contents	HP LaserJet Enterprise M507x Printer; HP Original LaserJet Toner Cartridge (5,000 pages); Regulatory flyer (CD replacement); Unpack flyer; Installation guide; Power cord; Warranty cards; Support flyers/phone number list

Matmenys ir svoris

Matmenys (I x P x A)	57,00cm x 46,00cm x 67,00cm
Svoris	20,00kg

Dokumentai ir vaizdo įrašai

- › [Gaminio lankstinukas](#)
- › [CE ženklimas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

HP Inc

Page Mill Road 1501, CA 94304 Palo Alto,
California, US

hp.com

ATSAKINGAS ASMUO ES

HP Printing and Computing Solutions S.L.U.

Calle Jose Echegaray 18, 28232 Las Rozas
(Madrid), ES

hp.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

- › [CE ženklavimas](#)
- › [Gamintojo saugos informacija](#)