

ATEN 8-Port USB DVI KVM Switch with Audio

Gamintojas: **ATEN** · Modelis: **CS1768** · EAN: **4710423774438** · Prekės kodas: **776781**



677,90 €

Kaina su PVM

Be PVM: **560,25 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Superior video quality – 1920 x 1200 (Single Link DVI); 2048 x 1536 (VGA); DDC2B
- ✓ Supports a digital (DVI) or analog (VGA) video output; Cascadable to three levels – control up to 512 computers
- ✓ Broadcast mode – allows you to send commands from the console to all computers to perform operations simultaneously
- ✓ Multi-Display feature – stack up to four CS1768 units and display video from up to four monitors (dual display / triple display / quad display)



Aprašymas

The CS1768 8-port USB DVI KVM Switch is a multi-purpose appliance that consolidates access and control of up to 8 computers from a single USB keyboard, USB mouse, and dual-monitor (DVI-I and VGA) console.

It can be cascaded to three levels – allowing up to 73 CS1768s to control up to 512 computers – all from the original single console, making it ideal for industry-grade IT applications and management.

1x CS1768 8-Port USB DVI KVM Switch with Rack Mounting Kit

2x 2L-7D02U USB DVI-D KVM Cable Sets

1x Firmware Upgrade Cable

1x 0AD8-1605-24M1 Power Adapter

1x Foot Pad Set (4 pcs)

1x User Instructions

Techninė specifikacija

Ports & interfaces	
Number of computers controlled	8
Keyboard port type	USB
Mouse port type	USB
Video port type	DVI-I
Console ports	3.5mm headphone, 3.5mm mic, DVI-I, USB A, VGA (D-Sub)
DVI-I ports quantity	8
USB 2.0 Type-B ports quantity	8
Console USB ports quantity	2
USB hub	Yes
USB 2.0 Type-A hub ports quantity	2
USB connector type	USB Type-A, USB Type-B
Audio connections	Yes
Headphone outputs	10
Number of microphone inputs	10
DC-in jack	Yes
Performance	
HD type	QXGA
Maximum resolution	2048 x 1536 pixels
Video bandwidth	60 Hz
Scan interval	1,5,255 s
DDC2B support	Yes
Design	
Product colour	Black
Housing material	Metal
LED indicators	Yes
Push button	Yes
Hot keys	Yes
Display	
Built-in display	No
Power	
Power source	DC
Input voltage	5.3 V

Power consumption (typical)	4.53 W
-----------------------------	--------

Operational conditions

Operating temperature (T-T)	0 - 50 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	0 - 80%
Storage relative humidity (H-H)	0 - 80%

Weight & dimensions

Width	437.2 mm
Depth	161.2 mm
Height	44 mm
Weight	3.61 kg

Packaging data

Package width	116 mm
Package depth	540 mm
Package height	233 mm
Package weight	4.07 kg

Packaging content

Quick installation guide	Yes
Manual	Yes

Logistics data

Master (outer) case net weight	10.8 kg
Harmonized System (HS) code	85176200
Master (outer) case width	375 mm
Master (outer) case length	565 mm
Master (outer) case height	258 mm
Master (outer) case gross weight	13.6 kg
Products per master (outer) case	3 pc(s)

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Greitos pradžios vadovas](#)
- › [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

ATEN INTERNATIONAL CO., LTD.

Datung Road No.125, Sec. 2, 221 New Taipei City, TW

[aten.com](https://www.aten.com)

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt