

StarTech.com 1m (3ft) High Speed HDMI Cable with Gripping Connectors, 4K 60Hz/1440p 144Hz, HDR10/HDCP 2.2/ARC, 18Gbps, UHD HDMI Cord for TV/Monitor/Display, TPE Jacket

Gamintojas: **STARTECH** · Modelis: **HDMI2-CABLE-GRIP-1M** · EAN: **065030925372** · Prekės kodas: **776904**



10,90 €

Kaina su PVM

Be PVM: **9,01 €**

[Sandėlyje](#)




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ **Deliver High-Bandwidth 4K Video**: 1m (3.3ft) HDMI 2.0 Cable delivers vivid, sharp 4K 60Hz UHD video with HDR10 and HDCP 2.2; Enable immersive sound quality with 32-channel audio, 7.1 surround, ARC, and DTS-HD Master Audio support
- ✓ **Minimize Accidental Disconnections**: Keep critical devices connected with latching HDMI connectors that resist unintentional unplugging due to vibration, tension, or handling; Ensure reliable signal transmission to mounted equipment with limited access
- ✓ **Identify Specs Instantly**: Etched HDMI 2.0 specs on each Quick ID connector remove guesswork and confirm feature support at-a-glance; The eco-friendly TPE jacket is flexible and durable, designed to withstand tight bends and is fully RoHS-compliant
- ✓ **For High-Resolution Workflows**: Achieve reliable 4K 60Hz performance with 18Gbps bandwidth in workstations and pro AV setups; Drive high refresh rates including 1440p 144Hz and 1080p 240Hz; Works w/USB-C to HDMI adapters for Apple M-series Pro/Max MacBooks
- ✓ **The IT Pro's Choice**: Our digital display cables are rigorously lab-tested for signal integrity, durability, and compatibility across HDMI, DisplayPort, USB-C, and legacy interfaces; Backed by free lifetime 24/5 multi-lingual technical assistance





Aprašymas

Minimize accidental disconnections using this HDMI Cable with gripping connectors

This High Speed HDMI™ Cable is designed for reliable performance in enterprise, AV, and IT environments. HDMI 2.0 specifications are permanently etched into each connector-an exclusive feature that eliminates guesswork, ensures compatibility, and confirms the cable's ability to support high-bandwidth performance.

Stay-Connected Design

The HDMI UHD Cord features gold-plated gripping connectors to prevent accidental disconnections. The connectors attach securely to HDMI device ports, making this cable ideal for mounted and critical setups such as security systems and HDMI switches.

Experience Full-Featured HDMI 2.0

Drive sharp 4K video, fast refresh rates, and high-resolution visuals on UHD displays, workstations, video walls, and AV installations. This High Speed HDMI 2.0 cable supports 4K at 60Hz, 1440p at 144Hz, and 1080p at 240Hz at up to 18Gbps bandwidth for consistent, reliable signal quality. Deliver deep contrast and accurate color with support for HDR10. Enable immersive multi-channel audio using ARC, Dolby Atmos®, DTS:X®, and 7.1 Dolby® TrueHD. Maintain secure content delivery with HDCP 2.2 across HDMI 2.0 and legacy devices.

Flexible Cable, Built for Durability

Route this HDMI cord easily around corners, behind displays, between desks and other equipment with a flexible, halogen-free TPE jacket rated to withstand over 2,000 bending cycles and robust connector strain reliefs. Aluminum-Mylar foil with braided shielding minimizes EMI in dense setups and shared spaces. Gold-plated connectors preserve signal integrity and resist corrosion, and are rated for 10,000+ insertions to support both daily wear and long-term use.

The terms HDMI, HDMI High-Definition Multimedia Interface, HDMI trade dress and the HDMI Logos are trademarks or registered trademarks of HDMI Licensing Administrator, Inc.

Techninė specifikacija

Features	
Cable length	1 m
Connector 1	HDMI Type A (Standard)
Connector 2	HDMI Type A (Standard)
Connector 1 gender	Male
Connector 2 gender	Male
HDMI cable type	High Speed HDMI cable
Product colour	Black

Connector contacts plating	Gold
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Supported graphics resolutions	1920 x 1080 (HD 1080), 2560 x 1440, 3840 x 2160
Supported video modes	1080p, 1440p, 2560p
Dolby technologies	DTS-HD Master Audio
Audio Return Channel (ARC)	Yes
HDCP	Yes
HDCP version	2.2
Data transfer rate	18 Gbit/s
High Dynamic Range (HDR) supported	Yes
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)
Supported digital audio channels (uncompressed)	32
Maximum refresh rate	240 Hz
AWG wire size	30
Cable jacket material	Thermoplastic elastomer (TPE)
Cable shielding	Aluminum mylar foil
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 70 °C
Operating relative humidity (H-H)	10 - 90%
Certificates	
Compliance certificates	RoHS
Weight & dimensions	
Cable diameter	6 mm
Weight	56 g
Packaging data	
Quantity per pack	1 pc(s)
Package width	190 mm
Package depth	110 mm
Package height	23 mm
Logistics data	
Master (outer) case width	400 mm
Master (outer) case length	350 mm

Master (outer) case height	250 mm
Products per master (outer) case	40 pc(s)

Matmenys ir svoris

Matmenys (l × P × A)	19,00cm × 11,00cm × 3,00cm
Svoris	0,10kg

Dokumentai ir vaizdo įrašai

- › [Gaminio lankstinukas](#)
- › [Vaizdo įrašas 1](#) youtube.com/watch?v=nePKOy-0lkU
- › [Vaizdo įrašas 2](#) youtube.com/watch?v=xNDJWAHsTLY

Gamintojo ir saugos informacija

GAMINTOJAS

StarTech.com Ltd.

Artisans Crescent 45, N5V 5E9 Ontario, London,
CA
startech.com

ATSAKINGAS ASMUO ES

StarTech.com Limited

Laarderhoogtweg 25, 1101 EB Amsterdam, NL
startech.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt