LG 98UH5Q-H Signage Display Digital signage flat panel 2.49 m (98") LCD Wi-Fi 500 cd/m² 4K Ultra HD Black WebOS 24/7

Gamintojas: **LG ELECTRONICS** · Modelis: **98UH5Q-H** · EAN: **8806096783665** · Prekės kodas: **777035**



7 360,90 €

Kaina su PVM


Be PVM: **6 083,39 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Resolution : 3,840 × 2,160 (UHD)
- ✓ Anti-Glare Coating
- ✓ Surface Treatment (Haze) : 25%
- ✓ Bezel (Width / Depth) : 18 mm (Even) / 68.6 mm
- ✓ Operation Time : 24 Hours / 7 Days



Aprašymas

UHD Large Screen Signage Display with LG webOS Platform

Clear Visibility with Anti-Glare Coating

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

With an anti-glare coating and a brightness level of 500 cd/m², content remains clear and vivid even in bright environments.

High-Performance with webOS

LG webOS platform enhances user convenience with intuitive GUI and simple app development tools.

Slim Design

Being slim, a closer installation to the wall is advised. Additionally, this increases the screen’s immersive experience and provides a sophisticated design, improving the installed-space’s décor.

EMC Certified

With EMC Class B certification, the UH5Q series meets standards for electromagnetic emissions, supporting safety for both the environment and human health.

Versatile Operation with Multi-USB

With support for two USB ports, the UH5Q offers versatile usage options. For example, operating content on the screen while simultaneously using other connected devices is possible. This includes convenient tasks like downloading PPT files from external storage devices while using a mouse or keyboard during a meeting.

SuperSign Solutions

SuperSign is an integrated and intuitive content management solution for creative and organized digital signage content in your space, connecting customers to a range of services with convenient user experiences. There are a variety of versions such as SuperSign Cloud, so discover and enjoy the version that best fits you.

Techninė specifikacija

Display	
Display diagonal	2.49 m (98")
Display technology	LCD
Display resolution	3840 x 2160 pixels
Display brightness	500 cd/m²
HD type	4K Ultra HD
Touchscreen	No
Panel type	ADS
LED backlight	Yes
LED backlighting type	Direct-LED
Native aspect ratio	16:9
Response time	8 ms
Contrast ratio (typical)	1200:1
Contrast ratio (dynamic)	1000000:1
Viewing angle, horizontal	178°

Viewing angle, vertical	178°
Display number of colours	1.07 billion colours
Panel life	50000 h
Native refresh rate	60 Hz
Haze rate	25%
Ports & interfaces	
HDMI ports quantity	3
DVI port	No
DisplayPorts quantity	0
USB port	Yes
Consumer Electronics Control (CEC)	Yes
USB ports quantity	2
USB version	2
USB connector type	USB Type-A
Ethernet LAN (RJ-45) ports	1
RS-232C	Yes
Audio Return Channel (ARC)	Yes
Audio	
Built-in speaker(s)	Yes
Number of built-in speakers	2
RMS rated power	20 W
Design	
Product design	Digital signage flat panel
Product colour	Black
Placement supported	Indoor
VESA mounting	Yes
Orientation	Horizontal/Vertical
Panel mounting interface	800 x 400 mm
Bezel width (bottom)	1.8 cm
Bezel width (side)	1.8 cm
Bezel width (top)	1.8 cm
Anti-glare screen	Yes
Performance	
Purpose	Universal

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Operating hours (hours/days)	24/7
Power	
Power consumption (typical)	285 W
Power consumption (standby)	0.5 W
Power consumption (max)	385 W
Power consumption (economy mode)	200 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Computer system	
Internal memory	8 GB
Operating system installed	WebOS
Operating system version	6.1
Weight & dimensions	
Display width	2198.9 mm
Display depth	68.6 mm
Display height	1254.6 mm
Display weight	53.6 kg
Packaging data	
Package width	2360 mm
Package depth	280 mm
Package height	1425 mm
Package weight	83.9 kg
Packaging content	
Remote control included	Yes
Cables included	Power, Phone
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	10 - 80%
Sensors	
Gyroscope	Yes
Temperature sensor	Yes
Network	
Ethernet LAN	Yes
Wi-Fi	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Matmenys ir svoris	
Matmenys (I × P × A)	236,00cm × 28,00cm × 144,00cm
Svoris	84,00kg

Dokumentai ir vaizdo įrašai

› Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

LG Electronics Inc.
Magokjungang 10-ro 10, 07796 Gangseo-gu, Seoul, KR
lg.com

ATSAKINGAS ASMUO ES

LG Electronics Deutschland
Alfred-Herrhausen-Allee 45721, 65760 Eschborn, DE
lg.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt