

# Ernitec 0070-24222-AC-M computer monitor 55.9 cm (22") 1920 x 1080 pixels Full HD LED Black

Gamintojas: **ERNITEC** · Modelis: **0070-24222-AC-M** · EAN: **5715063178522** · Prekės kodas: **777163**



## 306,90 €

Kaina su PVM

Be PVM: **253,64 €**

**Sandėlyje**



**Prekė internetu**

Nuskenaukite kodą arba apsilankykite [www.shopro.lt](http://www.shopro.lt)

## Pagrindinės savybės

✓ 2 BNC input + 1 BNC output

✓ EU + UK Power cord included



## Aprašymas

The Ernitec 22" TFT-LED monitor delivers high performance engineered for clarity and uninterrupted performance for 24/7 security use when you want your display to last.

With 5ms response time, a resolution of 1920x1080 and 24-bit color, every image comes to life with great detail fluid motion and seamless transitions.

Equipped with versatile inputs including HDMI 2.0 and VGA. We have even added 2 BNC inputs so you can easily add analog cameras to the monitor.

Features such as 3D comb filter and video noise reduction guarantee sharp, clear visuals.

With robust construction and thoughtful design, it's the ideal choice for professional settings.

VESA size: 100x100


## Techninė specifikacija

### Display

|                               |                      |
|-------------------------------|----------------------|
| Display diagonal              | 55.9 cm (22")        |
| Display resolution            | 1920 x 1080 pixels   |
| Native aspect ratio           | 16:9                 |
| Display technology            | LED                  |
| Touchscreen                   | No                   |
| HD type                       | Full HD              |
| Panel type                    | TFT                  |
| Response time                 | 5 ms                 |
| Screen shape                  | Flat                 |
| Contrast ratio (typical)      | 10000:1              |
| Display number of colours     | 16.7 million colours |
| Display brightness (typical)  | 250 cd/m²            |
| Viewing angle, horizontal     | 178°                 |
| Viewing angle, vertical       | 178°                 |
| Pixel pitch                   | 0.248 x 0.248 mm     |
| Viewable size, horizontal     | 47.7 cm              |
| Viewable size, vertical       | 26.8 cm              |
| <b>Multimedia</b>             |                      |
| Built-in speaker(s)           | Yes                  |
| Number of speakers            | 2                    |
| RMS rated power               | 3 W                  |
| <b>Design</b>                 |                      |
| Market positioning            | Industrial           |
| Product colour                | Black                |
| <b>Ports &amp; interfaces</b> |                      |
| HDMI                          | Yes                  |
| VGA (D-Sub) ports quantity    | 1                    |
| HDMI ports quantity           | 1                    |
| HDMI version                  | 2                    |
| BNC input ports               | 2                    |
| <b>Ergonomics</b>             |                      |
| VESA mounting                 | Yes                  |
| Panel mounting interface      | 100 x 100 mm         |
| <b>Power</b>                  |                      |

|                                         |                               |
|-----------------------------------------|-------------------------------|
| Energy efficiency class (SDR)           | E                             |
| Energy efficiency class (HDR)           | Not available                 |
| Energy consumption (SDR) per 1000 hours | 13.4 kWh                      |
| Power consumption (typical)             | 25 W                          |
| Power consumption (standby)             | 0.3 W                         |
| Power consumption (average)             | 25 W                          |
| AC input voltage                        | 230 V                         |
| Power supply type                       | Internal                      |
| Energy efficiency scale                 | A to G                        |
| Operational conditions                  |                               |
| Operating temperature (T-T)             | -30 - 85 °C                   |
| Packaging data                          |                               |
| Package width                           | 635 mm                        |
| Package depth                           | 172 mm                        |
| Package height                          | 440 mm                        |
| Package weight                          | 6.5 kg                        |
| Packaging content                       |                               |
| Stand included                          | Yes                           |
| Cables included                         | Power                         |
| Screws included                         | Yes                           |
| Quick start guide                       | Yes                           |
| Other features                          |                               |
| Comb filter                             | 3D                            |
| Weight                                  | 4.1 kg                        |
| Height                                  | 309 mm                        |
| Width                                   | 498 mm                        |
| Depth                                   | 56 mm                         |
| Warranty period                         | 5 year(s)                     |
| Mean time between failures (MTBF)       | 50000 h                       |
| Picture enhancement                     | DNle digital image processing |

## Energijos efektyvumas ir ekologinis projektavimas



2019/10/13

Energijos efektyvumo klasė

**E** A-G

- › [Energijos etiketė](#)
- › [Gaminio informacijos lapas](#)
- › [EPREL duomenų bazė](#)

## Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)

## Gamintojo ir saugos informacija

GAMINTOJAS

**EET Group A/S**

Bregnerødvej 133D, 3460 Birkerød, DK

[eetgroup.com](http://eetgroup.com)

PLATINTOJAS

**MB KOMPIUTERIŲ GURU**

V. Nagevičiaus g. 3, LT-08237 Vilnius

[info@shopro.lt](mailto:info@shopro.lt)