

D-Link DGS-3130-54PS/E network switch Managed L3 Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Grey

Gamintojas: **D-LINK** · Modelis: **DGS-3130-54PS/E** · EAN: **790069469992** · Prekės kodas: **777944**



2 708,90 €

Kaina su PVM

Be PVM: **2 238,76 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Managed L3 Web-based management
- ✓ Quality of Service (QoS) support
- ✓ Basic switching RJ-45 Ethernet ports quantity: 48 Console port: RJ-45
- ✓ 10G support 10BASE-T, 10GBASE-T, 100BASE-TX, 1000BASE-T
- ✓ MAC address table: 16384 entries Switching capacity: 216 Gbit/s Controllable multicast
- ✓ Access Control List (ACL)
- ✓ Rack mounting Stackable
- ✓ DC/PoE Power over Ethernet (PoE)



Techninė specifikacija

Management features

Switch type	Managed
Switch layer	L3
Quality of Service (QoS) support	Yes
Web-based management	Yes

ARP inspection	Yes
System event log	Yes
MIB support	RFC 1213; RFC 4188; RFC 1157, 2571-2576; RFC 1907; RFC 1757, 2819; RFC 2021; RFC 1398, 1643, 1650, 2358, 2665; RFC 2674 802.1p 2233, 2863 IF MIB; RFC 2618; RFC 2620; RFC 2925; RFC 2674, 4363; RFC 1065, 1066, 1155, 1156, 2578; RFC 1215; RFC 1212; RFC 1215; RFC 1157, 2571-2576; RFC 4022; RFC 4113; RFC 4293; RFC 2737

Ports & interfaces

Basic switching RJ-45 Ethernet ports quantity	48
Basic switching RJ-45 Ethernet ports type	Gigabit Ethernet (10/100/1000)
Installed SFP modules quantity	0
Installed SFP+ modules quantity	0
SFP+ module slots quantity	4
Fiber optic connector	SFP+
Console port	RJ-45
USB 2.0 ports quantity	1
Power connector	AC-in jack

Network

Networking standards	IEEE 802.1D, IEEE 802.1Q, IEEE 802.1p, IEEE 802.1s, IEEE 802.1v, IEEE 802.1w, IEEE 802.1x, IEEE 802.3ad, IEEE 802.3af, IEEE 802.3ah, IEEE 802.3at, IEEE 802.3az, IEEE 802.3x
10G support	Yes
Copper ethernet cabling technology	10BASE-T, 10GBASE-T, 100BASE-TX, 1000BASE-T
Port mirroring	Yes
Flow control support	Yes
Link aggregation	Yes
Broadcast storm control	Yes
Spanning tree protocol	Yes
Head-of-line (HOL) blocking	Yes
VLAN support	Yes
Virtual LAN features	MAC address-based VLAN, Port-based VLAN, Private VLAN, Tagged VLAN, Voice VLAN
Number of VLANs	4000

Data transmission

MAC address table	16384 entries
Switching capacity	216 Gbit/s
Forwarding rate	161 Mpps
Number of queues	8

Jumbo frames support	Yes
Packet buffer memory	2 MB
Security	
DHCP features	DHCP client, DHCP relay, DHCP server, DHCP snooping
Access Control List (ACL)	Yes
Access Control List (ACL) egress	512
Access Control List (ACL) ingress	2048
IGMP snooping	Yes
Security algorithms	SNMP, SNMPv3, SSH-2, SSL/TLS
SSH/SSL support	Yes
Loop protection	Yes
BPDU filtering/protection	Yes
Authentication	MAC-based authentication, Port-based authentication, Web-based authentication
Password protection	Yes
Queue scheduling algorithms	Deficit weighted round robin (DWRR), SP, WRR+SP, Weighted Round Robin (WRR)
Multicast features	
Multicast support	Yes
Multicast features	Controllable multicast
Protocols	
GARP VLAN Registration Protocol (GVRP)	Yes
Routing protocols	RIP
Design	
Rack mounting	Yes
Stackable	Yes
Product colour	Grey
LED indicators	Yes
Number of fans	4 fan(s)
Performance	
Physical stacking (units)	9
Virtual stacking (units)	32
Noise level	56 dB
Mean time between failures (MTBF)	356876 h
Power	
Power source	DC/PoE

Redundant power supply (RPS) support	Yes
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Power consumption (max)	474.51 W
Power over Ethernet (PoE)	
Power over Ethernet (PoE)	Yes
Power over Ethernet plus (PoE+) ports quantity	48
Total Power over Ethernet (PoE) budget	370 W
Operational conditions	
Operating temperature (T-T)	0 - 50 °C
Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 90%
Heat dissipation	1619.03 BTU/h
Weight & dimensions	
Width	440 mm
Depth	430 mm
Height	44 mm
Weight	6.2 kg

Dokumentai ir vaizdo įrašai

› [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

D-Link

ATSAKINGAS ASMUO ES

D-Link Benelux

Postbus 48, 5480 AA Schijndel, NL
dlink.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt