

ASUS PRO B550M-C/CSM AMD B550 AM4 lizdas „micro ATX“

Gamintojas: **ASUS** · Modelis: **90MB15Q0-M0EAYC** · EAN: **4718017992336** · Prekės kodas: **777979**



189,90 €

Kaina su PVM

Be PVM: **156,94 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ AMD AM4 lizdas AMD Athlon, AMD Ryzen 3000 Series
- ✓ PC „micro ATX“ AMD B550 Realtek ALC887 / Realtek ALC897 7.1 kanalai
- ✓ DDR4-SDRAM 4 DIMM Maksimali vidinė atmintis: 128 GB
- ✓ HDD & SSD SATA III
- ✓ BIOS tipas: UEFI AMI 256 Mbit CMOS jutiklio valymo jungė
- ✓ Gigabitinis eternetas



Aprašymas

ASUS Pro business motherboards provide enhanced features to smooth your IT operations, including comprehensive system protection, 24/7 stability and reliability and an improved management suite for easier customization. Known as the world's biggest and best-known motherboard brand, ASUS provides world-class after-sales service and guaranteed long-term availability to maximize your investment over the product life cycle and offers a high-quality, TCO-optimized solution for your business computing-needs.

ASUS Corporate Stable Model

ASUS Corporate Stable Model (CSM) is a commercial program designed to provide stable and reliable motherboards. Offering up to 36-month product lifecycle support and 6-month end-of-life notice to allow sufficient lead times for your organization to get ready for product transitions. Each purchase of an ASUS CSM motherboard comes with ASUS Control Center Express - server-grade IT management software.

ASUS Control Center Express

ASUS Control Center Express is an integrated IT monitoring and management software designed to deploy faster, simplify IT operations and improve productivity with comprehensive control and user-friendly functions. ASUS Control Center Express is compatible with over 100 ASUS motherboards to provide a high-quality, TCO-optimized solution for your business needs.

Optimize IT endpoint management

Designed to assist IT staff in monitoring and controlling devices within their corporate networks, and facilitate inventory checking in multiple locations remotely

Automate IT maintenance

Allows IT staff to schedule automatic updates of the latest BIOS, software and utilities to specific or all devices at off-peak times, enhancing system stability and IT operational flexibility

Securely manage all of endpoints

Securely manage endpoint configuration, portable storage access and PC software applications by enabling them to create grouping rules on individual devices

Internationally Certified Business Motherboard

ASUS business motherboards are enterprise proven with leading quality that exceeds industry standards. Certified by multiple international safety and environmental organizations, ASUS business motherboards provide a safe, secure and sustainable solution, making them the ideal choice for your business.

ASUS Shield

Enhances system security from bottom to top

ASUS Self-recovering BIOS

ASUS-exclusive BIOS protection technology automatically recovers the system BIOS with a verified backup in the event of an update failure, preventing the need to replace or reinstall hardware.

ASUS Secure Boot

ASUS business motherboard is set to check the firmware and signature of each piece of boot software.

Trusted Platform Module (TPM)

Hardware-based security offers better data protection, enhances network security, protects digital identities and ensures platform integrity.

Certified NIST SP 800-147

ASUS business motherboard is certified by the national computer security standards.

ASUS Trouble Shooting Solution

ASUS Debug header is a 10-1 pin low pin count (LPC) header for connecting to debug cards for faster, more efficient motherboard troubleshooting. When connected to an ASUS Debug Card, administrators can view error and debugging codes on the integrated LCD display, and get better idea of initialization and recovery processes. ASUS business motherboards provide a complete troubleshooting solution, making mass production faster and more cost effective.

ASUS Commercial BIOS Kit

ASUS understands how important a customized product impacts users' mind share, experience the brand new Commercial BIOS Kit for partial BIOS update solution!

Techninė specifikacija

Procesorius	
Procesoriaus gamintojas	AMD
Procesoriaus lizdas	AM4 lizdas
Procesorių suderinamumas	AMD Athlon, AMD Ryzen 3000 Series
Maksimalus SMP procesorių skaičius	1
Atmintis	
Palaikomi atminties tipai	DDR4-SDRAM
Atminties angų skaičius	4
Maksimali vidinė atmintis	128 GB
Atminties angų tipas	DIMM
Atminties kanalai	Dviejų kanalų
ECC suderinamumas	ECC
Palaikomi atminties laikrodžio greičiai	2133,2400,2666,2800,3000,3200,3333,3466,3600,3733,3866,4000,4133,4266,4400,4466,4600,4800 MHz
Nebuferizuota atmintis	Taip
Duomenų laikymo valdikliai	
Palaikomi saugojimo kaupiklių sąsajos	SATA III
Palaikomi saugojimo kaupiklių tipai	HDD & SSD
RAID lygiai	0, 1, 10
Grafika	
Paralelinio apdorojimo technologijos parama	Nepalaikomas
Vidinis I/O	
USB 2.0 jungtys	2
USB 3.2 (3.1 1 kart.) jungtys	2
USB 3.2 (3.1 2 kart.) jungtys	0

SATA III jungčių skaičius	4
SATA II jungčių skaičius	0
Priekinio skydelio audio jungtis	Taip
ATX maitinimo jungtis	Taip
EATX maitinimo jungčių skaičius	1
CPU fan jungtis	Taip
Šasi fenų jungčių skaičius	2
Šasi intruzijos jungtis	Taip
COM jungčių skaičius	1
„Thunderbolt“ kolektoriai	1
12 V maitinimo jungtis	Taip

Galinė panelė I/O jungtys

USB 2.0 portų kiekis	2
USB 3.2 (3.1 1 kart.) A tipo prievadų skaičius	2
USB 3.2 (3.1 1 kart.) C tipo prievadų skaičius	0
USB 3.2 2 kart. (3.1 2 kart.) A tipo prievadų skaičius	1
USB 3.2 2 kart. (3.1 2 kart.) C tipo prievadų skaičius	1
Ethernet LAN (RJ-45) portų kiekis	1
VGA (D-Sub) portų kiekis	0
HDMI portų kiekis	1
DVI-D prievadų skaičius	0
eSATA prievadų skaičius	0
PS/2 portų kiekis	2
IEEE 1394/Firewire portų kiekis	0
HDMI versija	2.1
„DisplayPort“ kiekis	2

Tinklas

Ethernet LAN jungtis	Taip
Eterneto sąsajos tipas	Gigabitinis ethernetas
LAN kontroleris	Realtek RTL8111H
Wake-on-LAN pasirengimas	Taip

Savybės

Taikoma	PC
---------	----

Motininės plokštės formos faktorius	„micro ATX“
Motininės plokštės sisteminio valdiklio šeima	AMD
Pagrindinės plokštės lustas	AMD B550
Garso išvesties kanalai	7.1 kanalai
Garso lustas	Realtek ALC887 / Realtek ALC897
Palaikomos „Windows“ operacinės sistemos	Windows 10 x64
Plėtotės lizdas	
PCI Express x 4 lizdai	1
„PCI Express x16“ (4 kartos) lizdai	1
PCI lizdai	1
M.2 (M) angų skaičius	2
BIOS	
BIOS tipas	UEFI AMI
BIOS atminties dydis	256 Mbit
CMOS jutiklio valymo jungė	Taip
Logistikos duomenys	
Darniosios sistemos (DS) kodas	84733020
Svoris ir matmenys	
Plotis	244 mm
Ilgis	244 mm
Aukštis	51 mm
Pakuotės turinys	
Pridėti kabeliai	SATA
Tvarkyklės įskaitytos	Taip
Kitos savybės	
Svoris	845 g

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Greitos pradžios vadovas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

ASUSTeK Computer Inc

Li-Te Road 15, 112 Taipei, TW

asus.com

ATSAKINGAS ASMUO ES

ASUS France S.A.R.L.

Allee bienvenue 10, 93160 Paris, FR

channel.asus.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt