

TP-Link 10-Port Gigabit Desktop Switch with 8-Port PoE+

Gamintojas: **TP-LINK** · Modelis: **TL-SG1210P** · EAN: **6935364052997** · Prekės kodas: **778361**



72,90 €

Kaina su PVM

Be PVM: **60,25 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 9 10/100/1000Mbps RJ45 ports, 1 Gigabit SFP port
- ✓ With 8 PoE+ ports, transfers data and power on one single cable
- ✓ Working with IEEE 802.3af/at compliant PDs, expands home and office network
- ✓ 802.1p/DSCP QoS enable smooth latency-sensitive traffic
- ✓ High PoE power budget with up to 30W for each PoE port and 63W for all PoE ports
- ✓ Easy to use, with no configuration and installation needed



Aprašymas

PoE Switches for Your Ultra Convenience

10-Port Gigabit Desktop Switch with 8-Port PoE+
TL-SG1210P

Surveillance

Work with IP Cameras

Conference Call

Work with IP Phones

Wi-Fi Coverage

Work with Omada EAPs

Easy to Use

Power over Ethernet

Port 1-8 of the switch support Power over Ethernet (PoE) function. These PoE ports can automatically detect and supply power with those IEEE 802.3af/at compliant Powered Devices (PDs).

Intelligent Power Management

When total power consumption exceeds 63W, the intelligent power management will cut the lower priority port power off to ensure the high priority port's power supply and protect the device from power overload operation.

Advanced Functions for Higher Performance

QoS

For Fluent Online Experience

Administrators can designate the priority of traffic based on QoS, for example, to ensure that voice and video applications remain clear and lag-free.

IGMP

Snooping

Traffic Optimization for IPTV

IGMP Snooping optimizes multimedia traffic delivery, to ensure a better network experience especially for applications like IPTV.

Sturdy Metal Casing

Sturdy, compact metal casing, with desktop/wall-mounting design, to meet your needs in any environment. Besides, fanless design ensures quiet operation.

Techninė specifikacija

Management features	
Switch type	Unmanaged
Quality of Service (QoS) support	Yes
Ports & interfaces	
Basic switching RJ-45 Ethernet ports quantity	9
Basic switching RJ-45 Ethernet ports type	Gigabit Ethernet (10/100/1000)
Gigabit Ethernet (copper) ports quantity	9
SFP module slots quantity	1
Network	
Networking standards	IEEE 802.1p, IEEE 802.3af, IEEE 802.3at, IEEE 802.3x
10G support	No
Copper ethernet cabling technology	10BASE-T, 100BASE-TX, 1000BASE-T
Auto MDI/MDI-X	Yes
Auto-negotiation	Yes
MAC address auto-learning supported	Yes

MAC address auto-aging supported	Yes
Optical fiber	
Fiber ethernet cabling technology	1000BASE-X
Fiber type	Single-mode
Data transmission	
MAC address table	4000 entries
Switching capacity	20 Gbit/s
Store-and-forward	Yes
Packet buffer memory	14.88 MB
Security	
IGMP snooping	Yes
Design	
Product colour	Grey
Housing material	Metal
LED indicators	Yes
Performance	
Fanless	Yes
Power	
Power source	DC
Power supply included	Yes
DC input voltage	53.5 V
Input current	1.31 A
Power consumption (max)	78.13 W
Power over Ethernet (PoE)	
Power over Ethernet (PoE)	Yes
Power over Ethernet plus (PoE+) ports quantity	8
Total Power over Ethernet (PoE) budget	63 W
Operational conditions	
Operating temperature (T-T)	0 - 50 °C
Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 90%
Heat dissipation	266.42 BTU/h
Weight & dimensions	

Width	209 mm
Depth	126 mm
Height	26 mm
Packaging content	
Quick start guide	Yes
Manual	Yes
Packaging data	
Package width	240 mm
Package depth	315 mm
Package height	70 mm
Package weight	1.24 kg
Certificates	
Certification	CE, FCC, RoHS
Logistics data	
Harmonized System (HS) code	85176990
Matmenys ir svoris	
Matmenys (I × P × A)	25,00cm × 32,00cm × 8,00cm
Svoris	1,30kg

Dokumentai ir vaizdo įrašai

- › [Gaminio lankstinukas](#)
- › [Vaizdo įrašas](#) youtube.com/watch?v=lqmQsxHcQU0

Gamintojo ir saugos informacija

GAMINTOJAS

TP-Link

ATSAKINGAS ASMUO ES

TP-Link Deutschland GmbH

Niederkasseler Lohweg 175, 40547 Düsseldorf,
DE

tp-link.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt