

iiyama ProLite XUB2792QSU-W6 computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD LED White

 Gamintojas: **IIYAMA** · Modelis: **XUB2792QSU-W6** · EAN: **4948570123384** · Prekės kodas: **778485**


204,90 €

Kaina su PVM

 Be PVM: **169,34 €**


Sandėlyje


Prekė internetu

 Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 68.6 cm (27") LED IPS
- ✓ Quad HD 2560 x 1440 pixels 16:9
- ✓ 100 Hz 0.4 ms 250 cd/m² 1300:1
- ✓ AMD FreeSync Flicker-free technology
- ✓ F 22.1 kWh 25 W



Aprašymas

Stylish edge-to-edge design ProLite XUB2792QSU offering QHD (2560x1440) resolution is perfect for multi-monitor set-ups. The IPS panel technology offers accurate and consistent colour reproduction with wide viewing angles. The 100Hz refresh rate together with AdaptiveSync function provides an instant, tangible improvement in image smoothness. High contrast and brightness values mean the monitor will provide excellent performance for photographic and web design. Equipped with speakers, 2 port USB 3.2, headphone socket, HDMI and DisplayPort connections, a blue light reducer function and an ergonomic 150mm height adjustable stand to reduce eye fatigue for optimal user comfort, make this 27'' monitor a great choice for both home and office applications.

Techninė specifikacija

Display	
Display diagonal	68.6 cm (27")
Display resolution	2560 x 1440 pixels
Native aspect ratio	16:9
Display technology	LED
Touchscreen	No
HD type	Quad HD
Panel type	IPS
Response time	0.4 ms
Screen shape	Flat
Contrast ratio (typical)	1300:1
Maximum refresh rate	100 Hz
Display number of colours	16.7 million colours
Display brightness (typical)	250 cd/m²
Response time (MPRT)	0.4 ms
Display surface	Matt
Contrast ratio (dynamic)	80000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.233 x 0.233 mm
Horizontal scan range	30 - 147 kHz
Viewable size, horizontal	59.7 cm
Viewable size, vertical	33.6 cm
Digital horizontal frequency	30 - 147 kHz
Display diagonal (metric)	68.5 cm
sRGB coverage (typical)	99%
NTSC coverage (typical)	72%

Performance

AMD FreeSync	Yes
AMD FreeSync type	FreeSync
Flicker-free technology	Yes
Low Blue Light technology	Yes

Multimedia

Built-in speaker(s)	Yes
Built-in camera	No
Number of speakers	2
RMS rated power	4 W

Design

Market positioning	Business
Product colour	White

Ports & interfaces

Built-in USB hub	Yes
HDMI	Yes
Headphone out	Yes
USB hub version	3.2 Gen 1 (3.1 Gen 1)
Number of downstream ports	4
HDMI ports quantity	1
DisplayPorts quantity	1
HDCP	Yes

Ergonomics

VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Wall mountable	Yes
Cable management	Yes
Cable lock slot type	Kensington
Adjustable height (max)	15 cm
Pivot	Yes
Pivot angle	90 - 90°
Swivelling	Yes

Swivel angle range	-45 - 45°
Tilt adjustment	Yes
Tilt angle range	22 - 5°
On Screen Display (OSD)	Yes
On Screen Display (OSD) languages	Czech, German, English, Spanish, French, Italian, Japanese, Dutch, Polish, Portuguese, Russian

Power

Energy efficiency class (SDR)	F
Energy efficiency class (HDR)	Not available
Energy consumption (SDR) per 1000 hours	22.1 kWh
Power consumption (typical)	25 W
Power consumption (standby)	0.4 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal
Energy efficiency scale	A to G

Weight & dimensions

Width (with stand)	613.5 mm
Depth (with stand)	209.5 mm
Height (with stand)	544.5 mm
Weight (with stand)	6.1 kg
Width (without stand)	613.5 mm
Depth (without stand)	209.5 mm
Height (without stand)	394 mm

Packaging data

Package width	690 mm
Package depth	168 mm
Package height	455 mm
Package weight	7.9 kg
Package type	Box


Packaging content

Cables included	AC, USB, HDMI, DisplayPort
Quick start guide	Yes

Sustainability

Sustainability certificates	ErP, TCO
Other features	
Packaging content	quick start guide, safety guide
Weight	6.1 kg
Width	613.5 mm
Depth	209.5 mm
Compliance certificates	CE, EAC, PSE, REACH, RoHS, TÜV mark, UKCA, VCCI, WEEE
User controls	picture adjust (contrast, brightness, i-Style colour, ACR, Eco, OD, X-Res technology), image settings (blue light reducer, sharp&soft, video mode adjust), colour settings (gamma, 6-axis, colour temp.), audio settings (volume, mute), OSD settings (OSD H. position, OSD V. position, OSD time, OSD rotate, language), extra1 (MBR, AdaptiveSync, USB BC), extra2 (reset, DDC/CI, signal select, HDMI range, opening logo, LED, information)
Control panel	Signal Select / Exit, + / Volume, - / Eco +, Menu , Power

Energijos efektyvumas ir ekologinis projektavimas



Energijos efektyvumo klasė

F A-G

- › [Energijos etiketė](#)
- › [Gaminio informacijos lapas](#)
- › [EPREL duomenų bazė](#)



2019/07/01

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Gaminio lankstinukas](#)
- › [Vaizdo įrašas](#) youtube.com/watch?v=nVW4eaMMxZI

Gamintojo ir saugos informacija

GAMINTOJAS

iiyama International

Wijkmeesterstraat 8, 2131 HA Hoofddorp, NL

iiyama.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt