

Imou Ranger Dual Pro 10MP IP apsaugos kamera Vidaus 2304 x 1296 pikseliai Stalas

Gamintojas: **IMOU** · Modelis: **IPC-S2XEP-10M0S** · EAN: **6937479640854** · Prekės kodas: **778608**



74,90 €

Kaina su PVM

Be PVM: **61,90 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Vidaus IP apsaugos kamera
- ✓ CMOS 25,4 / 3 mm (1 / 3") 10 MP 2304 x 1296 pikseliai
- ✓ Vieninis ir Bevielis Ethernet LAN jungtis „Wi-Fi“
- ✓ Naktinis matymas 15 m
- ✓ Skaitmeninis priartinimas: 8x
- ✓ Stalas
- ✓ Balta
- ✓ 230 g

Aprašymas

Double the security power.

Protect 2 Zones at Once | 3+3/4+4/5+5MP Lens Options | 2.4/5 GHz Dual-band Wi-Fi 6 | Upgraded High-volume Speaker | One-touch Call with Call Kit

Dual lens - securing 2 zones at once

Ranger Dual Pro comes with a fixed lens in addition to the normal PT lens, allowing you to monitor two areas at a time.

Upgraded more than 2 lens

Dual-band lagless Wi-Fi 6 connection

Ranger Dual Pro supports dual-band connectivity and Wi-Fi 6 for extra stability, easily switching between 2.4GHz extended coverage and 5GHz blazing speed to keep your camera connected, stable and protected at all times.

Upgraded high-volume speaker

The upgraded Ranger Dual Pro speaker is 40% louder, with powerful acoustics that immediately deter intruders and ensure clearer sound on two-way calls.

Make calls at the touch of a button

Tap the on-touch call button on the Ranger Dual Pro to dial the phone directly, and now also supports the Call Kit feature for iOS and Android, so you won't miss a single call, you can also pick up the call in the app for one-way video.

Every angle, every detail

Scenario-optimized resolution options

You can choose the 3+3/4+4/5+5 MP dual-camera clarity option for graded scene adaptability - from home monitoring to more professional and in-depth usage scenarios.

The adjustable dual-lens give you 360° protection

Ranger Dual Pro 's pan-tilt lens supports 0°-355° horizontal rotation and 0-90° vertical rotation, while the fixed lens supports 15° vertical rotation to protect your home 360°.

Dual-lens independent full color night vision

Both lenses of the Ranger Dual Pro independently support 4 night vision modes, which can be switched depending on whether someone is present or if you want the lights on and off.

Enjoy easier security with IMOU Life

Customize your algorithmic matrix with Algo Play

With Algo Play, you can combine as many and more specialised algorithms as you like, such as gesture calling, zone intrusion, people counting detection, etc., to make the IMOU product fit your needs perfectly. (Only 5+5MP version supported)

AI-powered precision - by IMOU SENSE

IMOU SENSE is IMOU's self-developed AI algorithm, which uses separate arithmetic for each lens of the Ranger Dual Pro, increasing its overall detection accuracy by more than 50% and giving you the results back in 0.02 seconds.

Precise human & pet detection

With the support of IMOU SENSE, the newly upgraded AI can effectively improve the accuracy of detecting people and pets, and can intelligently track the target; when there is an event triggered, in addition to pushing information to the user's phone, the device itself will also alarm.

Enjoy easier security with IMOU Life

Customizable detection zone

You can set the areas you want to be detected in the app to avoid false alarms and achieve more efficient security.

Customizable alarm sound

We have preset a variety of alarm tones in the app and you can also set your own alarm tones.

Protection scheduling

You can customize the camera's working and resting times in the app, allowing it to protect your home as your wish.

One-click physical privacy shield

With just a click in the app, Ranger Dual Pro will automatically flip down the camera and activates the physical privacy shield to protect your privacy in your home.

Techninė specifikacija

Performance	
Type	IP security camera
Placement supported	Indoor
Connectivity technology	Wired & Wireless
PTZ control	Yes
Auto-tracking	Yes
Day/night mode	Yes
Certification	CE, UKCA
Design	
Mounting type	Desk
Product colour	White
Camera	
Camera pan control	Yes
Camera tilt control	Yes
Lens viewing angle, horizontal	88°
Lens viewing angle, vertical	47°
Lens viewing angle, diagonal	107°
Tilt angle range	0 - 90°
Pan range	0 - 355°
Image sensor	
Sensor type	CMOS
Number of sensors	2
Optical sensor size	25.4 / 3 mm (1 / 3")
Progressive scan	Yes
Lens system	
Number of lenses	2
Digital zoom	8x
Fixed focal length	3.6 mm

Night vision

Night vision	Yes
Night vision distance	15 m

Video

Maximum resolution	2304 x 1296 pixels
Total megapixels	10 MP
Video compression formats	H.264, H.265
Frame rate	15 fps
Privacy masking	Yes

Audio

Built-in speaker(s)	Yes
Audio system	2-way
Built-in microphone	Yes
Audio detection	Yes

Network

Ethernet LAN	Yes
Wi-Fi	Yes
Bluetooth	No
Ethernet interface type	Fast Ethernet
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6 (802.11ax), 802.11a, Wi-Fi 5 (802.11ac)

Storage

Built-in HDD	No
Card reader integrated	Yes
Compatible memory cards	MicroSD (TransFlash)
Maximum memory card size	512 GB

Ports & interfaces

Ethernet LAN (RJ-45) ports	1
USB port	Yes

Security

Built-in siren	Yes
Video motion detection	Yes
Privacy protection	Yes
Intelligent Video Surveillance (IVS) system features	People counting, Pet detection, Human detection

Management features

Reset button	Yes
Smartphone/tablet remote support	Yes
Power	
Power source type	DC
Power consumption (max)	7.5 W
DC output voltage	5
DC output current	1.5 A
Operational conditions	
Operating temperature (T-T)	-10 - 45 °C
Operating relative humidity (H-H)	0 - 95%
System requirements	
Mobile operating systems supported	Android, iOS
Weight & dimensions	
Width	82.2 mm
Depth	82.2 mm
Height	115.4 mm
Weight	230 g
Packaging content	
Number of cameras	1
Cables included	USB
Mounting kit	Yes
Screws included	Yes
Packaging content	- 1x Camera - 1x Quick Start Guide - 1x Power Adapter - 1x Power Cable - 1x Screw Package - 1x Mounting Plate - 1x Installation Position Map
Sustainability	
Sustainability compliance	Yes
Matmenys ir svoris	
Matmenys (I × P × A)	20,00cm × 10,00cm × 10,00cm
Svoris	0,47kg

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Hangzhou Huacheng Network Technology Co., Ltd.

Liye Road 582, Hangzhou, CN

imou.com

ATSAKINGAS ASMUO ES

Imou Network Technology B.V.

Lange Kleiweg 6, 2288 GK Rijswijk, NL

imou.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt