

i-tec Metal C31NANOVGA100 knyginių kompiuterių dokas / jungčių replikatorius Vielinis USB 3.2 Gen 1 (3.1 Gen 1) Type-C Pilka

Gamintojas: **I-TEC** · Modelis: **C31NANOVGA100** · EAN: **8595611707131** · Prekės kodas: **778746**



77,90 €

Kaina su PVM

Be PVM: **64,38 €**

Sandėlyje






Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Vielinis
- ✓ Priimančioji sąsaja: USB 3.2 Gen 1 (3.1 Gen 1) Type-C
- ✓ „USB Power Delivery“
- ✓ Ethernet LAN jungtis 10,100,1000 Mbit/s
- ✓ MicroSD (TransFlash), SD



Aprašymas

This product is a product set of a docking station and universal charging adapter. By purchasing of this kit, you get a complete solution which allows you to easily connect your favourite accessories, including LAN and external monitors, as well as easily and conveniently charge your device (including your laptop or tablet).

DOCKING STATION

Small metal USB-C docking station capable of easily connecting an external monitor or projector via an HDMI or VGA port. Simply connect your laptop or tablet (no need to install drivers) and reap the benefits of quick USB data transfer, connection to the internet via a LAN port, and the ability to connect your headset. And of course, the docking station can also power your laptop with up to 100 W, meaning you will be able to charge all laptops and tablets that support charging via USB-C (USB-C Power Delivery).

Brushed aluminium body grants the docking station sufficient durability and resilience even during frequent travel. The integrated USB-C cable is sufficiently long for comfortable connection even if the USB-C port is located in the upper portion of the screen frame (typical for hybrid laptops/tablets).

The docking station is also fully compatible with tablets and laptops featuring a Thunderbolt 3 port.

- Easily plug in an external monitor with resolution of up to 4K/30 Hz
- Power delivery: up to 100 W
- one HDMI and one VGA port available (both can be used at the same time; in that case, both monitors will display the same image)
- 3x USB 3.0 and 1x USB-C port will allow you to easily connect your USB devices and peripherals.
- SD and microSD slot will come in handy especially for owners of smartphones and digital cameras
- Gigabit Ethernet RJ-45 provides reliable, robust and high-speed Internet connection supporting 10/100/1000 Mbps speeds
- Combined jack for audio and microphone (headset) on the front panel
- Supports Windows 10, macOS, Android, Chrome OS and Linux

CHARGER

This universal USB-C power adapter with power of 100 W is a great choice for powering any laptop or other device equipped with a USB-C connector that supports USB-C Power Delivery with a maximum power demand of 100 W.

The voltage is set automatically according to the USB Power Delivery specification 2.0 v1.2 in the individual profiles in following steps: 5 V / 9 V / 12 V / 15 V / 19 V / 20 V with max. 5 A current consumption. The power adapter is lightweight and very portable; it is equipped with intelligent current overload, overvoltage, short circuit and overheating protection.

Techninė specifikacija

Ryšys	
Ryšio technologija	Vielinis
Priimančioji sąsaja	USB 3.2 Gen 1 (3.1 Gen 1) Type-C
USB 2.0 portų kiekis	0
USB 3.2 (3.1 1 kart.) A tipo prievadų skaičius	3
HDMI portų kiekis	1
USB 3.2 (3.1 1 kart.) C tipo prievadų skaičius	2
„USB Power Delivery“	Taip
USB maitinimo tiekimas iki	100 W
VGA (D-Sub) portų kiekis	1

Jungtinis ausinių / mikrofono prievadas

Taip

Tinklas

Ethernet LAN jungtis

Taip

Ethernet LAN (RJ-45) portų kiekis

1

Etherneto LAN duomenų perdavimo norma

10,100,1000 Mbit/ai

Veikimo charakteristikos

Produkto spalva

Pilka

Integruotas kortelių skaitytuvas

Taip

Suderinamos atminties kortelės

MicroSD (TransFlash), SD

HD tipas

4K Ultra HD

Palaikomų ekranų skaičius

2

Maksimalus atnaujinimo dažnis

60 Hz

LED indikatoriai

Taip

Korpuso medžiaga

Aliuminis

Energijos valdymas

Maitinimo šaltinio tipas

AC

Maitinimas

100 W

Suderinamų energijos šaltinio kištukinių lizdų tipai

EU

Maitinimo kabelio ilgis

1,5 m

USB kabelio ilgis

0,3 m

Programinė įranga

Palaikomos „Windows“ operacinės sistemos

Taip

Palaikomos MAC operacinės sistemos

Taip

Palaikoma operacinė sistema „Linux“

Taip

Kitos palaikomos operacinės sistemos

Android, ChromeOS

Aplinkos sąlygos

Darbo temperatūros diapazonas (TT)

0 - 40 °C

Darbo santykinės drėgmės diapazonas

10 - 100%

Svoris ir matmenys

Plotis

115 mm

Ilgis

60 mm

Aukštis

18 mm

Svoris

100 g

Pakuotės duomenys

Pakuotės plotis	191 mm
Pakuotės gylis	97 mm
Pakuotės aukštis	23 mm
Paketo svoris	600 g

Pakuotės turinys

Pridėti kabeliai	AC
Kintamosios srovės adapteris	Taip
Greitos pradžios vadovas	Taip
Instrukcija	Taip

Kitos savybės

Trumpojo jungimo apsauga	Taip
Perkrovos apsauga	Taip

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

i-tec Technologies s.r.o.

Teslova 2, 702 00 Ostrava, CZ

i-tec.pro

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt